

Amendment no. 2

NO. BPPI/SURGICAL/RC-158/2020

Dated: 25/11/2020

Subject: - Tender No. BPPI/SURGICAL/RC-158/2020 dated 06.11.2020 for supply of Surgical/Consumables and Medical Devices to Bureau of Pharma Public Sector Undertakings of India (BPPI).

Reference: - Pre-Bid meeting held on 18.11.2020 at 11:00 AM in the premises of BPPI.

Bureau of Pharma PSUs of India (BPPI) has invited e-Bids from the interested parties for “e- Tender For Supply of Surgical/Consumables and Medical Devices for the year 2020- 2022”, vide Notice Inviting Tender No.- **BPPI/SURGICAL/RC-158/2020**. Detailed tender document containing eligibility criteria, selection mechanism, other terms and conditions are available on the website of Central Public Procurement Portal; www.eprocure.gov.in and BPPI Website; www.janaushadhi.gov.in .

After considering the suggestions/ queries received from the prospective bidders on or before Pre-Bid meeting, the clarifications/ amendments with regard to the tender document and specification of items, have been made as per Annexure-A and Annexure-B respectively. All other technical specifications, terms and conditions along with the tender schedule as mentioned in tender document shall remain unchanged.

The following amendment in Tender Document is hereby authorized: -

Annexure- A

Sl. No.	Tender Clause/Reference	Query/Suggestion	Clarification/ Amendment
1	Clause No. 2	Bidders have requested to extend the due date of online tender submitting date on CPP portal.	Online tender submitting date has been extended up to 10.12.2020 in Amendment no.1
2	Clause No. 3 (A) & Clause No. 6 (A)	EMD (Earnest Money Deposit)	EMD has been exempted for all. Bidder must submit the “ Bid Security Declaration ” on firm’s letter head duly authorized accepting that if they withdraw or modify their bids during period of validity etc., they will be suspended for the time specified in the tender documents.

3	Clause No. 3 (F)	Bidder asked for clarification to submit the Market Standing Certificate certified by CA.	<p>Tender condition prevails.</p> <p>Bidder must have Market Standing Certificate of minimum three years issued by the concerned Licensing Authority from Drugs Control Department/Concerned Government Department for the quoted product. Self-attested copies are to be submitted.</p> <p>Note: For items not covered under Drug & Cosmetic Act 1940/ Medical Device Rule 2017, Market standing Certificate (MSC) issued by the C.A. certifying batch no. that the firm/company has manufactured and marketed the quoted items for last three years.</p>
4	Clause No. 3 (I)	Bidder has requested to accept the QMS certificate for Medical Devices & IVDs as per CDSCO FAQ on MDR 2017 point No 61.	<p>The clause no. 3 (I) is hereby amended as: -</p> <p>FOR: Bidder must submit the WHO-GMP/GMP (Good Manufacturing Practice) as per revised Schedule- 'M'/COPP Certificate of the manufacturing unit issued by the Licensing Authority/ Drugs Control Department/BIS/ISI certificate issued from the concerned department (as applicable). The GMP certificate should remain valid till the last date of submission of tender. Self-attested copies are to be submitted.</p> <p>READ: Bidder must submit the WHO-GMP/GMP (Good Manufacturing Practice)/ as per revised Schedule- 'M'/COPP Certificate/ QMS certificate of the manufacturing unit issued by the Licensing Authority/ Drugs Control Department/BIS/ISI certificate issued from the concerned department (as applicable). The WHO-GMP/GMP/QMS certificate should remain valid till the last date of submission of tender. Self-attested copies are to be submitted</p>

5	Clause No. 3 (J)	Bidder asked for clarification to submit the Maximum production Capacity Certificate certified by CA.	<p>Tender condition prevails.</p> <p>Tenderer must declare their maximum Production Capacity (item wise) issued by concerned Licensing Authority form Drugs Control Department/Concerned government Department (for items covered under drug & cosmetic Act 1940 / medical devices Act 2017 and self-declaration for non-drug item(s) i.e. neither covered under Drug & Cosmetic Act 1940 nor Under Medical Device Rule 2017 highlighting the quoted product in Annexure XIV.</p> <p>Note: For items not covered under Drug & Cosmetic Act 1940/ Medical Device Rule 2017, bidder may submit the Maximum Production Capacity certificate certified by CA.</p>
6	Clause No. 3 (T) & Annexure II	<p>The Bidder has requested to amend the declaration in point (IV) of Annexure II regarding submission of valid GS1 registration certificate that at present we don't have GS1 certificate, but we are ready to give declaration that in future if our firm awarded with the contract, we will supply the product as per tender terms and with GS1 barcode system.</p> <p>Bidder has requested to accept the option of "Unique device identification of the medical device" in place of GS1 certificate.</p>	<p>Tender condition prevails.</p> <p>Tender condition prevails.</p>
7	Clause No. 4 (P)	Bidder has requested to clarify 3 Samples means 3 Unit Pack or 3 Kits of 10 Test each.	<p>Bidders need to submit 3 units of each quoted items.</p> <p>Further, add the following note after Clause no. 4 (P)(i)</p> <p><i>Note: For item code 8088, 8122, 8132, 8133, 8135, 8136, the bidder may submit a single unit of each quoted item.</i></p>

		Bidder has requested to accept sample in their packaging /artwork.	<p>The clause no. 4 (P) (iii) is hereby amended as: -</p> <p>FOR: Sample should be in the form of pack as specified in tender enquiry, otherwise the quotation against that particular item is liable to be rejected.</p> <p>READ: Sample should be with the specification as per BPPI tender and shall be accepted with the bidder's packaging/artwork. Any variation in the product specification if found, the quotation against that particular item is liable to be rejected.</p>
8	Clause No. 15 (B) & Clause 16 (A)	Bidders have requested to award at least 50% quantity to L1 bidder instead of 30% quantity.	Tender condition prevails.
9	Clause No. 17 (A)	PERFORMANCE SECURITY DEPOSIT	<p>Clause no. 17 (A) is hereby amended as: -</p> <p>FOR: On being informed about the acceptance of the tender for Rate Contract, the Performance Security Deposit @ 5% will be deducted from each running bills against the total value in the purchase order and accumulated security deposit will be refunded without any interest by BPPI to the tenderer within 60 days following the date of completion of tenderers performance obligations under the contract including the shelf life obligation.</p> <p>READ: On being informed about the acceptance of the tender for Rate Contract, the Performance Security Deposit @ 3% will be deducted from each running bills against the total value in the purchase order and accumulated security deposit will be refunded without any interest by BPPI to the tenderer within 60 days following the date of completion of tenderers performance obligations under the contract including the shelf life obligation.</p>

10	Clause no. 18 (M), Annexure XII & XIII and BOQ	Bidder has requested to amend the specification of item code- 5037, 6035, 6036, 6037, 6038 to separate the IV cannula and 3- way stop cock	Tender condition prevails.
11	Clause no. 18 (M), Annexure XII & XIII and BOQ	Bidder has requested to incorporate the ISI and CE mark for item code-5028, 5030, 5031, 5033, 5034	Tender condition prevails as per tender clause no. 3(D) Note: Product standards for medical devices.
12	Clause No. 19 (D)	Bidder has requested to increase the delivery period from 45 days to 75 days for first order.	Tender condition prevails.
13	Clause No. 19 (K)	Bidder has requested to amend the shelf life to 24 months for Diagnostic kit.	<p>Clause no. 19 (K) is hereby amended as: -</p> <p>FOR: Bidder must comply to the shelf life of each quoted drugs in accordance with “Schedule P” of Drugs and Cosmetics Rules, 1945/Medical Device Rule 2017. In case drug not covered in “Schedule P” of Drugs and Cosmetics Rules, 1945, the bidder must supply the items with minimum 36 months shelf life. Bidders must declare the required shelf-life detail in Annexure XIII.</p> <p>READ: Bidder must comply to the shelf life of each quoted drugs in accordance with “Schedule P” of Drugs and Cosmetics Rules, 1945/Medical Device Rule 2017. In case drug not covered in “Schedule P” of Drugs and Cosmetics Rules, 1945, the bidder must supply the items with minimum 36 months shelf life and for item code 5077, 5078, 5079, 8122, 8123 the minimum shelf life should be 24 months. Bidders must declare the required shelf-life detail in Annexure XIII.</p>

14	Clause No. 23 (B)	MSME bidder has requested that payment period should be reduced from 60 days to 30 days.	Tender condition prevails.
----	-------------------	--	----------------------------

Annexure- B

Part-1

Sl. No.	Tender Clause/ Reference	Item Code	Generic Name with detailed specification of the Item	Clarification/ Amendment
1	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-5072	Temporary Cardiac Pacing Wire (Electrode) Sterile ½ CIR, Temporary Cardiac Pacing Wire (Electrode) Sterile ½ Cir	The specification is hereby amended as: - Temporary Cardiac Pacing Wire (Electrode) Sterile Electrode Blue 60 CM Pacing Wire 26 mm 1/2 CIRCLE Taperpoint & 60 mm Straight Cutting Needle with Breakaway Point 90mm
2	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-5077	Rapid Diagnostic Malaria Test Kit, Rapid Diagnostic Malaria Test Kit: Test card; Sterile lancet, Reagents including buffer solution in a dropping bottle. The test kit should be able to rapidly diagnose both P. falciparum and P. vivax The product should comply with ISO 9001 ISO 13485 The invalid rate should be less than 5% should have space for recording particulars of test. US-FDA approved.	The specification is hereby amended as: - Rapid Diagnostic Malaria Test Kit Test card; Sterile lancet, Reagents including buffer solution in a dropping bottle. The test kit should be able to rapidly diagnose both P. falciparum and P. vivax The product should comply with ISO 9001 ISO 13485 (QMS)/CE/USFDA. The invalid rate should be less than 5% Should have space for recording particulars of test.

3	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-5078	Dengue Test Kit, Dengue Antigen IgG/IgM AB Test Kit (Uses serum, plasma or whole blood) Detects all four Dengue serotypes (DEN 1, 2, 3, 4) Result time: 5 minutes Sensitivity: IgM - 96.5-99.5, IgG- 95.6-98.6 Specificity: IgM - 97-100%, IgG - 97-100 Shelf life 24 months Storage 2- 30 degree Celsius, ISO 13485 (QMS)/CE	The specification is hereby amended as: - Dengue Test Kit NS1 Ag + Ab Combo Kit (Uses whole blood serum or plasma) Detects all four Dengue serotypes (DEN 1, 2, 3, 4) Result time: 10-15 minutes Sensitivity: IgM - 96.5-99.5, IgG- 95.6-98.6 Ag – 92- 95%, Specificity: IgM - 97-100%, IgG - 97-100, Ag – 98-100%, ISO 13485 (QMS)/CE
4	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-5079	HCG- Pregnancy Test Kit, HCG -Pregnancy Card Test Kit: Test device, Dropper, Clean cup/tube Reading time 5-10 min, Hermetically sealed CE marking as per in vitro Diagnostic Directive (IVDD) 98/79/EC for EU (Annex S8), or be US FDA-approved as per 510(k)	The specification is hereby amended as: - HCG- Pregnancy Test Kit, HCG -Pregnancy Card Test Kit: Test device, Dropper, Clean cup/tube Reading time 5-10 min, Hermetically sealed CE marking as per in vitro Diagnostic Directive (IVDD) 98/79/EC for EU (Annex S8), or be US FDA-approved as per 510(k), ISO 13485 (QMS)
5	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8012	Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 20mm, Length 70cm, Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 20mm, Length 70cm Needle Length: 20 mm, Suture Length: 70 cm, Synthetic Braided, Absorbable: 56 - 70 Days, Suture Material: Polyglactin 910, Needle Description: 20 mm, 1/2 Circle Round Body Needle, Coating: Calcium Stearate and Polyglactin 370.	The specification is hereby amended as: - Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 20mm, Length 70cm, USP 3/0 Needle Length: 20 mm, Suture Length: 70 cm, Synthetic Braided, Absorbable: 56 - 70 Days, Suture Material: Polyglactin 910, Needle Description: 20 mm, 1/2 Circle Round Body Needle, Coating: Calcium Stearate and Polyglactin 370, USP 3/0.

6	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8015	<p>Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Tapercut Niddle 40mm, Length 90cm, Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Tapercut Niddle 40mm, Length 90cm</p> <p>Material- Poliglecaprone 25 - coploymer of glycolide and caprolactone, Needle Length: 40mm, Suture Length: 90 cm</p> <p>Needle Description: 40 mm, 1/2 Circle TAPERCUT</p>	<p>The specification is hereby amended as: - Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Tapercut Niddle 40mm, Length 90cm, USP-1</p> <p>Material- Poliglecaprone 25 - coploymer of glycolide and caprolactone, Needle Length: 40mm, Suture Length: 90 cm, USP 1</p> <p>Needle Description: 40 mm, 1/2 Circle TAPERCUT</p>
7	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8019	<p>Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 40mm, Length 90cm, Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 40mm, Length 90cm</p> <p>Material- Poliglecaprone 25 - coploymer of glycolide and caprolactone, Needle Length: 40mm, Suture Length: 90 cm</p> <p>Needle Description: 40 mm, 1/2 Circle Round Body Needle</p>	<p>The specification is hereby amended as: - Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 40mm, Length 90cm, USP-2/0</p> <p>Material- Poliglecaprone 25 - copolymer of glycolide and caprolactone, Needle Length: 40mm, Suture Length: 90 cm, USP 2/0</p> <p>Needle Description: 40 mm, 1/2 Circle Round Body Needle</p>
8	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8022	<p>Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 20mm, Length 70cm, Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 20mm, Length 70cm</p> <p>Needle Length: 20 mm, Suture Length: 70 cm, Synthetic Braided, Absorbable: 56 - 70 Days, Suture Material: Polyglactin 910, Needle Description: 20 mm, 3/8 Circle Round Body Needle, Coating: Calcium Stearate and Polyglactin 370.</p>	<p>The specification is hereby amended as: - Surgical Suture (Absorbable, Synthetic) 1/2 Cir Rb, Niddle 20mm, Length 70cm, USP 4/0</p> <p>Needle Length: 20 mm, Suture Length: 70 cm, Synthetic Braided, Absorbable: 56 - 70 Days, Suture Material: Polyglactin 910, Needle Description: 20 mm, 3/8 Circle Round Body Needle, Coating: Calcium Stearate and Polyglactin 370, USP 4/0</p>

9	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8023	<p>Silk Suture (1/2 Cir Rb needle 20mm, Length 76 cm), Silk Suture (1/2 Cir Rb needle 20mm, Length 76 cm)</p> <p>Needle Description: 1/2 Circle Round Body Needle Dimension: 20mm Suture Type and Length: MERSILK Black Braided 76 cm, Silk Non- Absorbable Suture.</p>	<p>The specification is hereby amended as: - Silk Suture (1/2 Cir Rb needle 20mm, Length 76 cm), USP-3/0</p> <p>Needle Description: 1/2 Circle Round Body Needle Dimension: 20mm Suture Type and Length: MERSILK Black Braided 76 cm, USP-3/0, Silk Non- Absorbable Suture.</p>
10	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8024	<p>Silk Suture (3/8 Circle Reverse cutting needle 26mm, Length 76 cm), Silk Suture (3/8 Circle Reverse cutting needle 26mm, Length 76 cm)</p> <p>Needle Description: 3/8 Circle reverse cutting Needle Dimension: 26mm Suture Type and Length: MERSILK Black Braided 76 cm, Silk Non- Absorbable Suture.</p>	<p>The specification is hereby amended as: - Silk Suture (3/8 Circle Reverse cutting needle 26mm, Length 76 cm), Silk Suture (3/8 Circle Reverse cutting needle 26mm, Length 76 cm), USP3/0</p> <p>Needle Description: 3/8 Circle reverse cutting Needle Dimension: 26mm Suture Type and Length: MERSILK Black Braided 76 cm, Silk Non- Absorbable Suture, USP3/0</p>
11	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8025	<p>Silk Suture (3/8 Circle Reverse cutting needle 45mm, Length 76 cm), Silk Suture (3/8 Circle Reverse cutting needle 45mm, Length 76 cm)</p> <p>Needle Description: 3/8 Circle reverse cutting Needle Dimension: 45mm Suture Type and Length: MERSILK Black Braided 76 cm, Silk Non- Absorbable Suture.</p>	<p>The specification is hereby amended as: - Silk Suture (3/8 Circle Reverse cutting needle 45mm, Length 76 cm), USP 2/0</p> <p>Needle Description: 3/8 Circle reverse cutting Needle Dimension: 45mm Suture Type and Length: MERSILK Black Braided 76 cm, USP 2/0, Silk Non- Absorbable Suture.</p>

12	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8026	<p>Silk Suture (3/8 Cir Rb needle 20mm, Length 76 cm), Silk Suture (3/8 Cir Rb needle 20mm, Length 76 cm)</p> <p>Needle Description: 3/8 Circle RB Needle Dimension: 20mm Suture Type and Length: MERSILK Black Braided 76 cm, Silk Non- Absorbable Suture.</p>	<p>The specification is hereby amended as: - Silk Suture (3/8 Cir Rb needle 20mm, Length 76 cm) USP 2/0,</p> <p>Needle Description: 3/8 Circle RB Needle Dimension: 20mm Suture Type and Length: MERSILK Black Braided 76 cm, USP 2/0, Silk Non- Absorbable Suture.</p>
13	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8027	<p>Silk Suture (3/8 Cir Rb needle 16mm, Length 76 cm), Silk Suture (3/8 Cir Rb needle 16mm, Length 76 cm)</p> <p>Needle Description: 3/8 Circle RB Needle Dimension: 16mm Suture Type and Length: MERSILK Black Braided 76 cm, Silk Non- Absorbable Suture.</p>	<p>The specification is hereby amended as: - Silk Suture (3/8 Cir Rb needle 16mm, Length 76 cm), USP 4/0</p> <p>Needle Description: 3/8 Circle RB Needle Dimension: 16mm Suture Type and Length: MERSILK Black Braided 76 cm, USP 4/0, Silk Non- Absorbable Suture.</p>
14	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8028	<p>Polyamide (3/8 Cir Micropoint Spatulated,6mm,length 38 Cm)size 8/0, Polyamide (3/8 Cir Micropoint Spatulated,6mm,length 38 Cm)size 8/0</p> <p>Needle Description: 3/8 Circle Spatulated MICRO-POINT Needle Dimension: 6mm Suture Type and Length:ETHILON Black Monofilament 38 cm Suture Size: 8/0</p>	<p>The specification is hereby amended as: - Polyamide (3/8 Cir Micropoint Spatulated,6mm,length 38 Cm) size 8/0,</p> <p>Needle Description: 3/8 Circle Spatulated MICRO-POINT Needle Dimension: 6mm Suture Type and Length: 38 cm Suture Size: 8/0</p>

15	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8029	<p>Polyamide (3/8 Conventional Cutting Needle 16mm Length 70 cm), Polyamide (3/8 Conventional Cutting Needle 16mm Length 70 cm)</p> <p>Nylon non absorbable monofilament suture, Circle: 3/8, Needle profile: conventional cutting, Needle length: 16 mm, Suture length: 70 cm, monofilament polyamide, non-adhering and biologically inert, sterilized by ethylene oxide.</p>	<p>The specification is hereby amended as: - Polyamide (3/8 Conventional Cutting Needle 16mm Length 70 cm), USP 3/0</p> <p>Nylon non absorbable monofilament suture, Circle: 3/8, Needle profile: conventional cutting, Needle length: 16 mm, Suture length: 70 cm, USP 3/0, monofilament polyamide, non-adhering and biologically inert, sterilized by ethylene oxide.</p>
16	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8030	<p>Polyamide (3/8 Conventional Cutting Needle 19mm Length 60 cm), Polyamide (3/8 Conventional Cutting Needle 19mm Length 60 cm)</p> <p>Nylon non absorbable monofilament suture, Circle: 3/8, Needle profile: conventional cutting, Needle length: 19mm, Suture length: 60 cm, monofilament polyamide, non-adhering and biologically inert, sterilized by ethylene oxide.</p>	<p>The specification is hereby amended as: - Polyamide (3/8 Conventional Cutting Needle 19mm Length 60 cm), Polyamide (3/8 Conventional Cutting Needle 19mm Length 60 cm), USP 4/0</p> <p>Nylon non absorbable monofilament suture, Circle: 3/8, Needle profile: conventional cutting, Needle length: 19mm, Suture length: 60 cm, USP 4/0, monofilament polyamide, non-adhering and biologically inert, sterilized by ethylene oxide.</p>
17	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8032	<p>Polyamide (3/8 R Cutting Needle 45mm, Length 70 Cm.)size 2./0, Polyamide (3/8 R Cutting Needle 45mm, Length 70 Cm.)size 2./0 Needle Description: 3/8 Circle Reverse Cutting Needle Dimension: 45mm, Suture Type and Length: ETHILON Black Monofilament 70 cm, Suture Size: 2-0</p>	<p>The specification is hereby amended as: - Polyamide (3/8 R Cutting Needle 45mm, Length 70 Cm.)size 2./0, Needle Description: 3/8 Circle Reverse Cutting Needle Dimension: 45mm, Suture Type and Length:70 cm, Suture Size: 2-0</p>

18	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8035	<p>Polypropylene Suture (1/2 Cir Rb, 13mm Needle, Suture Length 75cm, double arm), Polypropylene Suture (1/2 Cir Rb, 13mm Needle, Suture Length 75cm, double arm)</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 13mm Suture Length: 75 cm, Needle Description: 13 mm, 1/2 CIR RB Needle, Double Arms. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, 13mm Needle, Suture Length 75cm, double arm), USP 5/0.</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 13mm Suture Length: 75 cm, Needle Description: 13 mm, 1/2 CIR RB Needle, Double Arms, USP 5/0. CE certification</p>
19	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8036	<p>Polypropylene Suture (3/8 Cir Rb, 8mm Needle, Suture Length 60cm), Polypropylene Suture (3/8 Cir Rb, 8mm Needle, Suture Length 60cm)</p> <p>Needle Length: 8mm, Suture Length: 60cm, Synthetic Monofilament, Non Absorbable, Suture Material: Polypropylene, Needle Description: 8mm, 3/8 Circle RB double. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (3/8 Cir Rb, 8mm Needle, Suture Length 60cm), USP 7/0</p> <p>Needle Length: 8mm, Suture Length: 60cm, Synthetic Monofilament, Non Absorbable, Suture Material: Polypropylene, Needle Description: 8mm, 3/8 Circle RB double, USP 7/0. CE certification</p>
20	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8038	<p>Polypropylene Suture (3/8 Cir Rb, 16mm Needle, Suture Length 70cm), Polypropylene Suture (3/8 Cir Rb, 16mm Needle, Suture Length 70cm)</p> <p>Needle Length: 16mm, Suture Length: 70cm, Synthetic Monofilament, Non Absorbable, Suture Material: Polypropylene, Needle Description: 8mm, 3/8 Circle RB. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (3/8 Cir Rb, 16mm Needle, Suture Length 70cm), USP 5/0</p> <p>Needle Length: 16mm, Suture Length: 70cm, Synthetic Monofilament, Non Absorbable, Suture Material: Polypropylene, Needle Description: 8mm, 3/8 Circle RB, USP 5/0. CE certification</p>

21	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8039	<p>Polypropylene Suture (1/2 Cir Rb, 30mm Needle, Suture Length 90cm), Polypropylene Suture (1/2 Cir Rb, 30mm Needle, Suture Length 90cm)</p> <p>Needle Length: 30mm, Suture Length: 90cm, Synthetic Monofilament, Non Absorbable, Suture Material: Polypropylene, Needle Description: 30mm, 3/8 Circle RB.</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, 30mm Needle, Suture Length 90cm), USP 2/0</p> <p>Needle Length: 30mm, Suture Length: 90cm, Synthetic Monofilament, Non Absorbable, Suture Material: Polypropylene, Needle Description: 30mm, 3/8 Circle RB, USP 2/0.</p>
22	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8040	<p>Polypropylene Suture (1/2 Cir Rb, 45mm Needle, Suture Length 90cm), Polypropylene Suture (1/2 Cir Rb, 45mm Needle, Suture Length 90cm)</p> <p>Needle Description: 1/2 Circle Round Body (Heavy), Needle Dimension: 45mm, length 90 cm, synthetic absorbable sterile surgical suture, material- POLYPROPYLENE. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, 45mm Needle, Suture Length 90cm), Polypropylene Suture (1/2 Cir Rb, 45mm Needle, Suture Length 90cm), USP 1</p> <p>Needle Description: 1/2 Circle Round Body (Heavy), Needle Dimension: 45mm, length 90 cm, synthetic absorbable sterile surgical suture, material- POLYPROPYLENE, USP 1. CE certification</p>
23	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8041	<p>Polypropylene Suture (1/2 Cir Rb, 17mm Needle, Suture Length 90cm), Polypropylene Suture (1/2 Cir Rb, 17mm Needle, Suture Length 90cm)</p> <p>Needle Description: 1/2 Circle Round Body double Needle Dimension: 17mm, length 90 cm, synthetic absorbable sterile surgical suture, material- Polypropylene. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, 17mm Needle, Suture Length 90cm), USP 4/0</p> <p>Needle Description: 1/2 Circle Round Body double Needle Dimension: 17mm, length 90 cm, synthetic absorbable sterile surgical suture, material- Polypropylene, USP 4/0. CE certification</p>

24	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8042	<p>Polypropylene Suture (1/2 Tapercut, 17mm Double Needle, Suture Length 70cm), Polypropylene Suture (1/2 Tapercut, 17mm Double Needle, Suture Length 70cm)</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 17mm Suture Length: 70 cm, Needle Description: 17 mm, 1/2 TAPERCUT Needle, Double Arms. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Tapercut, 17mm Double Needle, Suture Length 70cm), USP3/0</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 17mm Suture Length: 70 cm, Needle Description: 17 mm, 1/2 TAPERCUT Needle, Double Arms, USP3/0. CE certification</p>
25	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8043	<p>Polypropylene Suture (1/2 Cir Rb, 25mm Needle, Suture Length 90cm), Polypropylene Suture (1/2 Cir Rb, 25mm Needle, Suture Length 90cm)</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 25mm Suture Length: 90 cm, Needle Description: 25mm, 1/2 CIR RB Needle, Double Arms. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, 25mm Needle, Suture Length 90cm), USP 3/0</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 25mm Suture Length: 90 cm, Needle Description: 25mm, 1/2 CIR RB Needle, Double Arms, USP 3/0. CE certification</p>

26	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8044	<p>Polypropylene Suture (1/2 Cir Rb, 30mm Needle, Suture Length 90cm) double arm, Polypropylene Suture (1/2 Cir Rb, 30mm Needle, Suture Length 90cm) double arm</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 30mm Suture Length: 90 cm, Needle Description: 30mm, 1/2 CIR RB Needle, Double Arms. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, 30mm Needle, Suture Length 90cm) double arm, USP 1/0</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 30mm Suture Length: 90 cm, Needle Description: 30mm, 1/2 CIR RB Needle, Double Arms, USP 1/0. CE certification</p>
27	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8045	<p>Polypropylene Suture (1/2 Tapercut, 17mm Double Needle, Suture Length 75cm) double arm, Polypropylene Suture (1/2 Tapercut, 17mm Double Needle, Suture Length 75cm) double arm</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 17mm Suture Length: 75 cm, Needle Description: 17 mm, 1/2 TAPER CUT Needle, Double Arms. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Tapercut, 17mm Double Needle, Suture Length 75cm) double arm, USP 5/0</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 17mm Suture Length: 75 cm, Needle Description: 17 mm, 1/2 TAPER CUT Needle, Double Arms, USP 5/0. CE certification</p>
28	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8046	<p>Polypropylene Suture (1/2 Tapercut, 25mm Double Needle, Suture Length 90cm) double arm, Polypropylene Suture (1/2 Tapercut, 25mm Double Needle, Suture Length 90cm) double arm</p> <p>Needle Description: 1/2 Tapercut double Needle Dimension: 17mm, length 90 cm, synthetic</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Tapercut, 25mm Double Needle, Suture Length 90cm) double arm, USP 1/0</p> <p>Needle Description: 1/2 Tapercut double Needle Dimension: 17mm, length 90 cm, synthetic</p>

			absorbable sterile surgical material- POLYPROPYLENE CE certification	absorbable sterile surgical material- POLYPROPYLENE, USP 1/0, CE certification
29	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8048	Polypropylene Suture (3/8 Cir Rb, 13mm Needle, Suture Length 90cm) double arm, Polypropylene Suture (3/8 Cir Rb, 13mm Needle, Suture Length 90cm) double arm Needle Description: 3/8 Cir RB Needle Dimension: 13mm, length 90 cm, synthetic absorbable sterile surgical material- POLYPROPYLENE, CE certification	The specification is hereby amended as: - Polypropylene Suture (3/8 Cir Rb, 13mm Needle, Suture Length 90cm) double arm, USP 6/0 Needle Description: 3/8 Cir RB Needle Dimension: 13mm, length 90 cm, USP 6/0 synthetic absorbable sterile surgical material- POLYPROPYLENE, CE certification
30	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8049	Polypropylene Suture (1/2 Cir Rb, 16mm Double Needle, Suture Length 90cm), Polypropylene Suture (1/2 Cir Rb, 16mm Double Needle, Suture Length 90cm) Needle Description: 1/2 Cir RB Needle Dimension: 16mm, length 90 cm, synthetic absorbable sterile surgical, material- POLYPROPYLENE. CE certification	The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, 16mm Double Needle, Suture Length 90cm), USP 3/0 Needle Description: 1/2 Cir RB Needle Dimension: 16mm, length 90 cm, USP 3/0 , synthetic absorbable sterile surgical, material- POLYPROPYLENE. CE certification
31	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8050	Polypropylene Suture (3/8 Cir Rb, 25mm Needle, Suture Length 45cm), Polypropylene Suture (3/8 Cir Rb, 25mm Needle, Suture Length 45cm) Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament Needle Description: 3/8 Circle Round Body Needle Dimension: 25mm, Length 45 cm, Silk Non- Absorbable Suture. CE certification	The specification is hereby amended as: - Polypropylene Suture (3/8 Cir Rb, 25mm Needle, Suture Length 45cm), Polypropylene Suture (3/8 Cir Rb, 25mm Needle, Suture Length 45cm) Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament Needle Description: 3/8 Circle Round Body Needle Dimension: 25mm, Length 45 cm, Silk Non- Absorbable Suture. CE certification

32	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8051	<p>Polypropylene Suture (1/2 Cir Rb, 40mm Needle, Suture Length 90cm), Polypropylene(1/2 Cir RB Heavy Needle 40mm length 90cm</p> <p>Needle Description: 1/2 Cir RB Needle Dimension: 40mm, length 90 cm, synthetic absorbable sterile surgical, material- POLYPROPYLENE. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, 40mm Needle, Suture Length 90cm), USP 1</p> <p>Needle Description: 1/2 Cir RB Needle Dimension: 40mm, length 90 cm, USP 1, synthetic absorbable sterile surgical, material- POLYPROPYLENE. CE certification</p>
33	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8052	<p>Polypropylene Suture (1/2 Cir Rb, Reverse Cutting, 45mm Needle, Suture Length 100cm), Polypropylene Suture (1/2 Cir Rb, Reverse Cutting, 45mm Needle, Suture Length 100cm)</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament Needle, Needle Description: 1/2 Circle reverse cutting Needle Dimension: 45mm, Length 100 cm, Non- Absorbable Suture. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb, Reverse Cutting, 45mm Needle, Suture Length 100cm), USP 1</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament Needle, Needle Description: 1/2 Circle reverse cutting Needle Dimension: 45mm, Length 100 cm, USP 1, Non- Absorbable Suture. CE certification</p>
34	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8053	<p>Polypropylene Suture (3/8 Cir Rb 8mm Double Needle, Suture Length 70cm), Polypropylene (3/8 Cir RB 8mm Double Needle Suture Length 70cm)</p> <p>Suture Material: Polypropylene, Needle Description: 8mm, RB 3/8 Circle Double Needle, Suture Length 70cm, Synthetic, Non Absorbable. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (3/8 Cir Rb 8mm Double Needle, Suture Length 70cm), USP 8/0</p> <p>Suture Material: Polypropylene, Needle Description: 8mm, RB 3/8 Circle Double Needle, Suture Length 70cm, USP 3/0, Synthetic, Non Absorbable. CE certification</p>

35	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8054	<p>Polypropylene Suture (1/2 Circle Tapercut 13mm Double Needle, Suture Length 70cm), Polypropylene Suture (1/2 Circle Tapercut 13mm Double Needle, Suture Length 70cm)</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 13mm Suture Length: 70 cm, Needle Description: 13 mm, 1/2 TAPER CUT Needle,</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Circle Tapercut 13mm Double Needle, Suture Length 70cm), USP 7/0</p> <p>Polypropylene, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic Monofilament, Suture Material: Nylon. Needle Length: 13mm Suture Length: 70 cm, USP 7/0, Needle Description: 13 mm, 1/2 TAPER CUT Needle,</p>
36	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8055	<p>Polypropylene Suture (1/2 Cir Rb 13mm Needle, Suture Length 70cm, double arm), Polypropylene Suture (1/2 Cir Rb 13mm Needle, Suture Length 70cm, double arm)</p> <p>Suture Material: Polypropylene, Needle Description: 13mm, 1/2 Circle CC, Suture Length 70cm, double arm, Synthetic, Non Absorbable. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Cir Rb 13mm Needle, Suture Length 70cm, double arm), USP 6/0</p> <p>Suture Material: Polypropylene, Needle Description: 13mm, 1/2 Circle CC, Suture Length 70cm, double arm, USP 6/0, Synthetic, Non Absorbable. CE certification</p>
37	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8056	<p>Polypropylene Suture (1/2 Circle, Tapercut, 17mm Needle, Suture Length 90cm, double arm), Polypropylene Suture (1/2 Circle, Tapercut, 17mm Needle, Suture Length 90cm, double arm)</p> <p>Suture Material: Polypropylene, Needle Description: 17mm, 1/2 Circle Tapercut, Suture Length 90cm double arm, Synthetic, Non Absorbable. CE certification</p>	<p>The specification is hereby amended as: - Polypropylene Suture (1/2 Circle, Tapercut, 17mm Needle, Suture Length 90cm, double arm), USP 3/0</p> <p>Suture Material: Polypropylene, Needle Description: 17mm, 1/2 Circle Tapercut, Suture Length 90cm double arm, USP 3/0, Synthetic, Non Absorbable. CE certification</p>

38	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8057	<p>Polypropylene Suture (1/2 Cir Rb, 25mm Needle, Suture Length 75cm, double arm), Polypropylene Suture (1/2 Cir Rb, 25mm Needle, Suture Length 75cm, double arm)</p> <p>Suture Material: Polypropylene, Needle Description: 25mm, 1/2 Circle RB, Suture Length 75cm double arm, Synthetic, Non Absorbable. CE certification</p>	<p>The specification is hereby amended as: -</p> <p>Polypropylene Suture (1/2 Cir Rb, 25mm Needle, Suture Length 75cm, double arm), USP 3/0</p> <p>Suture Material: Polypropylene, Needle Description: 25mm, 1/2 Circle RB, Suture Length 75cm double arm, USP 3/0, Synthetic, Non Absorbable. CE certification</p>
39	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8061	<p>Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 17mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 X, Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 17mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 X</p> <p>Polybutylate/silicon, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic MonofilamentSuture Type: Synthetic Braided, Absorption Profile: Non-Absorbable</p> <p>Suture Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 17mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 X Suture Material: Polyester - Poly (ethylene terephthalate), Coating: Polybutylate/ Wax/ Silicone.</p>	<p>The specification is hereby amended as: -</p> <p>Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 17mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 x 3 x 1.5mm</p> <p>Polybutylate/silicon, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic MonofilamentSuture Type: Synthetic Braided, Absorption Profile: Non-Absorbable</p> <p>Suture Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 17mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 x 3 x 1.5mm Suture Material: Polyester - Poly (ethylene terephthalate), Coating: Polybutylate/ Wax/ Silicone.</p>

40	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8062	<p>Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 25mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 X, Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 25mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 X</p> <p>Polybutylate/silicon, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic MonofilamentSuture Type: Synthetic Braided, Absorption Profile: Non-Absorbable Suture Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 25mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 X Suture Material: Polyester - Poly (ethylene terephthalate), Coating: Polybutylate/ Wax/ Silicone.</p>	<p>The specification is hereby amended as: - Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 25mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 x 3 x 1.5mm</p> <p>Polybutylate/silicon, Synthetic Monofilament, Absorption Profile: Non-absorbable, Suture Type: Synthetic MonofilamentSuture Type: Synthetic Braided, Absorption Profile: Non-Absorbable Suture Polybutylate Coated with Polyester Braided (green/ Blue) 1/2 Circle Tapercut, 25mm Double Armed Needle, Suture Length of 90cm with Pledgets Size 6 x 3 x 1.5mm Suture Material: Polyester - Poly (ethylene terephthalate), Coating: Polybutylate/ Wax/ Silicone.</p>
41	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8066	<p>Polyglecaprone/Polyglyconate Suture (1/2 Circle Cutting 16mm Needle, Suture length 70cm), Polyglecaprone/Polyglyconate Suture (1/2 Circle Cutting 16mm Needle, Suture length 70cm)</p> <p>Needle Length: 16mm, Suture Length: 70 cm, Suture Type: Synthetic Monofilament, Absorption Profile: Absorbable: 90 - 120 Days, Suture Material: Poliglecaprone 25 - coploymer of glycolide and caprolactone, Needle Description: 16 mm, 1/2 Circle Cutting Needle</p>	<p>The specification is hereby amended as: - Polyglecaprone/Polyglyconate Suture (1/2 Circle Cutting 16mm Needle, Suture length 70cm), USP 4/0</p> <p>Needle Length: 16mm, Suture Length: 70 cm, USP 4/0 Suture Type: Synthetic Monofilament, Absorption Profile: Absorbable: 90 - 120 Days, Suture Material: Poliglecaprone 25 - coploymer of glycolide and caprolactone, Needle Description: 16 mm, 1/2 Circle Cutting Needle</p>

42	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8067	<p>Polyglecaprone/Polyglyconate Suture (3/8 Circle Cutting 25mm Needle, Suture length 70cm), Polyglecaprone /Polyglyconate (3/8 Circle Cutting 25mm Needle, Suture Length of 70cm)</p> <p>Suture Material: Polyglecaprone 25/ Polyglyconate, Needle Description: 25 mm, 3/8 Circle Cutting Needle, Suture Length: 70 cm, Synthetic Monofilament, Absorbable.</p>	<p>The specification is hereby amended as: - Polyglecaprone/Polyglyconate Suture (3/8 Circle Cutting 25mm Needle, Suture length 70cm), USP 3/0</p> <p>Suture Material: Polyglecaprone 25/ Polyglyconate, Needle Description: 25 mm, 3/8 Circle Cutting Needle, Suture Length: 70 cm, USP 3/0 Synthetic Monofilament, Absorbable.</p>
43	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8080	<p>Surgical Face Mask, Disposable, Face Mask, Disposable, should be manufactured from non-woven poly prop fabric, should be 3 ply construction, should have high Bacterial filtration efficiency, should be heat sealed to keep 3 layers together, Standard Size 17.5 x 9 cm, Color Green / Blue, there should be ear loop for wearing mask, length of earloop should be 7 inch one side.</p>	<p>The specification is hereby amended as: - Surgical Face Mask, Disposable, should be manufactured from non-woven poly prop fabric/SMS/Meltblown, should be 3 ply construction, Bacterial filtration efficiency (BFE) should not be less than 99%, should be heat sealed to keep 3 layers together, Standard Size 17.5 x 9 cm, Color Green / Blue, there should be ear loop for wearing mask, length of earloop should be 7 inch one side.</p> <p><u>The following amendment is authorised in the unit size and pack size:</u></p> <p>Unit Size: 1's</p> <p>Secondary pack: 1's X 50</p>

44	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8107	<p>Adult Diaper (Medium), Adult Diaper (Medium)(24" - 53")</p> <p>Easy lock fastener</p> <ul style="list-style-type: none"> • Gender specification – unisex • Material used - non-woven, pulp • Non-breathable back sheet • Neutralizes odour • Wetness indicator • Discreet and exceptionally comfortable in use • Ultra-absorbent core for maximum protection and skin care • Bonded construction provides dry, comfortable protection • Targeted absorption system improves odour control. 	<p>The specification is hereby amended as: -</p> <p>Adult Diaper (Medium), Adult Diaper (Medium)(24" - 36")</p> <p>Easy lock fastener</p> <ul style="list-style-type: none"> • Gender specification – unisex • Material used - non-woven, pulp • Non-breathable back sheet • Neutralizes odour • With Acquisition distribution layer (ADL) • Wetness indicator throughout the diaper • May contain the frontal tape with markings of 1,2,3 for securely lock the diaper • Discreet and exceptionally comfortable in use • Ultra-absorbent core for maximum protection and skin care • Bonded construction provides dry, comfortable protection • Targeted absorption system improves odour control <p><i>For detailed specification refer Part-3</i></p>
----	--	---------	--	---

45	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8108	<p>Adult Diaper (Large), ADULT DIAPER (LARGE SIZE) (45" - 58")</p> <p>Easy lock fastener</p> <ul style="list-style-type: none"> • Gender specification – unisex • Material used - non-woven, pulp • Non-breathable back sheet • Neutralizes odour • Wetness indicator • Discreet and exceptionally comfortable in use • Ultra-absorbent core for maximum protection and skin care • Bonded construction provides dry, comfortable protection • Targeted absorption system improves odour control 	<p>The specification is hereby amended as: -</p> <p>Adult Diaper (Large), ADULT DIAPER (LARGE SIZE) (34" - 50")</p> <p>Easy lock fastener</p> <ul style="list-style-type: none"> • Gender specification – unisex • Material used - non-woven, pulp • Non-breathable back sheet • Neutralizes odour • With Acquisition distribution layer (ADL) • Wetness indicator throughout the diaper • May contain the frontal tape with markings of 1,2,3 for securely lock the diaper • Discreet and exceptionally comfortable in use • Ultra-absorbent core for maximum protection and skin care • Bonded construction provides dry, comfortable protection • Targeted absorption system improves odour control <p><i>For detailed specification refer Part-3</i></p>
----	--	---------	---	--

46	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8109	<p>Adult Diaper (XL), Adult Diapers Extra Large , Extra Large (54" - 62")</p> <p>Easy lock fastener</p> <ul style="list-style-type: none"> • Gender specification – unisex • Material used - non-woven, pulp • Non-breathable back sheet • Neutralizes odour • Wetness indicator • Discreet and exceptionally comfortable in use • Ultra-absorbent core for maximum protection and skin care • Bonded construction provides dry, comfortable protection • Targeted absorption system improves odour control 	<p>The specification is hereby amended as: -</p> <p>Adult Diaper (XL), Adult Diapers Extra Large , Extra Large (48" - 58")</p> <p>Easy lock fastener</p> <ul style="list-style-type: none"> • Gender specification – unisex • Material used - non-woven, pulp • Non-breathable back sheet • Neutralizes odour • With Acquisition distribution layer (ADL) • Wetness indicator throughout the diaper • May contain the frontal tape with markings of 1,2,3 for securely lock the diaper • Discreet and exceptionally comfortable in use • Ultra-absorbent core for maximum protection and skin care • Bonded construction provides dry, comfortable protection • Targeted absorption system improves odour control <p><i>For detailed specification refer Part-3</i></p>
----	--	---------	--	--

47	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8122	<p>Glucometer Digital, GLUCOMETER DIGITAL (1 glucometer- 25 strips, 15 lancets, 1 lancing device, 1 battery 3v. Warranty card)</p> <p>Glucometer Specification: Glucose ranges : 30 - 800 md/dL Analysis time : 5 Sec Sample Volume : < 1.0 micro-litres Sample : Whole Blood Sample Mode : Capillary Fill detection : Automatic</p> <p>Battery : 3v Lithium Battery (Replaceable) (CR2032), should work for minimum 1000 test Minimum memory : 50 samples (Erasable)</p> <p>Replacement Warranty Period : 3 Years Storage Temp. : 0-50°C Operating Temp : 2-50°C Relative Humidity : 10-95% (Non Condensing) Code : Auto Coding/No Coding</p> <p>Display: 48mm (diagonally) LCD (±5mm)</p> <p>Strip Ejector facility to avoid contamination with blood. ISO-15197:2013 (International Standard) CE Certificate NIB (National Institute of Biological) Tested.</p> <p>Note: Control Solution for calibration of device Customer Care Toll Free Number: Customer Care Toll Free Number must be provided by the Awardee bidder for the customer support.</p> <p>Note: Item code 8122 shall be awarded with item code 8121 "Glucometer Test strips" and should not be awarded individually. Hence, both items i.e. item code 8121 & 8122 must be qualified.</p>	<p>The specification is hereby amended as: - GLUCOMETER DIGITAL (1 glucometer- 25 strips, 25 lancets, 1 lancing device, 1 battery 3v. Warranty card) Glucometer Specification: Glucose ranges : 30 - 800 md/dL Analysis time : 5 Sec Sample Volume : < 1.0 micro-litres Sample : Whole Blood Sample Mode : Capillary Fill detection : Automatic Battery : 3v Lithium Battery (Replaceable) (CR2032), should work for minimum 1000 test Minimum memory : 50 samples (Erasable), Replacement Warranty Period : 3 Years, Code : Auto Coding/No Coding, Display: 48mm (diagonally) LCD (±5mm). Strip Ejector facility to avoid contamination with blood. ISO-15195:2013 (International Standard) CE Certificate NIB (National Institute of Biological) Tested.</p> <p>Note: i) Control Solution for calibration of device. Customer Care Toll Free Number: Customer Care Toll Free Number must be provided by the Awardee bidder for the customer support.</p> <p>Note: ii) Item code 8122 shall be awarded with item code 8121 "Glucometer Test strips" and should not be awarded individually. Hence, both items i.e. item code 8121 & 8122 must be qualified.</p>
----	--	---------	---	---

48	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8130	Manual Brest Pump Material- Polypropylene (pp), non-slip design, moving grip, curved surface design, large capacity silicone bowl, collect air, PP material bottle, no bisphenol A, high temperature resistance 180°,	The specification is hereby amended as: - Manual Brest Pump Material- Polypropylene (pp), non-slip design, moving grip, curved surface design, comfortable breast pumping about 50cm ³ large capacity silicone bowl, collect air, about 50pa air is converted into suction strong and effective. PP material bottle (200ml), no bisphenol A, high temperature resistance 180°, Zero Chemical Leaching, Non-Toxic, BPA FREE, Phthalates, PVC And Lead Free.
49	Clause no. 18 (M), Annexure XII & XIII and BOQ	DC-8192	Zig zag cotton, zig zag cotton sterilized, Sterile, Extra White, High Absorbent, Uniform Layer, Super fine, Eco Friendly, High Stability, Hygienic, Long-lasting, quality cotton, Soft and gentle, Purity 99%.	The following amendment is authorised in the unit size and pack size: Unit Size: 100 gm Secondary Pack: 100gm X 10

Part-2

The following Surgical Items is hereby deleted from the Annexure- XII, Annexure XIII of the tender document and BOQ. Details are as below: -

S. No.	Item Code	Generic Name of the Item	Unit Size
1	5029	Surgical Blade, No. 15, Sterilized	1's
2	8126	Pollution Control Mask	1's Monopack
3	8140	Oxo- Biodegradable Sanitary Napkin with wings (Regular)	Pack of 4 Sanitary Napkins
4	8141	Oxo- Biodegradable Sanitary Napkin with wings (Large)	Pack of 4 Sanitary Napkins
5	8142	Oxo- Biodegradable Sanitary Napkin with wings (Extra Large)	Pack of 4 Sanitary Napkins

Part-3

The detailed specifications of Item code 8107, 8108, 8109 is given as under: -

ADULT DIAPER (Medium Size) (Item code 8107)

Item	Size: Medium				Consumption
	g/m ²	Length mm	Width mm	M ²	<u>Gms per pc</u>
Fluff Pulp					30.00
SAP					11.00
Hydrophilic (top sheet)	15	800 ± 10	220± 10	0.176	3.20
Lower tissue	13	800 ± 10	160± 10	0.13	2.00
Hydrophobic leg cuff	15	800 ± 10	590± 10	0.472	8.00
PE Film	23	800 ± 10	670± 10	0.54	8.00
Construction glue					5.40
Rubber glue					0.60
Frontal Tape film	23	550 ± 10	110± 10	0.06	0.75
PP Side Tape		62 ± 10	30± 10	0.0074	0.65
Rubber					0.40

				Total Weight	70.00
--	--	--	--	---------------------	-------

ADULT DIAPER (Large Size) (Item code 8108)

Item	Size: Large				Consumption
	g/m ²	Length mm	Width mm	M ²	<u>Gms per pc</u>
Fluff Pulp					35.000
SAP					11.000
Hydrophilic (top sheet)	13	950 ± 10	220± 5	0.2090	2.717
Lower tissue	10	770±10	160± 5	0.1232	1.232
Hydrophobic leg cuff	13	950 ± 10	650± 5	0.6175	8.028
PE Film	23	950 ± 10	750± 5	0.7125	16.388
Construction glue					6.000
Rubber glue					0.700
Frontal Tape film	23	640± 10	110± 5	0.0704	1.6192
PP Side Tape		62± 10	30± 5	0.0074	0.007
Rubber				10 lines	0.650

				Total Weight	81.341
--	--	--	--	---------------------	--------

ADULT DIAPER (Extra Large Size) (Item code 8109)

Item	Size: Extra Large (XL)				Consumption
	g/m ²	Length mm	Width mm	M ²	<u>Gms per pc</u>
Fluff Pulp					38.000
SAP					12.000
Hydrophilic (top sheet)	13	1030 ± 10	220± 10	0.2266	2.946
Lower tissue	10	880 ± 10	160± 10	0.1408	1.408
Hydrophobic leg cuff	13	1030 ± 10	650± 10	0.6695	8.704
PE Film	23	1030 ± 10	750± 10	0.7725	17.768
Construction glue					7.000
Rubber glue					0.700
Frontal Tape film	23	640 ± 10	110± 10	0.0704	1.6192
PP Side Tape		62 ± 10	30± 10	0.0074	0.007
Rubber				10 lines	0.680
				Total Weight	90.0

	TABLE OF CONTENTS (Modified)		
Sl. No.	Description	Page No. (FOR)	Page No. (READ)
1.	Tendering System	7	7
2.	Last Date and time for submission of ONLINE Tender	8	8
3.	Eligibility Criteria (Technical Bid -Cover “A”)	8	8
4.	General Conditions	11	11
5.	Price Bid – Cover “B” (Financial Bid/BOQ)	13	13
6.	Earnest Money Deposit	14	14
7.	Guidelines for The Preparation of Tender	14	14
8.	Period of validity of tender	15	15
9.	Amendment of tender documents	15	15
10.	Method of submission of tender	15	15
11.	Modification and withdrawal of bids	16	16

12.	Opening of tender	16	16
13.	Evaluation of tender	16	16
14.	Inspection of manufacturing facilities	17	17
15.	Acceptance /rejection of bids	17	17
16.	Award of contract	17	17
17.	Performance security deposit	18	18
18.	Methodology for placing orders, Fall Clause	18	18
19.	Supply Conditions	20	20
20.	Logograms	22	22
21.	Packing	23	23
22.	Quality Testing & Quality Control	24	24
23.	Payment provision	25	25
24.	Handling & Testing Charges	26	26
25.	Liquidated Damages and other penalties	26	26
26.	Deduction and other penalties on account of Quality failure	27	27

27.	Blacklisting in the event of withdrawal from the tender, and Non-Adherence to the Quality Standards and supply schedule	28	28
28.	Saving Clause	29	29
29.	Resolution of Disputes	30	30
30.	Contacting the Purchaser by the Bidder	30	30
31.	Fraudulent and Corrupt Practices	30	30
32.	Jurisdiction	32	32
33.	ANNEXURE - I (Check List)	33	33
34.	ANNEXURE - II (Declaration for eligibility in participating the tender)	35	35
35.	ANNEXURE - III (Details of EMD submitted)	38	38
36.	ANNEXURE - IV – (A certificate from CA or Company Secretary).	39	39
37.	ANNEXURE - V (Mandate Form)	41	41
38.	ANNEXURE -VI (Details of Manufacturing License & Market Standing Certificate)	43	43
39.	ANNEXURE - VII (Declaration for Logogram)	44	44
40.	ANNEXURE - VIII (Packing Specifications)	46	46
41.	ANNEXURE - IX (BARCODE REQUIREMENTS)	47	47
42.	ANNEXURE - X (Bank Guarantee format for submission of EMD)	53	53

43.	ANNEXURE - XI (Letter of acceptance of tender for Rate Contract)	54	54
44.	ANNEXURE - XII (Details of requirements for Items)	55	55
45.	ANNEXURE - XIII (Details for Shelf Life)	110	117
46.	ANNEXURE - XIV (Declaration for non-drug items)	150	163
47.	ANNEXURE - XV (Declaration for Non-Blacklisting)	151	164
48.	ANNEXURE - XVI (Declaration of Local Content)	152	165
49.	ANNEXURE - XVII (Sample receipt of the quoted items)	154	167

All other contents of tender document remain unaltered.

Bidders are requested to quote their rates considering all the terms and condition of the tender document including Amendment no. 1 & Amendment no. 2 dated 25/11/2020.

Yours faithfully,

Sd/-

(Pritam Singh)
Manager (Procurement)
For & on behalf of BPPI
Ph: 011-49431812