

NOT TRANSFERABLE



e- Lab TENDER NO.: - BPPI/Empanelment drug testing laboratory/ 05-2020

TENDER FOR EMPANELMENT OF DRUG, FOOD & SURGICAL TESTING LABORATORIES FOR ANALYSIS OF DRUGS SURGICAL & FOOD PRODUCTS ITEMS FOR THE PERIOD 2020-2022

Dated: 25.03.2020

TO

Bureau of Pharma Public Sector Undertakings of India (BPPI)



BUREAU OF PHARMA PUBLIC SECTOR UNDERTAKINGS OF INDIA

(Set up under the Department of Pharmaceuticals, Govt. of India)

8th Floor, Videocon Tower, Block E1,
Jhandewalan Extension, New Delhi-110055
Telephone: 011-49431821/49431823/49431830;

Website: janaushadhi.gov.in

Details of Events are as below: -

| | | |
|---|--|---|
| Tender Reference | | e-Lab tender no. BPPI/Empanelment Drug testing laboratory/05-2020 Dt. 25/03/2020 (Wednesday) |
| Date of availability of tender documents on website | | 25/03/2020 (Wednesday) |
| Last date and time for submission of Online Bid i.e. Bid Submission End Date and time | | 20/04/2020 up to 16:00 hours (Monday) |
| Last Date for submission of EMD and technical documents in physical Form in office of Bureau of Pharma PSUs of India, 8th Floor, Videocon Tower, Block-E1, Jhandewalan Extension, New Delhi-110055 | | 21/04/2020 up to 16:00 hours (Tuesday) |
| Time and date of opening of Technical Bid | | 21/04/2020 up to 17:00 hours (Tuesday) |
| Cost of the Tender Document | | Free of cost |
| Address for Communication | | Bureau of Pharma PSUs of India, 8th Floor, Videocon Tower, Block-E1, Jhandewalan Extension, New Delhi- 110055 |
| Contact Person for clarification if any | | 1. Sh. Sunny Tuteja, Manager (Quality control) Phone: - 011-49431830 Email: - regulatory@janaushadhi.gov.in |
| | | 2. Ms. Pyrianjali Singh, Sr. Executive (Quality) Phone: - 011-49431823 Email: - quality2@janaushadhi.gov.in |

| | | | |
|--|--|--|--|
| | | | 3. Ms. Mahima Bhatnagar, Sr. Executive (Quality) Phone: - 011-49431821 Email: - quality4@janaushadhi.gov.in |
|--|--|--|--|

The tender document can be downloaded free of cost from the CPPP e-Procurement Portal <https://eprocure.gov.in> and from the website of BPPI: janaushadhi.gov.in.

CONTENTS

| Sl. No. | Description | Page No. |
|----------------|--|-----------------|
| | Introduction | 5 |
| 1 | Last date and time for submission of online tenders | 6 |
| 2 | Eligibility criteria | 6 |
| 3 | Technical bid – Cover - ‘A’ Containing EMD & other Documents | 7 |
| 4 | Price bid – Cover - ‘B’ | 9 |
| 5 | General conditions with special conditions | 9 |
| 6 | Opening of price bids and Acceptance of tender | 11 |
| 7 | Agreement | 12 |
| 8 | Security Deposit | 12 |
| 9 | Complete Analysis and Reporting Condition | 12 |
| 10 | Payment Provisions | 14 |
| 11 | Penalties Provisions | 14 |
| 12 | Black Listing Procedure | 14 |
| 13 | Agreement Format | 15 |
| 14 | Annexure-I: Performa for Performance Statement | 15 |
| 15 | Annexure –II: Details of Laboratory and Certificate of Registration for Service Tax | 21 |
| 16 | Annexure-III (A) Personnel in Laboratory | 24 |
| 17 | Annexure-III (B) List of Sophisticated Instruments | 24 |
| 18 | Annexure-III (C) Facilities in Microbiological Section | 25 |
| 19 | Annexure-IV: Declaration Form | 26 |
| 20 | Annexure V: List of DRUGS, Surgical, and Food product | 27 |
| 21 | Annexure VI Declaration as per para 2(e) &5 vii | 69 |
| 22 | Annexure VII: Checklist | 70 |

BUREAU OF PHARMA PUBLIC SECTOR UNDERTAKINGS OF INDIA

(Set up under Department of Pharmaceuticals, Govt. of India)

ONLINE TENDER FOR EMPANELMENT OF DRUGS, SURGICAL & FOOD PRODUCTS TESTING LABORATORIES FOR BPPI FOR THE PERIOD (2020-2022) FROM THE DATE OF ACCEPTANCE OF TENDER

“CONFIDENTIALITY IS THE ESSENCE OF THIS TENDER”

1. (a) Online tenders are invited by CEO, **Bureau of Pharma Public Sector Undertakings of India (BPPI)**, Videocon tower, 8th Floor, E-1, Jhandewalan Extension, New Delhi-110055, (Herein referred as **Tender inviting authority unless the context otherwise requires**) for empanelment of drug testing laboratories (under Drugs & Cosmetics Act 1940 & Rules 1945) having Physical, chemical, instrumental, and microbiological testing facilities **for a period of two years** from the date of acceptance of tender by BPPI. The agreement may be extended for further period of one year on mutually agreed terms & conditions. The complete set of tender documents can be downloaded from the BPPI website janaushadhi.gov.in and **CPP portal i.e. eprocure.gov.in** free of cost.
2. (b) Pradhan Mantri Bhartiya Janaushadhi Pariyojana is the noble project launched by Government of India with the aim of providing quality medicines at affordable price to all through exclusive outlets namely Pradhan Mantri Bhartiya Janaushadhi Kendra. Presently more than 6100 kendras are functional all over India. Product basket contains about 900 generic drugs, 150 surgical consumables and food products. Target is to have about 10000 kendras & a basket of more than 1500 products. The products are purchased from manufacturers through open tender process & are received at our central warehouse at Gurgaon. All batches are got tested from drug testing labs before releasing the product to our kendras through the network of C&F & distributors. Quality checks including testing in the labs are also undertaken during the entire shelf life of the product. During last financial year (2018-19) drugs worth more than 325 crores were procured & more than 5000 samples were drawn for testing. Up to December 2018 (2018-2019), With the opening of 6100 kendras & product basket of more 1500, volume of samples lifted for testing at labs will increased considerably in the coming years.
3. **Tender Inviting Authority** – C.E.O, Bureau of Pharma Public Sector Undertakings of India, 8th Floor, Videocon Tower, Block E1, Jhandewalan Extension, New Delhi-110055 (hereinafter referred as **Tender Inviting Authority** unless the context otherwise requires).
4. **Tender Accepting Authority** – CEO, Bureau of Pharma Public Sector Undertakings of India, (hereinafter referred as **BPPI** unless the context otherwise requires).
5. **Tender Inviting Authority** invites **Tender for Empanelment of Drugs, Surgical & food products, Testing Laboratories to BPPI for the Period (2020-2022).**

1. LAST DATE AND TIME FOR SUBMISSION OF ONLINE TENDERS.

(a) Online Bids [in two separate Cover {Technical bid (“Cover A”) and price bid (Cover “B”)}] will be uploaded **till 16:00 hours up to 20/04/2020 (Monday) on CPP**

portal i.e. eprocure.gov.in

(b) The price bid shall be valid for a period of 120 days from the date of opening of Technical Bid. Prior to the expiry of the bid validity, the Tender Inviting Authority may request the Tenderers to extend the bid validity for further period as deemed fit on their original quoted prices and all terms & conditions. However, BPPI reserves the right to place purchase orders at the quoted rate till such period.

2. Eligibility Criteria:

(a). Valid National Accreditation Board for Testing and Calibration Laboratories (NABL), valid certificate for surgical testing and Food safety and standards authority of India FSSAI accredited analytical laboratories.

(b). Lab should have a minimum three years’ experience in the analysis of Drugs, food & surgical items

(c) **Lab should have a minimum average annual turnover of Rs. 2 crores for last two financial years i.e. 2017-18 and 2018-19. However, turnover for the year 2018-19 should not be less than Rs. 2 crore.** Govt./CPSU’s Laboratories, Reference Laboratories (having USFDA approval, WHO-prequalified), Research and Development Laboratories, Laboratories run by Co-operative body and Educational Institutions are exempted from the turnover criteria.

(d). Drug Testing laboratories should have Approval/ license under Drugs & Cosmetics Act and Rules 1945, with two years standing in the analysis of Drugs & Medicines.

(e). Drug Testing laboratories should be GLP compliant under the provisions of Drugs & Cosmetics Act 1940 and Rules 1945 and should hold Schedule L1 certificate.

(f). Drug Testing laboratories should not have been banned/debarred/ blacklisted/deregistered by any State or Central Govt. Organizations or its procurement agencies or any national/international agencies.

(g). Drug Testing laboratory and its responsible persons should not have ever been convicted under the Drugs & Cosmetics Act 1940 and Rules 1945.

(h). Drug Testing laboratory should have all necessary instruments/equipment and required mandatory facilities for testing/analysis including microbiological testing of Drugs and Medicines as per statutory requirements.

(i) Drug Testing laboratory must have valid certification for testing the surgical goods as products mentioned in this tender.

3. Technical bid – Cover -‘A’ (Scan copy of EMD & other Documents to be uploaded):

3.1 The tenderer must upload the following documents in while submitting technical bid hereafter called **Cover - ‘A’** (scanned copy of all the documents/pages must be serial numbered, self-attested).

[a]. The Earnest Money Deposit (EMD) shall be Rs. 100,000/- (One lakh only) paid in the form of **Demand Draft or Banker Cheque drawn** in favor of **BUREAU OF PHARMA PUBLIC SECTOR UNDERTAKINGS OF INDIA** payable at Delhi/Gurgaon, should be sent with tender form in Cover- ‘A’. EMD in the form of cheque/ cash/ postal order/ e-payment will not be accepted. The EMD is refundable but it will not earn any interest.

Scanned soft copy of the EMD instrument must be uploaded to the e-Procurement portal. and **original EMD instrument should be submitted to BPPI, New Delhi on or before the schedule date of technical bid opening.**

The EMD amount of unsuccessful bidder will be refunded within 30 days of finalization of tender. In respect of successful bidder (empaneled bidder), the EMD amount will be adjusted towards security deposit.

[b]. Self-attested Scan copies of Approval/ license issued by State Licensing Authority duly renewed up to date. In case the license is not valid on the date of submission, please upload scan copy of application submitted to licensing authority for renewal of license with the acknowledgement of the licensing authority.

[c]. Self-attested scan copies of NABL accreditation, FSSAI certificate

[d]. Documentary evidence of having analyzed Drugs, Surgical & food products for the last two years with the statement in the Performa given in Annexure-I

[e]. Self-attested Scan copy of certificate of registration for GST should be uploaded in Annexure-II.

(f). Scanned copy Non-Conviction Certificate issued by the licensing authority of the State certifying that the firm/company has not been convicted should be uploaded. **The certificate should not be more than 6 months old at the time of submission of technical bid.**

(g). Self-attested document of the following should be furnished in the format given in Annexure-III and then uploaded.

(i) List of qualified personnel employed in Drug Testing laboratory along with their qualification, experience, and details of their approvals (Scan copy of the approval).

(ii) List of instruments (in working condition) available in Drug Testing Laboratory.

(iii) Facilities available in Microbiological Section in the laboratory

(iv) Total investment (based on purchase price) made on equipment, apparatus, material required in testing (excluding furniture)

(V) List of accreditations like US FDA, WHO, MHRA, ISO, along with scan copy of certificates

(h). A declaration in the Performa given in Annexure-IV duly signed and notarized.

(i). Details of DRUGS & Surgical to be analyzed are given in Annexure-VA & VB

(j). Documentary evidence regarding constitution of Drug Testing laboratory viz. Memorandum and Articles of Association, partnership deed etc., with details of name, address, telephone no., fax no., e-mail address of Managing Director/ Partner/ Proprietor etc.

(k). The instruments such as power of attorney, Resolution of Board etc. authorizing the tenderer, should be uploaded in the tender (in Cover-‘A’) duly signed by authorized signatory of the Drug Testing laboratory. Such authorized signatory of the tenderer should sign at the bottom of all the pages of the tender documents.

(l). Annual turnover statement certified by the auditors (C.A.) for last two years i.e., 2017-18 and 2018-2019.

(m). Tenderer shall upload the checklist of documents in the uploaded Performa in Annexure –VII at top of technical bid.

(n). Scan copy of USFDA approval/WHO-prequalification/other international agencies if held.

(o) All the documents uploaded should also be signed by the authorized official of the Tenderer.

3.2. The all documents indicated above should be uploaded and shall be opened at the time of Technical bid opening.

3.3 OPENING OF COVER “A” AND COVER “B” OF TENDER

a). Only authorized official as declared are entitled to be present at the time of opening of Technical Bid - Cover “A” of the tender submitted by them.

b). In case, the date for opening of technical bid is declared holiday, the technical bid shall be opened on next working day at 11.30 A.M.

c). Tenderers, who are found eligible on satisfying the criteria for technical evaluation/based on undertakings & Declaration, will only be informed the time and date of opening of Price Bid - Cover “B” of the tender.

4. PRICE BID (COVER-‘B’)

4.1. Cover “B” contains the Price Bid of the Tenderer.

(i) The Tenderer shall fill in the rate (Rs) of complete testing charges for each sample (not for individual test to be performed), % age rate of GST and total rate inclusive of GST in respective column of BOQ for the items quoted.

(a). Cover- 'B' shall not contain any other document. No condition shall be indicated in the price bid. All the terms and conditions shall be indicated only in the technical bid.

(b) The rates quoted shall not be varied during the full contract period.

(c) **Testing Price Agreement validity period may be extended for period up to further one year at same rate, terms & conditions with the consent of the Lab authority.**

5. GENERAL CONDITIONS

i. The tender document shall be download from the websites janaushadhi.gov.in; and CPP portal i.e. eprocure.gov.in. Tender Document is free of cost. No tender cost is to be deposited.

ii. **Agents are not eligible to participate in the tender.**

iii. Forms in all annexure should be filled up properly. Every correction should invariably be attested by tenderer, failing which the tender will be summarily rejected.

iv. The tenderer should quote the **rates for complete analysis** as per the pharmacopoeia or other standards as per provisions of Drugs and Cosmetics Act 1940 for each drug or as per manufacturer's procedure (STP/MOA and specifications) wherever applicable and medicine not for individual test to be performed. Food products and Surgical items shall be test as per manufacturer testing procedure as well as FSSAI guidelines and ISO guidelines respectively.

v. The rates should be exclusive of GST.

vi. The rates quoted and accepted will be binding on the tenderer for stipulated period and on no account any revision will be entertained till the completion of the contract period.

vii. If in any circumstances (like breakdown of instrument or non-availability of reference standard and impurities etc.) the Drug Testing Laboratory is unable to test sample of Medicines, the same should be reported within 24 hours from time of breakdown of instrument or non-availability of reference standard of such sample by fax/ e-mail to Manager (Quality & Regulatory) regulatory@janaushadhi.gov.in and phone 011-49431830 also.

viii. The tender uploaded by the laboratory which has been banned/debarred blacklisted/deregistered by the State / Central Govt. organization, shall not be considered. (Annexure VI).

- ix. The laboratory will not be permitted to outsource any test from other Drug Testing laboratory without the consent of BPPI office.

5.1 SPECIAL CONDITIONS.

- (i) Bids shall be submitted online only at CPPP website: <https://eprocure.gov.in>. Manual bids shall not be accepted except for the original documents/instruments as mentioned in tender document.
- (ii) Bidders are advised to follow the 'Special Instructions to the Contractors/Bidders for the e-submission of the bids online' available through the link 'Help for Contractors' at the e-Procurement Portal <https://eprocure.gov.in>.
- (iii) Bidder shall not modify the downloaded tender form including downloaded price Bid template in any manner. In case any tender form/Price bid template is found to be tampered with/modified in any manner, such bid will be summarily rejected, Bid Security would be forfeited and bidder is liable to be banned from doing business with BPPI.
- (iv) Bidders are advised to check the *website of BPPI: janaushadhi.gov.in* and CPPP website <https://eprocure.gov.in> at least 3 days prior to closing date of submission of tender for any corrigendum, addendum, or amendment to the tender document.
- (v) The tender document like EMD, checklist and mandate in single sealed cover on which it shall

be super scribed as **“TENDER FOR EMPANELMENT OF DRUGS TESTING LABORATORIES FOR ANALYSIS OF DRUGS, Surgical & Food products, FOR ONE YEARS (2019-20) should reach Manager (Quality and regulatory), BPPI, Videocon tower, 8th Floor, E-1, Jhandewalan Extension, New Delhi-110055, till 21.04.2020 UP TO 16:00 hours (for hard copies).**

6. OPENING OF PRICE BID & ACCEPTANCE OF TENDER

6.1 Eligible bidders shall be shortlisted as per following procedure: -

- i. The documents and information uploaded in Cover- ‘A’ will be evaluated by a committee & those found fulfilling eligibility criteria will be shortlisted.
- ii. All labs may be audited by an inspection team constituted by BPPI during finalization of tender or tender period. The labs will be shortlisted for opening of the price bid based on report of inspection team. The criteria for shortlisting would be:
 - a). Number, qualification & experience of technical staff.
 - b). Number & quality of equipment & material/ reference available in the lab.
 - c). Investment made on equipment & apparatus.
 - d). Certification by the audit/inspection team that lab is following all the parameters of NABL accreditation.
 - e) The labs having USFDA approval, WHO prequalified labs, labs approved by other renowned international agencies will be declared technically qualified without audit if such approval is within last 18 months.

6.2 Cover- ‘B’ (Price Bid) of the tenderers found eligible based on above laid procedure will only be opened (will be intimated after audit to individual lab) in the presence of tenderers or their authorized representatives who chooses to be present. The date and time for opening of Cover- ‘B’ will be intimated to the selected bidders.

6.3 In determining the lowest evaluated price, the rate quoted per sample inclusive if GST as indicated in respective column of the **BOQ** shall be taken into consideration.

6.4 The tenderers other than L1 tenderer for NABL laboratories will be given opportunity to match L1 rate irrespective of nos. of days quoted to submit test report from the date of sample provided by BPPI and after due confirmation, their name/s will be included in the panel. However, tenderer/tenderers having quoted lesser nos. of days shall be 25% extra rate per day subject to ceiling of maximum 50

% over L1 rate and such bidder shall be given preference for testing of samples. In case sufficient Laboratories are not empaneled due to any reason, BPPI reserves right to float fresh tender during period of two years.

6.5 BPPI reserves right to negotiate with L1 bidder in case of required as per CVC guidelines in case L1 was found unreasonable.

6.6 The tender inviting authority, BPPI reserves the right to accept or reject any tender for any one or more of the items tendered for, without assigning any reason.

Notes 1.: -In view 25% extra rate per day subject to ceiling of maximum 50% over L1 rate, the bidders are required to offer minimum period in days to submit test report from the date of sample provided by BPPI for testing of drugs quoted by the bidder. The changes in nos. of days quoted by the tenderers in tender to submit test report from the date of sample by BPPI shall not be considered after opening of tender.

7. AGREEMENT

All tenderer who are empaneled will have to execute an agreement on non-judicial stamp paper of Rs. 100/- (stamp duty to be paid by tenderer) in favor of BUREAU OF PHARMA PUBLIC SECTOR UNDERTAKINGS OF INDIA within 15 days from the date of intimation received by them from BPPI that their tenders have been accepted. The form of agreement is available under para 13 of tender document.

8. SECURITY DEPOSIT

The successful tenderers must pay a security deposit of Rs. **250,000/-** (Two lakh and fifty thousand only) including adjustment of EMD amount at the time of execution of agreement referred in Para 7 above by way of DD or Banker Cheque in favor of BUREAU OF PHARMA PUBLIC SECTOR UNDERTAKINGS OF INDIA payable at Delhi/Gurgaon.

9. COMPLETE ANALYSIS AND REPORTING CONDITION

a. (i). On empanelment and entrustment of the job, the Drug Testing Laboratory should furnish the test reports within days as quoted in their price bid, but not more than 8 days of receipt of sample in case of all non-sterile products and not more than 21 days of receipt of sample in case of all sterile dosage forms.

(ii). within 24 hours of receipt of sample, the confirmation of receipt should be given to BPPI by fax / mail i.e. quality2@janaushadhi.gov.in, quality4@janaushadhi.gov.in & regulatory@janaushadhi.gov.in

(iii). For any delay more than stipulated time as mentioned in para 9 (a)(i) and (ii), 5% of testing charges per week would be deducted as penalty and gradually increase 5% per week i.e 5% in first week, 10 % second week , 15% third week and maximum up to 25%.

If penalty goes above 25%, BPPI must seek explanation for delay and shall take action as per tender clause 12.

For any delay 3 times or more in a quarter year or a delay of more than 7 days over the time stipulated above, then there would be suspension of contract for 3 months. Contract can be revoked on completion of period & undertaking that delay will not happen in future.

(iv). Lab situated in the Delhi/NCR are to collect samples from the warehouse & for outside labs sample will be sent by speed post/courier. The day of collection of samples from warehouse.

(b). All the test mentioned under IP, BP, USP and any other standard mentioned as per Schedule under D & C Act 1940 and Rules 1945 as well as Schedule V and manufacturer's specification should be carried out for each sample. The results obtained in the test should be mentioned in figures. Test reports not mentioning complete details as per IP, BP, and USP etc. will be considered as "Incomplete test report" and the drugs testing laboratory will have to submit complete report for acceptance.

(c). "Complies" or "Passes" or "Within Limit" in result column of the test report will also be treated as incomplete test report, if the result has some value the actual value found on analysis is to be reported.

(d). Every test report must have specific remarks as 'Standard Quality', or 'Not of Standard Quality.' Any ambiguity/ cutting will not be accepted.

(e). Test report should have Sr. No., Description of tests, Specifications and Results obtained including protocol of test applied.

(f). Spectra/Chromatograph/Dissolution profile, or other data sheets, wherever applicable, should be attached with the test report. Calculation sheet should provide on asking within a day.

(g). In the case of non-pharmacopoeia products, the method of analysis should be mentioned in the report AND PROTOCOL OF TEST APPLIED TO BE MENTIONED ON EACH REPORT. In such cases BPPI will provide STP/MOA after collecting same from manufacturer.

(h). The test report should be sent to Manager (Quality & Regulatory), BPPI office as hard copy and simultaneously scanned copy should be sent by e-mail quality2@janaushadhi.gov.in; quality4@janaushadhi.gov.in and regulatory@janaushadhi.gov.in

(i). All test report should be submitted to BPPI in duplicate. In case of failure of sample, result should be communicated immediately to Manager (Quality & Regulatory), BPPI through e-mail and physical report should be sent with covering letter only addressed to Manager (Quality & Regulatory) at Bureau of Pharma Public Sector Undertakings of India (BPPI), Videocon tower, 8th Floor, E-1, Jhandewalan Extension, New Delhi-110055.

(j). If in any circumstances (like breakdown of instrument or non-availability of reference standard etc.) the Drug Testing Laboratory is unable to undertake sample, the same should be reported within 24 hours of receipt of such sample by fax/ e-mail to Manager (Quality & Regulatory) and sample should be returned to him immediately. 100% of charges as penalty will be imposed in case no prior information of breakdown of instrument or non-availability of reference standard before sending samples. Refer para (5)(vii).

(k). If any sample is received in damaged condition by the laboratory, the sample should not be analyzed and should be sent back immediately to Manager (Quality and Regulatory), BPPI and due information should be given by fax/ e-mail.

(l). An authorized representative assigned by this BPPI office have the right to inspect the laboratory who have submitted tenders before taking any decisions regarding empanelment and at any time during the contract period, and initiate action to terminate empanelment and not to entrust any further testing job to the laboratory if any violation of tender conditions or data or integrity or falsification of data are noticed during such inspections.

(m). Market action, if any, is confirmed on account of testing lapse, 50% of the cost of the market action will be borne by the lab and their services will be immediately terminated. Litigation, if any, are need to be in accordance with the law.

NOTE: - The date on which report (complete parameter) is submitted by e – mail will be treated as final day of submission of report.

10. PAYMENT PROVISIONS

- i.** No advance payment towards any analysis will be made to tenderer.
- ii.** No payment will be made for incomplete analysis or incomplete report. Refer Para 9 (b) to 9
- iii.(a).** Payments towards the analysis of DRUGS & Surgical will be made along with GST at the prevailing rate as applicable at the time of payment strictly as per rules
- (b).** Bills should be supported with the copy of test report. Efforts will be made to make payments within 30 days from the date of receipt of the bills by BPPI if same are found in order in all respect.

11. PENALTIES PROVISIONS

- (a)** If the successful tenderer fails to execute the agreement and payment of security deposit after opening of Price Bid within the specified time or withdraws the tender after the intimation of acceptance of tender has been received by them or owing to any other reasons, the tenderer is unable to undertake the contract, the empanelment will be cancelled, and security deposit shall stand forfeited to BPPI. Such tenderer will also be liable for all damages sustained by BPPI by reasons of breach of tender conditions. Such damages shall be assessed by CEO, BPPI whose decision shall be final.

- (b) If at any time during the continuance of his agreement, the laboratory has, in the opinion of the purchaser, delayed in submitting any test report, by the reasons of any riots, mutinies, wars, fire, storm, earthquakes, tempest or other exceptional cause, on a specific request made by the laboratory, the time for submitting test report may be extended by the BPPI purely at his discretion for such period as may be considered reasonable. No further representation from the laboratory will be entertained on this account.
- (c) **For any delay more than stipulated time as mentioned in para 9 (a)(i) and (ii), 5% of testing charges per week would be deducted as penalty and gradually increase 5% per week i.e 5% in first week, 10 % second week , 15% third week and maximum up to 25%.**
- (d) **If penalty goes above 25%, BPPI must seek explanation for delay and shall act as per tender clause 12.**

12. BLACK LISTING PROCEDURE

(a). Nonperformance of any empanelment conditions will disqualify a laboratory to participate in the next tender. Nonperformance criteria as below

- (i) Delay submit the report more than five times without any prior information.
- (ii) Return the sample without any prior information.
- (iii) False testing results claim and negligence occur during performing the testing.
- (iv) False testing rate claim and generate the invoice.

(b). As a part of the surveillance, test results given by the empaneled Drug testing laboratory, samples would also be taken and sent randomly to referral lab selected for the purpose by BPPI/ Govt. laboratory/ CPSUs Laboratories/Govt institutions/any other NABL accredited labs which are not empaneled for testing and if any variation in the results is found, the result would be informed to empaneled laboratory. If there is any major variation in the analytical reports furnished by empaneled laboratories, (either pass or fail etc.) viz-a-viz Govt./CPSUs Laboratory/any other NABL accredited labs, the empaneled laboratory will be **blacklisted for five years** besides forfeiture of security deposit, after giving due opportunity to the concerned laboratory.

(c) For three such non performance within the contract period, 25% of the security deposit will be deducted. For every subsequent non performance, 10% each of the security deposit will be deducted. If such non performance exceed six during the contract/agreement period, the drug testing laboratory will be removed from the empanelment and black listed for a period of five (5) years.

(d) If it is revealed that drug testing laboratory has declared debarred/blacklist by any government/PSU institution or revoke of any necessary certification (NABL/FSSAI/GLP/drug testing license/surgical testing certification) during agreement of BPPI, drug testing laboratory itself shall inform to BPPI with explanation and stipulated time period, if drug testing laboratory not explain, laboratory will be removed from the empanelment and black listed for a period of five (5) years.

(e) If it is revealed that Drug Testing Laboratory is involved in any form of fraud and collusion with the suppliers of BPPI, **the Drug Testing Laboratory will be blacklisted for five years.** The tenderer shall also be liable for action under criminal law and matter will be informed to relevant appropriate authorities for penal action against them.

(f). The CEO, BPPI will be at liberty to terminate the empanelment without assigning any reasons.

The tenderer will not be entitled for any compensation whatsoever in respect of such termination.

Note:

In all matters pertaining to tender, the decision of CEO, BPPI shall be final and binding. ☐

In event of any dispute ☐ arising out of tender, such dispute would be subject to the jurisdiction of civil court within Delhi.

In case of dispute or difference arising between BPPI and empaneled Drug Testing Laboratory relating to any matter arising out of or connected with this tender agreement, such dispute or differences shall be settled in accordance with ☐ the Arbitration and Conciliation Act 1996. The venue of arbitration shall be Delhi/Gurgaon.

13. AGREEMENT FORMAT

(Contract for Empanelment of Drugs , Surgical & Food Products Testing Laboratories for the Analysis of Drugs , Surgical & Food Products)

AGREEMENT MADE at _____ this _____ day of _____ 20__ at BPPI

New Delhi between M/s _____ having its registered office at _____ (hereafter referred to as 'The Laboratory' which term should include its successors, representatives, hires, executors, and administrators unless excluded by contract) on FIRST PART and Bureau of Pharma Public Sector Undertakings of India, set up under Department of Pharmaceuticals, Ministry of Chemicals & Fertilizers, Government of India as a Society registered under the societies registration act XXI of 1860, having its Registered Office at Core No. 06, 1st Floor, SCOPE Complex, Lodi Road, New Delhi – 110003, through Mr. _____ S/o _____, _____ hereinafter referred to as "BPPI" (which expression shall mean and include its successors and assigns) of the SECOND PART.

WHEREAS the Laboratory has awarded a contract by BPPI to provide report and undertake the analytical work of the BPPI, (the list of medicines mentioned in the Schedule attached hereto Annexure-I and Annexure-II) at the rates noted therein and in the manner and under the terms and conditions hereinafter mentioned.

And whereas the Laboratory has deposited a sum of Rs 250000/- (Two lakh and fifty thousand only) as Security Deposit for the due and faithful performance of this Agreement with the BPPI, which shall be forfeited in the event of the Laboratory's failure in performing its duties faithfully.

Now these presents witness that for carrying out the said Agreement in this behalf into execution, The Laboratory and the BPPI do hereby mutually convenient, declare, contract and agree each of them with the other of them in the manner following, that is to say,

(1). The term "Agreement", wherever used in this connection, shall mean and include the terms and conditions in tender floated by the BPPI for Empanelment of Drugs Testing, laboratories for the analysis of DRUGS, surgicals & food products for the two years 2016-2018 the instructions to tenderer,

the conditions of tender, acceptance of tender particulars hereinafter defined and those general and special conditions that may be added from time to time.

GENERAL TERMS & CONDITIONS:

(2). (a). The Agreement is for undertaking analysis of Drugs, Surgical & Food products by the Laboratory to the BPPI of the samples specified in the Schedule attached hereto Annexure-I and Annexure-II at the rates noted against each therein on the terms and conditions set forth in the Agreement.

(b). This Agreement shall be deemed to have come into force with effect from _____ and it shall remain in force for a period up to date of _____ and may however be extended for a further period of one year, on mutually agreed terms.

(c) Laboratory shall perform services with care, skill, and diligence, in accordance with the applicable professional standards currently recognized by such profession, and shall be responsible for the professional quality, technical accuracy, completeness, coordination, and timeliness of all items and services furnished under this Laboratory Agreement.

(d) Laboratory shall comply with all applicable NATIONAL, state, and local laws, ordinances, codes, and regulations in performing services. If Laboratory fails to meet applicable professional standards, Laboratory shall, without additional compensation, correct or revise any errors or deficiencies in items or services furnished under this Agreement.

(e) Laboratory shall retain, at a minimum, accreditation to ISO/IEC as per rules granted by a national accreditation body. Laboratory shall notify BPPI immediately if accreditation is in jeopardy or lost. Upon BPPI's request, Laboratory shall present BPPI with proof of its accreditation.

(f) For all requests made by BPPI pursuant to this Agreement, time is of the essence. The acceptance of a late performance, with or without objections or reservations by BPPI, shall not waive the right to claim damages for such breach nor constitute a waiver of the requirement of timely performance of any obligations remaining to be performed.

(g) Laboratory shall arrange all facility and every method of analysis/reference/working/impurity standard itself, BPPI have no liabilities to arrange as above. If any laboratory refusing to perform the testing with above unavailability of method of analysis/reference/working/impurity standard after agreement, BPPI shall take the action as per clause 12.0 (a).

(h) Each invoice shall be generated with L1 rate as described on dispatch letter and product, if rate on laboratory invoice exceed with L1 rate, that invoices shall be count cancelled.

(i) All invoice along with original certificate of analysis (COA) shall be received at BPPI office within 15 days after completion of testing, delay above 15 days bill/invoice shall not be entertaining.

(j) In accordance with the Pharmacopoeia official monograph and In house STP, all required tests shall be conducted to completion.

- (k) Confidentiality clause: Lab will not share, any information/detail/method which comes to their possession / knowledge during and also even after the expiry of contract, to any other party/customer/BOH without the consent of BPPI.

INSPECTION OF LABORATORY:

(3) In respect of the analysis medicines in the Schedule, the drug testing Laboratory shall allow inspection of the Laboratory at any time during the tender period by a team of Experts/Officials whom the BPPI may depute for the purpose. The Laboratory shall extend all facilities to the team to enable them to inspect premises, testing faculties, technical personals, reference standards/ working standards/ documentation as mandatory under Drug & Cosmetic Act 1940 and Rules 1945, in the Laboratory.

RECOVERY OF MONEY DUE TO BPPI FROM THE LABORATORY:

(4). All expenses, damages and other money payable to the BPPI by the drug testing Laboratory under any provisions of this Agreement may be recovered from the amount due or subsequently becoming due from the BPPI to the Laboratory under this or any other Agreement. In case such amounts are insufficient to fully cover such expenses, damages or other money payable, it shall be lawful for the BPPI to recover the balance amount from the security deposit of the Laboratory and all other money held by BPPI and in case such Security Deposit is insufficient, then it shall also be lawful for the BPPI to recover the residue of the said expenses, damages and moneys, if necessary, by resorting to legal proceedings against the Laboratory.

AMOUNT OF SECURITY DEPOSIT TO BE MADE BY THE LABORATORY:

(5). The Laboratory shall deposit with the BPPI Rs. 50,000/- as security deposit by way of Demand Draft favoring BUREAU OF PHARMA PUBLIC SECTOR UNDERTAKINGS OF INDIA payable at Delhi/Gurgaon. This agreement comes into effect only after the laboratory has remitted the required amount of security deposit, notwithstanding anything contained in Para 2 (b) of this

agreement.

SUBMISSION OF BILLS FOR UNDERTAKING ANALYSIS:

(6). (a). No advance payment towards any analysis will be made to the Laboratory.

(b). All bills/invoices should be raised in duplicate in the name of BPPI. All payments shall be made by way of cheque drawn in favor of Laboratory account and Crossed Account Payee / NEFT only. The Laboratory shall furnish the details of their bank account no., name of bank and branch, IFSC code no. etc. to the BPPI. (An original cancelled cheque leaf issued by their bank should be furnished).

ASSIGNMENT OF CONTRACT PROHIBITED:

(7). The Laboratory shall not, at any time, assign, sub-let or make over the present contract or the benefits thereof or any part thereof, to any person or persons whomsoever.

TERMINATION OF CONTRACT ON BREACH OF CONDITION:

(8). (a). In case the Laboratory fails or neglects or refuses to faithfully perform any of the covenants on his part herein contained or violates the condition in the tender document, it shall be lawful for BPPI

to forfeit the amount deposited by the laboratory as security deposit and cancel the contract apart from black listing the laboratory for period of two years.

(b). In case of laboratory fails or refuses to observe, perform, fulfill and keep all or any other or more or any part of anyone of covenants, stipulations and provisions herein contain, it shall be lawful for BPPI on any such failure, neglect or refusal to put an end to this agreement and there upon every article clause and thing herein contained on the part of BPPI shall cease and be void and in case of any damage, loss, expense, differences in the cost or other moneys than or any time during the continuance of this agreement becoming due or owing by the laboratory to BPPI, it will be opened for BPPI to recover from laboratory all such damages, losses, expenses, differences in cost or other moneys as aforesaid it shall be lawful for BPPI to appropriate the security deposit made by laboratory as herein before mentioned to reimburse all such damages, losses, expenses differences in cost and other moneys as BPPI have sustained, incurred or put to by reason of the laboratory having seen quality of any such failure, negligence or refusal as aforesaid or other breach in the performance of contract.

I. If at any time during the course of contract it is found that information given by the laboratory to BPPI, either in tender or otherwise, is false, BPPI may put an end to contract / agreement wholly or in part and thereupon the provisions of cause (a) shall apply.

(9). The BPPI reserves its right to terminate without assigning any reasons therefore the contract/agreement either wholly or in part without any notice to the laboratory. The laboratory will not be entitled for any compensation whatsoever in respect of such termination of contract by BPPI.

INDEMNIFICATION

(10) Laboratory will hold BPPI harmless and indemnify BPPI for any claim arising:

- (1) from Laboratory's noncompliance with applicable governmental laws or regulations,
- (2) from injury to Laboratory personnel while performing Laboratory's duties under this Agreement, and

(3) in any manner from the services to be performed under this Agreement and caused by laboratory's acts or negligence.

NOTICES ETC., IN WRITING:

(11). All certificates or notices or orders for the time or for extra , varied or altered laboratory, which are to be the subject of extra or varied charges whether so described in the agreement or not, shall be in writing and unless in writing shall not be valid, binding or be or any effect whatsoever.

LABORATORIES NOT TO HAVE ANY INTEREST IN THE OFFICERS CONCERNED AND SUBORDINATED:

(12). The laboratory shall not be in any way interested in or concerned directly or indirectly with any of the officers, subordinates or servants of BPPI in trade, business or transactions nor shall the laboratory give or pay or promise to give or pay any such officer, subordinate or servant directly or indirectly any money or fee or other consideration under designation of custom or otherwise nor shall the laboratory permit any person or persons whomsoever to interfere in the management or

performance thereof under power of attorney or otherwise without obtaining the consent of BPPI in writing.

BANKRUPTCY OF THE LABORATORY:

(13). In case the Laboratory at any time during the continuance of the Contract becomes bankrupt or insolvent or commits any act of bankruptcy or insolvency under the provisions of any law in that behalf for the time being in force, or should compound with his creditors, it shall be lawful for the BPPI to put an end to the Agreement, and thereupon every article, clause and thing herein contained to be operative on the part of the BPPI, shall cease and be void and the BPPI shall have all the rights and remedies given to him under the precedent clauses.

SERVING OF NOTICES TO LABORATORY:

(14). All notices or communications relating to or arising out of this agreement or any of the terms thereof shall be considered duly served on or given to the laboratory if delivered to him or left at his premises, place of business or above.

(15). And it is hereby agreed and declared between the parties hereto that in case any question of dispute arises touching the construction or wording of any Para herein contained on the rights, duties, liabilities of the parties hereto or any other way, touching or arising out of the presents, the decision of CEO, BPPI in the matter shall be final and binding on both parties.

(16) All disputes under this Agreement shall be resolved as follows. Within 15 days after written notification of the dispute, principals or officers of Laboratory and BPPI shall meet in an effort to resolve the dispute. If the dispute remains unresolved, the parties shall participate in a facilitated mediation pursuant to the rules of the Indian Arbitration and Conciliation Act, 1996, Such disputes/differences shall be referred to Sole Arbitrator to be appointed by the President/ CEO of BPPI in accordance with the provisions of Arbitration Act, 1996.

(17). In the event of any disputes between the parties the dispute would be subject to the jurisdiction of civil courts within Delhi only.

(18) If any of the provisions of this agreement are held to be invalid or unenforceable in any respect, the remaining terms will remain effective and the agreement will be construed as if the invalid or unenforceable matters were never included in it. No waiver of any default will be a waiver of any future default. Neither party shall be liable for nonperformance caused in whole or in part by Acts of God, civil unrest and war.

In witness where the laboratory and CEO, BPPI acting for and on behalf of BPPI have set their hands the day, month and year written above.

Authorized Signature of BPPI

Authorized Signature of Laboratory

Name

Name & designation

Address and Seal

Address and Seal

Witnesses for BPPI

Witnesses for Laboratory

Signature

Signature

Name

Name

Address

Address

ANNEXURE-I

Proforma for Performance Statement

1 Name of Laboratory:

2 Address:
Performance

3 Statement:

| Sr. No. | Category | No. Of samples (complete analysis) tested during | | | | | | Total no. of Sample s | Number of sample s declare d su b standar d (NOSQ) |
|------------|-----------------------------------|--|--|--|---------|--|--|-----------------------------------|--|
| | | 2018-19 | | | 2019-20 | | | | |
| | | 2018-19 | | | 2019-20 | | | | 2019-20 |
| 1 | Tablets | | | | | | | | |
| 2 | Capsules | | | | | | | | |
| 3 | LVP / SVP | | | | | | | | |
| 4 | Dry Powder Injectable (DPI) | | | | | | | | |
| 5 | Liquid Orals/Syrups /Susp. | | | | | | | | |
| 6 | Ointments/ Creams/Gel/ | | | | | | | | |

| | | | | | | | | | |
|----|-----------------------------------|--|--|--|--|--|--|--|--|
| | Lotion | | | | | | | | |
| 7 | Eye/Ear Drops / Nasal Drops | | | | | | | | |
| 8 | Vaccines & Sera | | | | | | | | |
| 9 | Biological s | | | | | | | | |
| 10 | Surgica l | | | | | | | | |
| 11 | Non drugs | | | | | | | | |
| 12 | Food supple ments | | | | | | | | |

Note: Facilities for LAL test if available – Yes/NO

ANNEXURE-II

Details of Laboratory and Certificate of Registration for GST

- (1). Name of Laboratory
- (2). Address of Head Office, if any:
- (3). Address of Laboratory
- (4). Name of contact person
- (5). Phone No.:
Mobile No.:
- (6). E-mail:
- (7). Details of Approval/ License issued by Drugs Regulatory Authority*
- (8). Validity of Approval/ License issued by Drugs Regulatory Authority:
- (9). NABL Certificate No. along with discipline*
- (10). Validity of NABL Certificate:
- (11). Certificate of Registration for Service Tax: To be uploaded
- 12). Any other certificates with details*

* upload duly attested scan copy

ANNEXURE-III-A

Personnel in Laboratory

- 1) Total qualified technical personnel engaged in Chemical / Instrumental analysis:
- 2) Total qualified technical personnel engaged in Microbiological analysis:
- 3) Details of Competent (Approved) staff by State Licensing Authority

| S. No. | Name | Designation | Qualifications | Approval in Chemical / Instrumental/ Microbiological Testing | Experience in relevant Analysis (Years) |
|--------|------|-------------|----------------|--|---|
| | | | | | |
| | | | | | |
| | | | | | |

ANNEXURE-III-B

List of all functional Instruments/ Apparatus used for testing

| S. No. | Name of Instrument/ Apparatus | Total Number | Make | Date of Installation |
|--------|-------------------------------|--------------|------|----------------------|
| | | | | |
| | | | | |
| | | | | |

Enclose and upload additional paper

ANNEXURE-III-C

Facilities in Microbiological Section with AHU in Laboratory

- 1) List of reference cultures available: To be uploaded
- 2) List of reference impurities available: To be uploaded
- 3) List of reference standard/ working references available: To be uploaded
- 4) Details of equipment (e.g. Incubators, Laminar Air Flow etc.)

| S. No. | Name of Instrument/ Apparatus | Total Number | Make | Date of Installation |
|--------|----------------------------------|--------------|------|----------------------|
| | | | | |
| | | | | |
| | | | | |

Enclose and upload additional paper

ANNEXURE-IV

Declaration Form (To be attested by Notary)

I / We (Name of Bidder) having our Head Office at _____

_____ And Drug Testing Laboratory at _____ do hereby
declare that I / we have carefully read all the conditions of the tender of Bureau of Pharma Public
Sector Undertakings of India (BPPI), New Delhi for empanelment of Drugs Testing Laboratories
for analysis of DRUGS,,Surgicals and food products for two-year period (**2019-2021**) and abide by
all conditions said therein.

I/We further declare that we have valid approval/ license issued by Drug Regulatory Authority bearing no. _____ And NABL Certificate bearing no. _____ in discipline _____.

Signature

Name of Authorized Person

Seal of Laboratory

Annexure – V

List of Drugs, Surgical and food products for the Analysis and testing for THE YEAR 2020-2022.

| S.N | Product Name | Drug code | Unit Size | Maximum days require for testing | Sample quantity |
|-----|--|-----------|-----------|----------------------------------|-----------------|
| 1 | Aceclofenac 100mg and Paracetamol 325 mg Tablet | 1 | 10's | 8 | 5 |
| 2 | Aceclofenac Tablets IP 100mg | 2 | 10's | 8 | 5 |
| 3 | Pregabalin capsules 75mg | 3 | 10's | 8 | 5 |
| 4 | Acetaminophen 325mg + Tramadol Hydrochloride 37.5mg film coated Tablet | 4 | 10's | 8 | 5 |
| 5 | ASPIRIN Tablets IP 150 mg | 5 | 14's | 8 | 4 |
| 6 | DICLOFENAC 50 mg+ PARACETAMOL 325 mg+ CHLORZOXAZONE 500 mg Tablets | 6 | 10's | 8 | 5 |
| 7 | Diclofenac Gel IP (Diclofenac Diethylamine 1.16% w/w) | 7 | 15 g | 8 | 12 |
| 8 | Diclofenac Sodium 50mg + Serratiopeptidase 10mg Tablet | 8 | 10's | 8 | 5 |
| 9 | Diclofenac Sodium (SR) 100 mg Tablet | 9 | 10's | 8 | 5 |
| 10 | Diclofenac Sodium 25mg per ml Inj. IP | 10 | 3 ml | 21 | 30 |
| 11 | Diclofenac Gastro-Resistant Tablets IP 50 mg | 11 | 10's | 8 | 5 |
| 12 | Etoricoxib Tablets IP 120mg | 12 | 10's | 8 | 5 |
| 13 | Etoricoxib Tablets IP 90mg | 13 | 10's | 8 | 5 |
| 14 | Ibuprofen 400 mg + Paracetamol 325 mg Tablet | 14 | 10's | 8 | 5 |
| 15 | Ibuprofen 200 mg film coated Tablet | 15 | 10's | 8 | 5 |
| 16 | Ibuprofen 400 mg film coated Tablet | 16 | 15's | 8 | 4 |
| 17 | Indomethacin 25 mg | 17 | 10's | 8 | 5 |
| 18 | Azithromycin 250 mg Film Coated Tablet IP | 18 | 6's | 8 | 5 |
| 19 | Nimesulide 100 mg and Paracetamol 325 mg Tablet | 19 | 10's | 8 | 5 |
| 20 | Nimesulide BP 100 mg Tablet | 20 | 10's | 8 | 5 |
| 21 | Diclofenac Sodium 50 mg and Paracetamol 325 mg Tablet | 21 | 10's | 8 | 5 |
| 22 | Paracetamol Suspension IP 125mg/5ml | 22 | 60 ml | 8 | 3 |
| 23 | Paracetamol Tablets IP 500mg | 23 | 10's | 8 | 5 |
| 24 | Pentazocine Injection IP 30mg/ml | 24 | 1 ml | 21 | 30 |
| 25 | Serratiopeptidase Tablets IP 10 mg | 25 | 10's | 8 | 5 |
| 26 | Tramadol Hcl 100 mg Inj. | 26 | 2ml | 21 | 30 |
| 27 | Tramadol HCl Injection 50mg 1 ml | 27 | 1 ml | 21 | 30 |
| 28 | Tramadol 50 mg Tablet | 28 | 10's | 8 | 5 |
| 29 | Acyclovir 400mg Tablets | 29 | 10's | 8 | 5 |
| 30 | Amikacin Injection IP 100mg/2ml | 30 | 2ml Vial | 21 | 30 |
| 31 | Amikacin Injections IP 250mg | 31 | 2ml Vial | 21 | 30 |

| | | | | | |
|----|--|----|---------------|----|----|
| 32 | Amikacin Injections IP 250mg/ml 2ml | 32 | 2ml Vial | 21 | 30 |
| 33 | Glimepiride 2 mg + Metformin HCL 500 mg SR Tablets | 33 | 15's | 8 | 4 |
| 34 | Metformin HCL 500 mg PR and Glimepiride 2 mg Tablets IP | 34 | 15's | 8 | 4 |
| 35 | Amoxycillin 1000mg and Potassium Clavulanate (Clavulanic acid 200 mg) Injection IP | 35 | Vial with WFI | 21 | 30 |
| 36 | Amoxycillin 200 mg, Clavulanic acid 28.5 mg /5ml Oral Suspension | 36 | 30 ml | 8 | 5 |
| 37 | Amoxycillin 250mg + Clavulanic acid 50 mg Inj. | 37 | Vial with WFI | 21 | 30 |
| 38 | Amoxycillin 500mg + Clavulanic acid 100mg Inj. | 38 | Vial with WFI | 21 | 30 |
| 39 | Amoxycillin 500mg + Clavulanic acid 125 mg film coated Tablet | 39 | 6's | 8 | 8 |
| 40 | Amoxycillin 250mg + Cloxacillin 250 mg Caps | 40 | 10's | 8 | 5 |
| 41 | Amoxycillin Dispersible Tablets IP 125mg | 42 | 10's | 8 | 5 |
| 42 | Amoxycillin 125mg/ 5ml Dry Syrup | 43 | 60 ml | 8 | 3 |
| 43 | Amoxycillin Capsules IP 250mg | 44 | 10's | 8 | 5 |
| 44 | Amoxycillin Capsules IP 500mg | 45 | 10's | 8 | 5 |
| 45 | Ampicillin Injection IP 500 mg | 46 | Vial | 21 | 30 |
| 46 | Azithromycin (100mg/ 5ml) Suspension | 47 | 15 ml | 8 | 5 |
| 47 | Azithromycin 100 mg DT Tablet | 48 | 10's | 8 | 5 |
| 48 | Azithromycin 250 mg film coated Tablet IP | 49 | 10's | 8 | 5 |
| 49 | Cefadroxil Dispersible Tablets 250mg | 51 | 10's | 8 | 5 |
| 50 | Cefadroxil 500mg Film Coated Tablet | 52 | 10's | 8 | 5 |
| 51 | Cefixime Oral Suspension IP 50mg/5ml | 53 | 30 ml | 8 | 5 |
| 52 | Cefixime film coated Tablets IP 100mg | 54 | 10's | 8 | 5 |
| 53 | Cefixime 200 mg Film Coated Tablet IP | 55 | 10's | 8 | 5 |
| 54 | Cefoperazone 1gm + Sulbactam 1gm Inj. | 56 | Vial with WFI | 21 | 30 |
| 55 | Cefoperazone 500mg+ Sulbactam 500 mg Inj. | 57 | Vial with WFI | 21 | 30 |
| 56 | Cefoperazone Injection IP 1gm | 58 | Vial with WFI | 21 | 30 |
| 57 | Cefotaxime Sodium 1 gm+ Sulbactam Sodium 500 mg Inj. | 59 | Vial with WFI | 21 | 30 |
| 58 | Cefotaxime Sodium 250mg+ Sulbactam Sodium 125 mg Inj. | 60 | Vial & wfi | 21 | 30 |
| 59 | Cefotaxime Sodium 500mg + Sulbactam Sodium 250 mg Injection | 61 | Vial & wfi | 21 | 30 |
| 60 | Cefotaxime Sodium 1000mg Injection IP | 62 | Vial & wfi | 21 | 30 |
| 61 | Cefotaxime Sodium 250 mg Injection IP | 63 | Vial & wfi | 21 | 30 |

| | | | | | |
|----|--|----|---------------|----|----|
| 62 | Cefotaxime Sodium 500 mg Injection IP | 64 | Vial & wfi | 21 | 30 |
| 63 | Cefpodoxime Proxetil 100 mg Dispersible Tablet IP | 65 | 10's | 8 | 5 |
| 64 | Cefpodoxime film coated Tablets IP 200mg | 66 | 10's | 8 | 5 |
| 65 | Ceftazadime Injection IP 1000mg | 67 | Vial & wfi | 21 | 30 |
| 66 | Ceftazadime Injection IP 250 mg | 68 | Vial & wfi | 21 | 30 |
| 67 | Ceftazadime Injection IP 500 mg | 69 | Vial & wfi | 21 | 30 |
| 68 | Ceftriaxone 1000mg+ Sulbactam 500 mg Inj. | 70 | Vial & wfi | 21 | 30 |
| 69 | Ceftriaxone 1000mg + Tazobactam 125 mg Inj. | 71 | Vial with WFI | 21 | 30 |
| 70 | Azithromycin 500 mg Film Coated Tablet IP | 72 | 3's | 8 | 17 |
| 71 | Ceftriaxone 250 mg + Sulbactam 125 mg Injection with WFI | 73 | Vial & wfi | 21 | 30 |
| 72 | Ceftriaxone 500mg with Sulbactam 250mg Injection | 74 | Vial with WFI | 21 | 30 |
| 73 | Ceftriaxone Injection IP 1g | 75 | Vial & wfi | 21 | 30 |
| 74 | Ceftriaxone Injection IP 250 mg | 76 | Vial & wfi | 21 | 30 |
| 75 | Ceftriaxone injection IP 500 mg | 77 | Vial & wfi | 21 | 30 |
| 76 | Cefuroxime Axetil 250 mg Film Coated Tablets IP | 78 | 10's | 8 | 5 |
| 77 | Cefuroxime Axetil 500mg Film Coated Tablet IP | 79 | 10's | 8 | 5 |
| 78 | Cephalexin Dispersible Tablets IP 125mg | 80 | 10's | 8 | 5 |
| 79 | Cephalexin Capsules IP 250mg | 81 | 10's | 8 | 5 |
| 80 | Cephalexin Capsules IP 500mg | 82 | 10's | 8 | 5 |
| 81 | Ciprofloxacin 250mg + Tinidazole 300 mg film coated Tablet | 83 | 10's | 8 | 5 |
| 82 | Ciprofloxacin 500mg + Tinidazole 600 mg) film coated Tablet | 84 | 10's | 8 | 5 |
| 83 | Ciprofloxacin 250 mg film coated Tablet IP | 85 | 10's | 8 | 5 |
| 84 | Ciprofloxacin 500 mg Film Coated Tablet IP | 86 | 10's | 8 | 5 |
| 85 | Clotrimazole 1% w/w cream | 87 | 15 g tubes | 8 | 12 |
| 86 | Co-trimoxazole (Sulphamethoxazole 200 mg + Trimethoprim 40mg / 5ml) Susp | 88 | 50 ml | 8 | 5 |
| 87 | Co-trimoxazole -DS (160 mg + 800 mg) Tablet | 89 | 10's | 8 | 5 |
| 88 | Co-trimoxazole- Pead. (20 mg + 100 mg) Tablet | 90 | 10's | 8 | 5 |
| 89 | Doxycycline Capsules IP 100mg | 92 | 10's | 8 | 5 |
| 90 | Erythromycin Stearate 250mg Film Coated Tablets IP | 93 | 10's | 8 | 5 |
| 91 | Gentamycin Sulphate Injection IP 80 mg/ 2ml | 94 | 2 ml | 21 | 30 |

| | | | | | |
|-----|--|-----|------------------|----|----|
| 92 | Levofloxacin film coated Tablets IP 250mg | 95 | 10's | 8 | 5 |
| 93 | Levofloxacin film coated Tablets IP 500mg | 96 | 10's | 8 | 5 |
| 94 | Meropenem Injection IP 1gm | 97 | Vial & wfi | 21 | 30 |
| 95 | Norfloxacin 400 mg + Tinidazole 600 mg film coated Tablet | 98 | 10's | 8 | 5 |
| 96 | Norfloxacin 400 mg film coated Tablet | 99 | 10's | 8 | 5 |
| 97 | Ofloxacin 200 mg + Ornidazole 500 mg film coated Tablet | 100 | 10's | 8 | 5 |
| 98 | Ofloxacin film coated Tablets IP 200mg | 101 | 10's | 8 | 5 |
| 99 | Ofloxacin Tablet IP 400 mg film coated Tablet | 102 | 10's | 8 | 5 |
| 100 | Piperacillin 4gm + Tazobactam 0.5 gm Injection IP | 103 | Vial & wfi | 21 | 8 |
| 101 | Roxithromycin (50 mg/ 5ml) Susp. | 104 | 30ml | 8 | 5 |
| 102 | Roxithromycin Tablets IP 150 mg Film Coated | 105 | 10's | 8 | 5 |
| 103 | Roxithromycin 300 mg film coated Tablet | 106 | 10's | 8 | 5 |
| 104 | Tinidazole 300 mg film coated Tablet | 107 | 10's | 8 | 5 |
| 105 | Tinidazole film coated Tablets IP 500mg | 108 | 10's | 8 | 5 |
| 106 | Vancomycin injection IP 500 mg | 109 | Vial & wfi | 21 | 30 |
| 107 | Adapalene 0.1% w/v Ointment | 110 | 15 gm tubes | 8 | 12 |
| 108 | Beclomethasone Dipropionate IP 0.025 % w/w , Clotrimazole IP 1 % w/w , Gentamycin Sulphate 0.1 % w/w | 112 | 15 g tubes | 8 | 12 |
| 109 | Beclomethasone 0.025% + Neomycin 0.5% w/w Cream | 113 | 15g tube | 8 | 12 |
| 110 | Calamine Lotion | 115 | 100 ml | 8 | 3 |
| 111 | CHLORHEXIDINE MOUTHWASH IP 0.2 % w/v | 117 | 100 ml | 8 | 3 |
| 112 | Clobetasol Propionate IP 0.05 % w/w Cream | 118 | 15gm Tube | 8 | 12 |
| 113 | Fusidic Acid Cream 2%w/w | 120 | 5gm tube | 8 | 12 |
| 114 | Ketoconazole 2% w/w Lotion | 122 | 100ml Bottle | 8 | 3 |
| 115 | Povidone Iodine 5% w/w Ointment USP | 124 | 250 gm tubes/Jar | 8 | 12 |
| 116 | Povidone Iodine 5% w/w Ointment | 125 | 15 gm tubes | 8 | 12 |
| 117 | Povidone Iodine 10 % Solution IP | 126 | 500 ml | 8 | 1 |
| 118 | Povidone Iodine 5 % Solution | 127 | 100 ml | 8 | 3 |
| 119 | Povidone Iodine 7.5% Solution | 129 | 500 ml | 8 | 1 |
| 120 | Chlorhexidine Gluconate 1.5% w/v, Cetrimide 3% w/v Solution | 130 | 100ml Bottle | 8 | 6 |
| 121 | Silver Sulphadiazine IP 1% w/w Cream 20 gm | 131 | 20 gm | 8 | 12 |
| 122 | Silver Sulphadiazine IP 1% w/w cream 500 gm | 132 | 500 gm | 8 | 1 |
| 123 | Glibenclamide 2.5 mg Tablet (Scored Oval) | 133 | 10's | 8 | 5 |
| 124 | Glibenclamide 5 mg Tablet (Scored Oval) | 134 | 10's | 8 | 5 |

| | | | | | |
|-----|---|-----|------------|----|----|
| 125 | Gliclazide 40 mg Tablets IP | 135 | 10's | 8 | 5 |
| 126 | Gliclazide 80 mg Tablets IP | 136 | 10's | 8 | 5 |
| 127 | Glimeperide Tablets IP 1mg | 137 | 10's | 8 | 5 |
| 128 | Glimeperide Tablets IP 2mg | 138 | 10's | 8 | 5 |
| 129 | Glipizide 5 mg Tablet IP | 141 | 10's | 8 | 5 |
| 130 | INSULIN INJECTION IP 40 IU/ml (Insulin Human Recombinant) | 142 | 10 ml Vial | 21 | 40 |
| 131 | INSULIN INJECTION (INSULIN HUMAN SOLUBLE 30% & ISOPHANE 70%) 40 IU/ML | 143 | 10ml Vial | 21 | 30 |
| 132 | Metformin Hydrochloride 1000 mg SR Tablets IP | 144 | 10's | 8 | 5 |
| 133 | Metformin Hydrochloride Tablets IP 500mg | 145 | 10's | 8 | 5 |
| 134 | Pioglitazone 15 mg Tablets IP | 146 | 10's | 8 | 5 |
| 135 | Pioglitazone 30 mg Tablets IP | 147 | 10's | 8 | 5 |
| 136 | Metformin 500mg SR +Pioglitazone 15mg Tablet | 150 | 10's | 8 | 5 |
| 137 | Bleomycin Injection IP 15mg | 152 | Vial | 21 | 15 |
| 138 | Cisplatin Injection IP10 mg | 153 | Vial | 21 | 30 |
| 139 | Cisplatin Injection BP 50mg/50ml | 154 | Vial | 21 | 30 |
| 140 | Doxorubicin Injection IP 50mg | 156 | Vial | 21 | 30 |
| 141 | Etoposide 100 mg/5ml Inj. | 158 | Vial | 21 | 30 |
| 142 | Gemcitabine 1000 mg Injection IP | 159 | Vial | 21 | 30 |
| 143 | Gemcitabine Injection IP 200mg | 160 | Vial | 21 | 30 |
| 144 | Tamoxifen Citrate 10 mg I.P Tablets | 163 | 10's | 8 | 5 |
| 145 | Tamoxifen Citrate 20 mg I.P Tablets | 164 | 10's | 8 | 5 |
| 146 | Ciprofloxacin (2mg/ml) Infusion | 165 | 100 ml | 21 | 8 |
| 147 | Mannitol Injections IP 20% w/v | 170 | 100 ml | 21 | 8 |
| 148 | MANNITOL 20% | 171 | 350 ml | 21 | 8 |
| 149 | Metronidazole 5 mg / ml Infusion | 172 | 100 ml | 21 | 8 |
| 150 | Sterile Water for Injection | 176 | 5 ml Amp. | 21 | 30 |
| 151 | Albendazole Suspension IP 200 mg/ 5ml | 177 | 10 ml | 8 | 5 |
| 152 | ALBENDAZOLE 400 mg + IVERMECTIN 6 mg Tablets | 178 | 1's | 8 | 50 |
| 153 | Bisacodyl Tablets IP 5mg | 180 | 10's | 8 | 5 |
| 154 | TRICHOLINE CITRATE 275 mg+ CYPROHEPTADINE HCl 2 mg/5ml SYRUP | 181 | 200 ml | 8 | 3 |
| 155 | Dicyclomine Tablets IP 10mg | 183 | 10's | 8 | 5 |
| 156 | Paracetamol 325 mg,Dicyclomine HCl 20 mg Tablet | 184 | 10's | 8 | 5 |
| 157 | Domperidone 10 mg Tablet | 186 | 10's | 8 | 5 |
| 158 | Domperidone 5 mg. / 5 ml IP Suspension | 187 | 30 ml | 8 | 5 |
| 159 | Aluminium Hydroxide +Mg. Hydroxide+ Act. Dimethicone (250mg +250mg+50mg)Tablets | 188 | 10's | 8 | 5 |
| 160 | Famotidine 20 mg Tab | 191 | 14's | 8 | 5 |
| 161 | Famotidine 40 mg Tablets | 192 | 14's | 8 | 5 |
| 162 | Furazolidone IP 100 mg Tablet | 193 | 10's | 8 | 5 |
| 163 | Hyoscine Butyl Bromide 10 mg film coated Tablet | 194 | 10's | 8 | 5 |

| | | | | | |
|-----|---|-----|---------|----|----|
| 164 | Isapgol Psyllium Husk | 195 | 200 gm | 8 | 1 |
| 165 | LACTOBACILLUS SPOROGENES 60 MILLION SPORES TABLETS | 196 | 10's | 8 | 5 |
| 166 | Lactulose 10 g/15 ml Syrup | 197 | 100 ml | 8 | 3 |
| 167 | Dried Aluminium Hydroxide IP250mg,Magnesium Hydroxide IP 250mg, Activated Methyl Polysiloxane 50/5ml Suspension | 198 | 170 ml | 8 | 3 |
| 168 | Metoclopramide 10 mg I.P Tablets | 199 | 10's | 8 | 5 |
| 169 | Metoclopramide Injection IP 5mg/ml | 200 | 2ml | 21 | 30 |
| 170 | Metronidazole film coated Tablets IP 200mg | 201 | 10's | 8 | 5 |
| 171 | Metronidazole film coated Tablets IP 400mg | 202 | 10's | 8 | 5 |
| 172 | Misoprostol tablets IP 200 mcg Film Coated | 203 | 4's | 8 | 12 |
| 173 | Omeprazole 20mg + Domperidone 10 mg I.P Capsules | 206 | 10's | 8 | 5 |
| 174 | Omeprazole 20 mg IP capsules | 207 | 10's | 8 | 5 |
| 175 | Ondansetron 2 mg/ml Inj. | 208 | 2 ml | 21 | 30 |
| 176 | Ondansetron Tablets IP 4mg | 209 | 10's | 8 | 5 |
| 177 | Ornidazole film coated Tablets IP 500mg | 210 | 10's | 8 | 5 |
| 178 | Pantoprazole Enteric coated Tablets IP 40mg | 212 | 10's | 8 | 5 |
| 179 | Pantoprazole Injection 40mg | 213 | Vial | 21 | 30 |
| 180 | Rabeprazole 20 mg and Domperidone SR 30 mg Capsule | 214 | 10's | 8 | 5 |
| 181 | Rabeprazole Gastro-resistant Tablets IP 20mg | 215 | 10's | 8 | 5 |
| 182 | Ranitidine (50 mg/ 2ml) Inj. | 216 | 2ml | 21 | 30 |
| 183 | Ranitidine HCl. 150 mg film coated Tablet | 217 | 10's | 8 | 5 |
| 184 | Ranitidine HCl film coated Tablets 300mg | 218 | 10's | 8 | 5 |
| 185 | Calcium Carbonate 1250mg (Calcium 500mg) + Vitamin D3 250 iu film coated Tablet | 220 | 10's | 8 | 5 |
| 186 | PYRIDOXINE HCl 10 mg+ DOXYLAMINE 10 mg + FOLIC ACID 2.5 mg Tablets | 223 | 30's | 8 | 2 |
| 187 | Folic Acid Tablets IP 5mg | 224 | 15's | 8 | 4 |
| 188 | Syrup of Iron and Folic Acid in a flavoured Base | 225 | 200 ml | 8 | 3 |
| 189 | Polyvitamin (Prophylactic) NFI | 227 | 10's | 8 | 5 |
| 190 | Haematinic syrup of Iron,Folic acid and Vitamin B12 | 229 | 100 ml | 8 | 3 |
| 191 | Vitamin B-Complex (B1,B2,B6,B12) & Vitamin 'C' with Zinc 22.5mg Capsule | 230 | 10's | 8 | 5 |
| 192 | VITAMIN B1 10mg, B2 10mg, B3 45mg, B5 50mg, B6 3mg, B12 15mcg Tablets | 231 | 10's | 8 | 5 |
| 193 | Vitamin B-Complex Syrup | 232 | 200 ml | 8 | 3 |
| 194 | Vitamin-C Chewable 100mg Tablet | 233 | 10's | 8 | 5 |
| 195 | BUDESONIDE RESPULES 0.5 MG/ml | 235 | 2ml | 21 | 20 |
| 196 | Budesonide 100 mcg/dose Inhaler | 236 | 200 MDI | 21 | 15 |
| 197 | Budesonide 200 mcg/dose Inhaler | 238 | 200 md | 21 | 15 |
| 198 | Cetirizine (5 mg/ 5 ml) IP Syrup | 239 | 60 ml | 8 | 3 |
| 199 | Cetirizine 10mg film coated Tablet | 240 | 10's | 8 | 5 |

| | | | | | |
|-----|---|-----|--------|----|----|
| 200 | Cough Syrup Diphen.14 mg. + A.Chl.135 mg. + Sod.Cit.57 mg. + Menthol IP 0.9 mg. | 243 | 110 ml | 8 | 3 |
| 201 | Etophyllin and Theophylline Inj. (84.7mg+25.3 mg) mg/2ml | 244 | 2 ml | 21 | 30 |
| 202 | Etophyllin and Theophylline Tablets | 245 | 10's | 8 | 5 |
| 203 | Fexofenadine 120 mg film coated Tablet | 246 | 10's | 8 | 5 |
| 204 | Fexofenadine 180 mg film coated Tablet | 247 | 10's | 8 | 5 |
| 205 | Levocetirizine film coated Tablets IP 5mg | 248 | 10's | 8 | 5 |
| 206 | Montelukast Sodium Tablets IP 5mg | 250 | 10's | 8 | 5 |
| 207 | Montelukast Sodium Tablets IP 10mg | 251 | 10's | 8 | 5 |
| 208 | Levocetirizine 5mg and Montelukast Sodium 10mg I.P Film Coated Tablet | 252 | 10's | 8 | 5 |
| 209 | Pheniramine Maleate 25 mg | 253 | 15's | 8 | 4 |
| 210 | Promethazine (5mg/5ml) syrup | 254 | 100 ml | 8 | 3 |
| 211 | Salbutamol 100 mcg/puff I.P Inhaler | 255 | 200 md | 21 | 15 |
| 212 | Salbutamol Tablets IP 2mg | 256 | 10's | 8 | 5 |
| 213 | Salbutamol 2mg /5ml Syrup | 259 | 100 ml | 8 | 3 |
| 214 | Salbutamol 4 mg tablets | 260 | 10's | 8 | 5 |
| 215 | Adenosine 6 mg/ 2ml Amp. | 261 | 2 ml | 21 | 30 |
| 216 | Amlodipine 5mg and Atenolol 50 mg Tablet | 263 | 10's | 8 | 5 |
| 217 | Amlodipine Tablets IP 5mg | 264 | 10's | 8 | 5 |
| 218 | Atenolol Tablets IP 50 mg | 265 | 14's | 8 | 4 |
| 219 | Atorvastatin 10mg film coated Tablet IP | 266 | 10's | 8 | 5 |
| 220 | Atorvastatin FC TabletS IP 20mg | 267 | 10's | 8 | 5 |
| 221 | Clonidine 0.1 mg Tabs | 268 | 10's | 8 | 5 |
| 222 | Clopidogrel Tablets IP 75mg | 269 | 10's | 8 | 5 |
| 223 | ASPIRIN 75 mg + CLOPIDOGREL 75 mg Tablets | 270 | 10's | 8 | 5 |
| 224 | Diltiazem 30 mg I.P Tablets | 271 | 10's | 8 | 5 |
| 225 | Diltiazem 60mg I.P Tablets | 272 | 10's | 8 | 5 |
| 226 | Dobutamine Injection IP 250mg/20ml | 273 | Vial | 21 | 30 |
| 227 | Dopamine HCl 200 mg/5ml Inj. | 274 | 5 ml | 21 | 30 |
| 228 | Enalapril 5 mg Tablets | 275 | 10's | 8 | 5 |
| 229 | Enoxaparin 40 mg/0.4 ml I.P Injection | 276 | 0.4 ml | 21 | 30 |
| 230 | Enoxaparin 60 mg/0.6 ml Inj. | 277 | 0.6 ml | 21 | 30 |
| 231 | Frusemide (10 mg/ ml) | 278 | 2ml | 21 | 30 |
| 232 | Frusemide 40 mg tablets | 279 | 10's | 8 | 5 |
| 233 | Heparin Sodium 1000 IU/ ml I.P Injection | 280 | 5 ml | 21 | 30 |
| 234 | Heparin Sodium 5000iu/ ml Inj. | 281 | 5 ml | 21 | 30 |
| 235 | Isosorbide Dinitrate Tablets IP 10mg | 283 | 50's | 8 | 1 |
| 236 | AMLODIPINE 5 MG + LISINOPRIL 5 MG TABLETS | 285 | 15's | 8 | 4 |
| 237 | Lisinopril Tablets IP 5mg | 286 | 10's | 8 | 5 |
| 238 | Losartan 50 mg and HydroChorthaizide 12.5 mg Tablet | 287 | 10's | 8 | 5 |
| 239 | Losartan film coated Tablets IP 25mg | 288 | 10's | 8 | 5 |
| 240 | Losartan Potassium Film Coated Tablets IP 50 mg | 289 | 10's | 8 | 5 |

| | | | | | |
|-----|--|-----|-----------------|----|----|
| 241 | Metoprolol 25 mg I.P Tablet | 290 | 10's | 8 | 5 |
| 242 | Metoprolol extended released Tablets IP 50mg | 291 | 10's | 8 | 5 |
| 243 | Ramipril Tablets IP 2.5mg | 293 | 10's | 8 | 5 |
| 244 | Ramipril Tablets IP 5mg | 294 | 10's | 8 | 5 |
| 245 | Simvastatin Tablets IP 10mg | 295 | 10's | 8 | 5 |
| 246 | Simvastatin 20 mg Tablets | 296 | 10's | 8 | 5 |
| 247 | Telmisartan 40mg+ Hydrochlorthiazide 12.5 mg Tablet | 298 | 10's | 8 | 5 |
| 248 | Telmisartan Tablets IP 20mg | 299 | 10's | 8 | 5 |
| 249 | Telmisartan Tablets IP 40mg | 300 | 10's | 8 | 5 |
| 250 | Tranexamic Acid Tablets IP 500 mg | 301 | 10's | 8 | 5 |
| 251 | Tranexamic Acid 500 mg/5ml IP Injection | 302 | 5 ml Amp. | 21 | 30 |
| 252 | Arteether 150mg inj | 304 | 2ml Ampoules | 21 | 30 |
| 253 | Chloroquine Phosphate 250 mg film coated Tablet | 305 | 10's | 8 | 5 |
| 254 | Disodium hydrogen Citrate (Alkalyser) 1.4 gm/5ml Syrup | 311 | 100 ml | 8 | 3 |
| 255 | Oral Rehydration Salts Citrate IP 20.5 GM (WHO Formula) Sachet | 312 | 1's | 8 | 25 |
| 256 | Alprazolam Tablets IP 0.25mg | 313 | 10's | 8 | 5 |
| 257 | Alprazolam Tablet IP 0.5mg Uncoated | 314 | 10's | 8 | 5 |
| 258 | Betahistine Tablets IP 8mg | 316 | 10's | 8 | 5 |
| 259 | Carbamazepine 100mg Tablet | 317 | 10's | 8 | 5 |
| 260 | Carbamazepine Tablets IP 200mg | 318 | 10's | 8 | 5 |
| 261 | Clonazepam Tablets IP 0.5 mg | 319 | 10's | 8 | 5 |
| 262 | Diazepam Tablets IP 5mg | 320 | 10's | 8 | 5 |
| 263 | Escitalopram 10 mg I.P Tablet | 321 | 10's | 8 | 5 |
| 264 | Escitalopram 20 mg I.P Tablet | 322 | 10's | 8 | 5 |
| 265 | Flunarizine 10 mg Tabs | 323 | 10's | 8 | 5 |
| 266 | Flunarizine 5 mg Tabs | 324 | 10's | 8 | 5 |
| 267 | Fluoxetine Hydrochloride Capsules IP 20mg | 325 | 10's | 8 | 5 |
| 268 | Methyl Ergometrine Tablets IP 0.125mg | 326 | 10's | 8 | 5 |
| 269 | PHENYTOIN Tablets IP 100 mg | 327 | 100's in Bottle | 8 | 1 |
| 270 | Prochlorperazine Tablets IP 5mg | 328 | 10's | 8 | 5 |
| 271 | Prednisolone Tablets IP 5 MG | 329 | 15's | 8 | 4 |
| 272 | Prednisolone 10 mg Tablet | 330 | 10's | 8 | 5 |
| 273 | Thyroxine Sodium 100 mcg I.P Tablet | 332 | 100's | 8 | 1 |
| 274 | Dexamethasone 0.5 mg Tablets | 333 | 10's | 8 | 5 |
| 275 | Dexamethasone 4mg Inj. | 334 | 2 ml | 21 | 30 |
| 276 | Allopurinol 100 mg I.P Tablet | 336 | 10's | 8 | 5 |
| 277 | Clomiphene Citrate 50 mg I.P Tablets | 337 | 10's | 8 | 5 |
| 278 | Atropine Sulphate Injection IP 0.6mg/ml | 338 | 1ml | 21 | 30 |

| | | | | | |
|-----|---|-----|-------------------|----|----|
| 279 | CARBOXY METHYL CELLULOSE EYE DROPS IP 0.5% w/v | 341 | 10 ml | 21 | 15 |
| 280 | Ciprofloxacin 0.3% w/v Eye Drop IP | 344 | 5 ml | 21 | 15 |
| 281 | Gentamycin 0.3% w/v Eye Drop | 345 | 10ml | 21 | 15 |
| 282 | Xylometazoline Nasal Drop IP 0.1% w/v | 351 | 10 ml | 21 | 15 |
| 283 | Bupivacaine Hydrochloride 0.5% w/w Inj. | 352 | 20ml | 21 | 30 |
| 284 | Lignocaine Injection IP 2% w/v | 356 | 30 ml Vial | 21 | 30 |
| 285 | Lignocaine 1% + Adrenaline 2% w/v Inj. | 357 | 30 ml Vial | 21 | 30 |
| 286 | Propofol 10 mg/ml Inj. | 358 | 10ml Vial | 21 | 30 |
| 287 | Tetanus Toxoid Inj. | 359 | 0.5 ml Amp. | 21 | 30 |
| 288 | MIFEPRISTONE Tablets IP 200 mg | 360 | 1's | 8 | 50 |
| 289 | BIPHASIC ISOPHANE INSULIN INJECTION IP 40 IU/ML (50:50) | 362 | 10 ML VIAL | 21 | 40 |
| 290 | GLARGINE 100 IU / ml INJECTION | 363 | Cartridge 3 ml | 21 | 30 |
| 291 | GLICLAZIDE 80 mg + METFORMIN HYDROCHLORIDE Tablets 500 mg 15's | 365 | 15's | 8 | 4 |
| 292 | GLIPIZIDE 5 MG + METFORMIN HYDROCHLORIDE 500 MG TABLETS | 366 | 10's | 8 | 5 |
| 293 | VOGLIBOSE Tablets IP 0.3 mg | 367 | 10's | 8 | 5 |
| 294 | GLICLAZIDE TABS SR 60 MG | 368 | 10's | 8 | 5 |
| 295 | Acarbose Tablets IP 50 MG | 369 | 10's | 8 | 5 |
| 296 | VOGLIBOSE Tablets IP 0.2 mg | 371 | 10's | 8 | 5 |
| 297 | METFORMIN HYDROCHLORIDE TABLETS IP PROLONG RELEASE 500 MG | 372 | 10's | 8 | 5 |
| 298 | ARTESUNATE INJECTION 60 MG | 373 | 1 vial | 21 | 30 |
| 299 | QUININE SULPHATE TABLETS IP 300 MG FILM COATED TABLETS | 375 | 10's | 8 | 5 |
| 300 | IMIPENEM AND CILASTATIN INJ IP (500mg+500mg) | 376 | Vial & WFI | 21 | 30 |
| 301 | CLINDAMYCIN CAPSULES IP 300 MG | 377 | 10's | 8 | 5 |
| 302 | CLARITHROMYCIN Tablets IP 500 mg | 380 | 4's | 8 | 12 |
| 303 | CEFIXIME 200 mg + OFLOXACIN 200 mg Tablets | 381 | 10's | 8 | 5 |
| 304 | LINEZOLID TABLETS IP 600 MG | 382 | 10's | 8 | 5 |
| 305 | CEFPODOXIME 200 mg+ CLAVULANIC ACID 125 mg Tablets | 383 | 6's | 8 | 8 |
| 306 | ITRACONAZOLE Capsules 100 mg | 384 | 4's | 8 | 12 |
| 307 | CEFIXIME 200 mg + CLAVULANIC ACID 125 mg (AS POT.CLAVULANATE) Tablets | 385 | 10's | 8 | 5 |
| 308 | Diethylcarbamazine Tablets IP 50 mg | 386 | 30's | 8 | 2 |
| 309 | TERBINAFINE 250 MG TABLETS | 387 | 7's | 8 | 7 |
| 310 | MOXIFLOXACIN TABLETS 400 MG | 391 | 5's | 8 | 10 |

| | | | | | |
|-----|---|-----|--------|----|----|
| 311 | GRISEOFULVIN TABLETS IP 250 MG | 392 | 10's | 8 | 5 |
| 312 | ACICLOVIR DISPERSIBLE TABLETS IP 800 MG | 393 | 5's | 8 | 10 |
| 313 | CEFUROXIME 500 mg+ CLAVULANIC ACID 125 mg (AS POT.CLAVULANATE) Tablets | 395 | 6's | 8 | 8 |
| 314 | AMPHOTERICIN B INJECTION IP. 50MG/ML | 396 | 20 ML | 21 | 30 |
| 315 | Ketoconazole Tablets IP 200 mg | 400 | 10's | 8 | 5 |
| 316 | AMOXYCILLIN 250mg WITH POTASSIUM CLAVULANATE 125mg Tablets IP | 401 | 6's | 8 | 8 |
| 317 | AMOXYCILLIN and POTASSIUM CLAVULANATE Tablets IP (875mg+125mg) | 402 | 6's | 8 | 8 |
| 318 | CLINDAMYCIN INJ IP 300 MG/2 ML | 403 | 2 ML | 21 | 30 |
| 319 | LINEZOLID INFUSION 600 MG/300 ML | 404 | 300 ML | 21 | 8 |
| 320 | OFLOXACIN INFUSION IP 200 mg /100 ml | 405 | 100 ml | 21 | 8 |
| 321 | IVERMECTIN TABLETS 12 MG | 407 | 10's | 8 | 5 |
| 322 | TRASTUZUMAB INJECTION 440 MG with WFI | 410 | 1's | 21 | 30 |
| 323 | AZATHIOPRINE TABLETS IP 50 MG | 412 | 10's | 8 | 5 |
| 324 | METHOTREXATE TABLETS IP 7.5 MG | 413 | 10's | 8 | 5 |
| 325 | TRANEXAMIC ACID 500 mg+ MEFENAMIC ACID 250 mg Tablets | 414 | 10's | 8 | 5 |
| 326 | PRAZOSIN TABLETS IP 5 MG | 416 | 15's | 8 | 4 |
| 327 | TELMISARTAN IP 40 mg+ AMLODIPINE 5 mg Tablets | 417 | 15's | 8 | 4 |
| 328 | ROSUVASTATIN Tablets IP 20 mg | 418 | 10's | 8 | 5 |
| 329 | HEPARIN SODIUM 50 IU + Benzyl Nicotinate 2 mg/ 1 gm Ointment/Cream | 419 | 20 GM | 8 | 12 |
| 330 | ATORVASTATIN 10 MG+ CLOPIDOGREL 75 MG CAPSULES | 420 | 10's | 8 | 5 |
| 331 | NEBIVOLOL TABLETS IP 5 MG | 421 | 10's | 8 | 5 |
| 332 | TORASEMIDE Tablets IP 10mg | 422 | 15's | 8 | 4 |
| 333 | BISOPROLOL TABLETS 5 MG | 423 | 10's | 8 | 5 |
| 334 | CARVEDILOL TABLETS IP 3.125 MG | 424 | 10's | 8 | 5 |
| 335 | Diltiazem Tablets SR 90mg | 425 | 10's | 8 | 5 |
| 336 | ACENOCOUMAROL TABLETS 2 MG | 426 | 30's | 8 | 2 |
| 337 | S-AMLODIPINE TABLETS IP 2.5 MG | 427 | 10's | 8 | 5 |
| 338 | DIGOXIN Tablets IP 250 µg [0.25 mg] | 428 | 10's | 8 | 5 |
| 339 | ATORVASTATIN 10 mg+ FENOFIBRATES 160 mg Tablets IP | 429 | 15's | 8 | 4 |
| 340 | AMIODARONE Tablets IP 200 mg | 430 | 10's | 8 | 5 |
| 341 | Ramipril 5mg + Hydroclorthiazide 12.5mg Tablet IP | 431 | 10's | 8 | 5 |
| 342 | OLMESARTAN MEDOXOMIL Tablets IP 40 mg | 432 | 10's | 8 | 5 |
| 343 | ISOSORBIDE MONONITRATE TABLETS IP 30 mg | 433 | 30's | 8 | 2 |
| 344 | PROPRANOLOL Tablets IP 40 mg | 434 | 10's | 8 | 5 |
| 345 | ROSUVASTATIN 10 mg & FENOFIBRATES 160 mg Tablets IP | 435 | 10's | 8 | 5 |
| 346 | TELMISARTAN 40 mg+ CHLORTHALIDONE 12.5 mg Tablets | 436 | 10's | 8 | 5 |

| | | | | | |
|-----|---|-----|-------------|----|----|
| 347 | NIFEDIPINE PROLONGED RELEASE Tablets IP 20 mg | 437 | 10's | 8 | 5 |
| 348 | INDAPAMIDE TABLETS IP 1.5 MG | 438 | 10's | 8 | 5 |
| 349 | OLMESARTAN MEDOXOMIL 40 mg + HYDROCLORTHIAZIDE 12.5 mg Tablets IP | 439 | 10's | 8 | 5 |
| 350 | METOPROLOL SUCCINATE 50mg + AMLODIPINE 5mg TABLETS | 440 | 7's | 8 | 7 |
| 351 | LOSARTAN POTASSIUM 50mg AND AMLODIPINE 5mg TABLETS IP | 441 | 10's | 8 | 5 |
| 352 | FENOFIBRATE TABLETS 160 MG | 442 | 10's | 8 | 5 |
| 353 | ISOSORBIDE DINITRATE TABLETS IP 5 MG | 443 | 50's | 8 | 1 |
| 354 | ENALAPRIL 10 MG + HYDROCLORTHIAZIDE 25 MG TABLETS | 444 | 30's | 8 | 2 |
| 355 | OLMESARTAN 20 mg+ AMLODIPINE 5 mg Tablets | 445 | 10's | 8 | 5 |
| 356 | AMLODIPINE 5 MG + HYDROCHLOROTHIAZIDE 12.5 MG TABLETS | 446 | 10's | 8 | 5 |
| 357 | MOXONIDINE TABLETS 0.3 MG | 447 | 10's | 8 | 5 |
| 358 | AMLODIPINE 5 MG+ RAMIPRIL 5 MG TABLETS | 448 | 10's | 8 | 5 |
| 359 | SPIRONOLACTONE TABLETS IP 25 MG | 449 | 15's | 8 | 4 |
| 360 | LABETALOL TABLETS IP 100 MG | 450 | 10's | 8 | 5 |
| 361 | STREPTOKINASE INJECTION IP 1500000 IU | 451 | 10 ml & wfi | 21 | 30 |
| 362 | WARFARIN TABLETS IP 5 MG | 452 | 10's | 8 | 5 |
| 363 | BISOPROLOL 5 MG+ HYDROCHLOROTHIAZIDE 6.25 MG TABLETS | 453 | 10's | 8 | 5 |
| 364 | VALSARTAN TABLETS IP 80 MG | 454 | 10's | 8 | 5 |
| 365 | VERAPAMIL TABLETS IP 80 MG | 455 | 10's | 8 | 5 |
| 366 | ATORVASTATIN Tablets IP 40 mg | 456 | 10's | 8 | 5 |
| 367 | TORASEMIDE TABLETS IP. 20 MG | 457 | 10's | 8 | 5 |
| 368 | LABETALOL INJECTION IP 5 mg/ml | 458 | 4 ml Vial | 21 | 30 |
| 369 | HYDROQUINONE 2 % + MOMETASONE 0.1% + TRETINOIN 0.025 % cream | 459 | 20gm | 8 | 12 |
| 370 | BETAMETHASONE VALERAT 0.1 % w/w + NEOMYCIN SULFATE 0.5 % w/w CREAM | 461 | 20 GM | 8 | 12 |
| 371 | BETAMETHASONE VALERATE and CLIOQUINOL CREAM BP (0.12w/w+3% w/w) | 462 | 30 GM | 8 | 12 |
| 372 | MUPIROCIN OINTMENT IP 2 % w/w | 463 | 5gm | 8 | 12 |
| 373 | DOMPERIDONE 30 mg+ PANTOPRAZOLE 40 mg Capsules [SR] | 465 | 10's | 8 | 5 |
| 374 | URSODEOXYCHOLIC ACID Tablets IP 300 mg | 466 | 10's | 8 | 5 |
| 375 | DICYCLOMINE 10 mg+ MEFENAMIC ACID 250 mg Tablets | 467 | 10's | 8 | 5 |
| 376 | BACILLUS CLAUSII SPORES ORAL SUSPENSION 2 Billion/ 5 ML | 468 | 5 ML | 8 | 5 |
| 377 | PEPSIN 10 MG+ DIASTASE 50 MG ORAL LIQUID /5 ML | 470 | 200 ML | 8 | 3 |

| | | | | | |
|-----|--|-----|------------------|---|----|
| 378 | OXETACAINE 10 MG+ ALUMINIUM 0.291gm + MAGNESIUM 98 MG /5 ML GEL | 471 | 200 ML | 8 | 3 |
| 379 | DOMPERIDONE 30 MG+ ESOMEPRAZOLE 40 MG CAPSULE | 472 | 10's | 8 | 5 |
| 380 | LEVOSULPIRIDE 75 MG+ PANTOPRAZOLE 40 MG CAPSULE | 473 | 10's | 8 | 5 |
| 381 | DOXYLAMINE SUCCINATE 10 mg+ PYRIDOXINE HCl 10 mg Tablets | 474 | 30's | 8 | 2 |
| 382 | SUCRALFATE SUSPENSION 500 mg/5ml | 475 | 200 ml | 8 | 3 |
| 383 | LIQUID PARAFFIN 1.25 ML+ MILK OF MAGNESIA 3.75ML+ SODIUM PICOSULPHATE 3.33MG /5ML SUSPENSION 170ml 170 ml Bottle | 476 | 170 ml Bottle | 8 | 3 |
| 384 | CLIDINIUM BROMIDE 2.5 MG+ CHLORDIAZEPOXIDE 5 MG FILM COATED TABLETS | 477 | 10's | 8 | 5 |
| 385 | SODIUM PICOSULPHATE 10 mg Tablets | 478 | 10's | 8 | 5 |
| 386 | TRICHOLINE CITRATE 550MG+SORBITOL 7.15GM/10ML SYRUP | 479 | 200 ML | 8 | 3 |
| 387 | LEVOSULPIRIDE 75 MG+ ESOMEPRAZOLE 40 MG CAPSULES | 480 | 10's | 8 | 5 |
| 388 | RIFAXIMIN TABLETS BP 400 MG | 481 | 10's | 8 | 5 |
| 389 | LEVOSULPIRIDE (SR) 75 mg+ RABEPRAZOLE (EC)20 mg Capsules | 482 | 10's | 8 | 5 |
| 390 | LOPERAMIDE Capsules IP 2 mg | 483 | 10's | 8 | 5 |
| 391 | ESOMEPRAZOLE Tablets IP 40 mg (ENTERIC COATED) | 484 | 10's | 8 | 5 |
| 392 | PROMETHAZINE (FILM COATED) Tablets IP 25 mg | 485 | 10's | 8 | 5 |
| 393 | PANCREATIN 170 MG+ DIMETHICONE 80 MG TABLETS | 486 | 10's | 8 | 5 |
| 394 | DICYCLOMINE 10 MG + DIMETHICONE 40 MG /5 ML SUSPENSION | 487 | 30 ML | 8 | 5 |
| 395 | LANSOPRAZOLE CAPSULES IP 15 MG | 488 | 10's | 8 | 5 |
| 396 | SULFASALAZINE TABLETS BP 1000 MG ENTERIC COATED | 489 | 10's | 8 | 5 |
| 397 | ITOPRIDE Tablets 50 mg | 491 | 10's | 8 | 5 |
| 398 | SULFASALAZINE TABLETS BP 500 MG ENTERIC COATED | 492 | 10's | 8 | 5 |
| 399 | ISPAGHULA HUSK IP 50 GM | 493 | 50 GM | 8 | 8 |
| 400 | ISPAGHULA HUSK IP 100 GM | 494 | 100 GM | 8 | 8 |
| 401 | FERROUS AMMONIUM CITRATE 160 MG + CYANO COBALAMINE 7.5 MCG + FOLIC ACID 0.5 MG/15ML SYRUP | 495 | 200 ML | 8 | 3 |
| 402 | DYDROGESTERONE TABLETS IP 10 MG | 496 | 10's | 8 | 5 |
| 403 | KIT OF MIFEPRISTONE 200 mg (1 TABLET) + MISOPROSTOL 200 mcg (4 Tablets) | 497 | 1's | 8 | 20 |
| 404 | FERROUS ASCORBATE 100MG WITH FOLIC ACID 1.5MG TABLETS | 498 | 10's | 8 | 5 |

| | | | | | |
|-----|--|-----|------------|----|----|
| 405 | NORETHISTERONE Tablets IP 5 mg | 499 | 10's | 8 | 5 |
| 406 | LEVO-THYROXINE SODIUM TABLETS IP 100 MCG | 500 | 100's | 8 | 1 |
| 407 | BETAMETHASONE SODIUM PHOSPHATE TABLETS IP 0.5 MG | 501 | 20's | 8 | 3 |
| 408 | DEFLAZACORT Tablets 6 mg | 502 | 6's | 8 | 8 |
| 409 | METHYLPREDNISOLONE SODIUM SUCCINATE INJECTION 1000 MG PER VIAL | 503 | VIAL & WFI | 21 | 8 |
| 410 | NANDROLONE DECANOATE INJECTION IP 25MG/ML | 504 | 1 ML | 21 | 30 |
| 411 | CARBIMAZOLE TABLETS IP 10 MG | 505 | 100's | 8 | 1 |
| 412 | LEVO-THYROXINE TABLETS IP 50 MCG | 506 | 100's | 8 | 1 |
| 413 | CARBIMAZOLE TABLETS IP 5 MG | 507 | 10's | 8 | 5 |
| 414 | LEVETIRACETAM Tablets 500 mg | 508 | 10's | 8 | 5 |
| 415 | HYDROXYCHLOROQUINE Tablets IP 200 mg | 509 | 10's | 8 | 5 |
| 416 | PARACETAMOL 325 mg+ TRAMADOL 37.5 mg Tablets | 510 | 10's | 8 | 5 |
| 417 | PARACETAMOL Tablets IP 650 mg | 511 | 15's | 8 | 4 |
| 418 | Aceclofenac 100 mg + Paracetamol 325 mg + Serratiopeptidase 15 mg Tablets | 512 | 10's | 8 | 5 |
| 419 | PIROXICAM Capsules IP 20 mg | 513 | 10's | 8 | 5 |
| 420 | CHYMOTRYPSIN + TRYPSIN (1:6)ENTERIC COATED TABLETS 100K AU | 514 | 20's | 8 | 3 |
| 421 | MEFENAMIC ACID SUSPENSION 100 mg/5 ml | 515 | 60 ml | 8 | 3 |
| 422 | ACECLOFENAC Tablets SR/CR 200 mg | 516 | 10's | 8 | 5 |
| 423 | THIOLCHOLCHOSIDE 4 mg+ ACECLOFENAC 100 mg Tablets | 517 | 10's | 8 | 5 |
| 424 | BACLOFEN Tablets IP 10 mg | 518 | 10's | 8 | 5 |
| 425 | Ketorolac Tromethamine Tablets IP 10mg | 519 | 10's | 8 | 5 |
| 426 | MEFENAMIC ACID 500 MG+ PARACETAMOL 325 MG TABLETS | 520 | 10's | 8 | 5 |
| 427 | TRAMADOL TABLETS SR 100 MG | 521 | 10's | 8 | 5 |
| 428 | ALFACALCIDOL SOFT GELATIN CAPSULES 0.25 MCG | 522 | 10's | 8 | 5 |
| 429 | NAPROXEN TABLETS IP 500 MG | 523 | 15's | 8 | 4 |
| 430 | DICLOFENAC 1.16 w/w+ LINCEED OIL3% w/w+ METHYL SALICYLATE 10% w/w+MENTHOL 5% w/w GEL | 525 | 30 GM | 8 | 12 |
| 431 | PARACETAMOL 325mg+ PHENYLEPHRINE 10 mg+ CHLORPHENIRAMINE 2 mg Tablets | 528 | 10's | 8 | 5 |
| 432 | LEVOSALBUTAMOL 1.25 MCG+ IPRATROPIUM 500 MCG RESPULES/2.5ML | 529 | 2.5 ML | 21 | 20 |
| 433 | FORMOTERAL 6 MCG+ BUDESONIDE 200 MCG ROTACAP | 530 | 30's | 21 | 1 |
| 434 | GUAIFENESIN 100 mg+ TERBUTALINE 2.5 mg+ BROMHEXINE 8 mg /10 ml SYRUP | 531 | 100 ml | 8 | 3 |
| 435 | SALMETEROL 50 MG+ FLUTICASONE 250 MG ROTACAP | 532 | 30's | 21 | 8 |

| | | | | | |
|-----|---|-----|----------|----|----|
| 436 | SALBUTAMOL 400 MCG + BECLOMETHASONE 200 MCG RESPICAP | 534 | 30's | 21 | 1 |
| 437 | SALBUTAMOL 1 MG+ AMBROXOL HYDROCHLORIDE 15 MG/5 ML SYRUP | 537 | 100 ML | 8 | 3 |
| 438 | THEOPHYLLINE TABLETS 400 MG | 538 | 10's | 8 | 5 |
| 439 | ACETYLCYSTEINE Tablets 600 mg | 539 | 10's | 8 | 5 |
| 440 | LEVBU TEROL 1.25 MG+ BUDESONIDE 1MG REPSULE | 540 | 2 ML | 21 | 20 |
| 441 | Acebrophylline Capsules 100 mg | 541 | 10's | 8 | 5 |
| 442 | SODIUM CHLORIDE 0.65% w/v NASAL DROPS | 542 | 20 ml | 21 | 15 |
| 443 | MENTHOL CINNAMON and PINE OIL SOFT CAPSULES | 543 | 10's | 8 | 5 |
| 444 | FLUTICASONE PROPIONATE RESPULE 0.5 MG/2ML | 544 | 2 ML | 21 | 20 |
| 445 | DOXOFYLLINE TABLETS IP 400 MG | 555 | 10's | 8 | 5 |
| 446 | MONTELUKAST 10 MG + FEXOFENADINE HCl 120 MG TABLETS | 556 | 10's | 8 | 5 |
| 447 | SALBUTAMOL 2MG + THEOPHYLLINE 100 MG TABLETS | 559 | 30's | 8 | 2 |
| 448 | FLUTICASONE PROPIONATE 50 MCG PER PUFF NASAL SPRAY | 560 | 120 MD | 21 | 5 |
| 449 | LEVOSALBUTAMOL 1 MG/5ML SYRUP | 561 | 100 ML | 8 | 3 |
| 450 | LORATIDINE Tablets IP 10 mg | 562 | 10's | 8 | 5 |
| 451 | OXYMETAZOLINE 0.5 MG /ML NASAL DROPS | 563 | 10 ML | 21 | 15 |
| 452 | FORMOTEROL 12 MG + TIOTROPIUM 18 MG ROTO CAP | 564 | 15's | 8 | 4 |
| 453 | CICLESONIDE 400 MCG+ FORMOTEROL 12 MCG + TIOTROPIUM 18 MCG ROTO CAP | 565 | 15's | 8 | 4 |
| 454 | IPRATROPIUM 250 MCG/ML I:SOLUTION | 566 | 15 ML | 8 | 5 |
| 455 | SALBUTAMOL 100 MCG + IPRATROPIUM 20 MCG /PUFF INHALER | 567 | 200 MDI | 21 | 15 |
| 456 | SALMETEROL 50 MCG+ FLUTICASONE PROPIONATE 250 MCG /PUFF INHALER | 568 | 100 MD | 21 | 15 |
| 457 | SILDENAFIL Tablets IP 50 mg | 569 | 4's | 8 | 12 |
| 458 | TADALAFIL Tablets 20 mg | 570 | 4's | 8 | 12 |
| 459 | Tamsulosin 0.4 mg + Dutasteride 0.5 mg Tablets | 571 | 15's | 8 | 4 |
| 460 | VACCINE RABIES INJECTION 2.5 IU | 574 | 1 ml | 21 | 30 |
| 461 | Ginseng, Multivitamin and Multiminerals Capsules | 580 | 10's | 8 | 5 |
| 462 | CALCIUM CARBONATE 500MG+CALCITRIOL 0.25 MCG + ZINC 7.5 MG Capsules | 581 | 10's | 8 | 5 |
| 463 | VITAMINS A,C,D,E,AND B COMPLEX AND MINERALS SYRUP | 582 | 200 ML | 8 | 3 |
| 464 | CYPROHEPTADINE Tablets IP 4 mg | 583 | 10's | 8 | 5 |
| 465 | VITAMIN D3 - CHOLECALCIFEROL 60000 IU /1 GM Sachet | 585 | 1 Sachet | 8 | 25 |
| 466 | METHYLCOBALAMIN 1500 MCG, L- CARTININE L-TARTRATE 500 MG, FOLIC ACID 1.5 MG TABLETS | 586 | 10's | 8 | 5 |

| | | | | | |
|-----|--|-----|----------------|----|----|
| 467 | VITAMIN E SOFTGEL CAPSULES 400 MG | 588 | 10's | 8 | 5 |
| 468 | CALCIUM 500 mg+ CALCITRIOL 0.25mg Tablets 15's | 589 | 15's | 8 | 4 |
| 469 | METHYLCOBALAMIN 500 MCG INJECTION | 591 | 1 ML | 21 | 30 |
| 470 | L-LYSINE + MULTIVITAMINS (VIT-B1,B2,B3,B5,B6) SYRUP | 592 | 200 ML | 8 | 3 |
| 471 | NICOTINAMIDE 200 MG+ FOLIC ACID 15 MG + CYANOCOBALAMIN 0.5 MCG INJECTION | 593 | 10 ML | 21 | 30 |
| 472 | GLUCOSE POWDER | 594 | 75GM | 10 | 8 |
| 473 | THIAMINE 100 MG+ PYRIDOXINE HCl 50 MG + CYANOCOBALAMIN 1000 MCG INJECTION | 595 | 2 ML | 21 | 30 |
| 474 | PYRIDOXINE TABLETS IP 50 MG | 597 | 10's | 8 | 5 |
| 475 | PREGABALIN 75 mg+ METHYLCOBALAMIN 750 MCG Tablets | 598 | 10's | 8 | 5 |
| 476 | PREGABALIN TABLETS 75 MG | 599 | 10's | 8 | 5 |
| 477 | Paracetamol IP...170 mg. Phenylephrine Hydrochloride IP...2.5 mg., Dextromethorphan Hydrochloride IP...5 m 60 ML | 600 | 60 ML | 8 | 3 |
| 478 | Disulfiram Tablets IP 500 mg 4's | 601 | 4's | 8 | 12 |
| 479 | Cetirizine Dihydrochloride IP 5mg, Phenylephrine HCl IP 10 mg, Paracetamol IP 325mg Tablets 10's | 603 | 10's | 8 | 5 |
| 480 | Beclamethasone Dipropionate..0.025% w/ Neomycin Sulphate..0.5% w/w (3500 Unit /G) Chlorocresol 0 | 607 | 15gm | 8 | 12 |
| 481 | Betamethasone 0.05% w/w + Salicylic acid 3% w/w OINTMENT 20 MG | 608 | 20gm | 8 | 12 |
| 482 | Silver NO3 0.20%w/w, Chlorhexidine Gluconate Soln 0.20%, Preservative Chlorocresol 0.12%w/w,Cream 15 Gms Tube | 609 | 15 Gms Tube | 8 | 12 |
| 483 | Cold Susp.N/F(Paracetamol 125 mg+ Phenylephrine Hydrochloride IP 5mg +Cetirizine Dihydrochloride IP | 610 | 60 ML | 8 | 3 |
| 484 | Cyproheptadine, Hydrochloride(anhydrous) IP..2 mg.In a flavoured syrup baseq.s. | 611 | 200 ml | 8 | 3 |
| 485 | Dusting Powder (Povidone 5% Powder | 612 | 10gm Container | 8 | 10 |
| 486 | Diclofenac Potassium BP 50mg + Paracetamol 325mg + Serratiopeptidase 10mg Tablets 10's | 613 | 10's | 8 | 5 |
| 487 | Ear Drops (Paradichlorobenzene 2%+Benzocaine 2.7%+Chlorbutol 5%+Turpentine Oil15% | 614 | 10 ml | 8 | 15 |
| 488 | Cough Paed.Syp Dextromethorphan IP5 mg+Bromhexine4mg+Phenylpropanolamine10mg+Menthol IP 0.75mg/5ml | 619 | 60 ml Bottle | 8 | 3 |
| 489 | Iron & Zinc(Carbonyl Iron 50 mg+ Zinc Sulphate Monohydrate USP 61.8 mg equivalent to Elemental Zinc | 621 | 15's | 8 | 4 |
| 490 | Cough Tablets Bromhexine HCl 8.00 mg Phenylephrine HCl 5.00 mg | 625 | 15's | 8 | 4 |
| 491 | Ketoconazole Shampoo 2% W/V | 626 | 100ml Bottle | 8 | 3 |

| | | | | | |
|-----|---|-----|---------------|---|----|
| 492 | Etophylline IP 115mg + Theophylline 35mg Prolonged Release Tablet | 627 | 10's | 8 | 5 |
| 493 | Etophylline IP 231mg. + Theophylline 69mg Tablet | 628 | 10's | 8 | 5 |
| 494 | Inhalent Softgel Caps(Camphor25mg+Clorothymol 5 mg+Eucalyptus130mg+Menthol 55mg+Turpentine oil110mg | 629 | 10's | 8 | 5 |
| 495 | Liquid Paraffin 3.75ml + Milk of Magnesia 11.25ml Suspension | 630 | 170 ml Bottle | 8 | 3 |
| 496 | Etamsylate Tablets 500 mg. | 631 | 10's | 8 | 5 |
| 497 | Etamsylate Tablets 250 mg. | 632 | 10's | 8 | 5 |
| 498 | Adapalene BP 0.1 % w/w Clindamycin Phosphate USP (Clindamycin) 1% w/w Gel | 633 | 15 gm tubes | 8 | 12 |
| 499 | Clobetasol Proppionate BP0.05%w/wNeomycin IP0.50%w/wMiconazole IP2%w/wChlorocresol IP0.10 %w/wCream | 634 | 20 gms. | 8 | 12 |
| 500 | Aceclofenac 100 mg + Paracetamol 325 mg + Chorzozone 250 mg film coated tab. | 637 | 10's | 8 | 5 |
| 501 | Terbutaline Sulphate 1.25 mg, Bromhexine 4 mg, Guaiphenesin 50 mg Menthol 2.5 mg/5ML Syrup | 639 | 100 ML | 8 | 3 |
| 502 | Nimesulide 1% W/W Gel | 640 | 20gm Tube | 8 | 12 |
| 503 | Paracetamol 125mg+ CPM 1 mg + Sodium Citrate 60mg in a flavour syrup base | 643 | 60 ML Bottles | 8 | 3 |
| 504 | Phenylephrine Hydrochloride 5.00mg Chlorpheniramine Maleate 2.00mg Drops | 644 | 15 ml Bottle | 8 | 5 |
| 505 | Nimesulide 100mg, Paracetamol 325mg, Chlorzozone 375mg Tablet | 645 | 10's | 8 | 5 |
| 506 | Diclofenac diethylamine BP 1.116% (equivalent to diclofenac sodium 1.0% Linseed oil BP 3.0% + Methy | 646 | 30 GM | 8 | 12 |
| 507 | Diclofenac dethylamine BP1.16%Linseed Oil BP3% w/wMethylsalicylate IP10%w/wMenthol IP5% w/wSpray | 648 | 35gm | 8 | 12 |
| 508 | Dicyclomine 10mg + Act. Dimethicone 40mg per ml | 649 | 10ml Bottle | 8 | 5 |
| 509 | Mefenamic Acid 500mg+Paracetamol 325 mg Tablet | 650 | 10's | 8 | 5 |
| 510 | Paracetamol IP...125 mg, Mefanamic Acid IP...50 mg, in a flavoured syrupy base...q.s. | 651 | 60 ML | 8 | 3 |
| 511 | Enzyme Syrup Mix Fruit Flavour Pepsin 7.5 mg + Fungal Diastase 12.5 mg / 5 ml | 655 | 200 ml | 8 | 3 |
| 512 | Enzyme Drops Pepsin (1:3000) 5 mg + Fungal Diastase (1:1200) 33.33 mg/ml | 656 | 15 ml | 8 | 5 |
| 513 | Hydroquinone 2.0% w/w + Tretinoin 0.025% w/w + Mometasone Furoate 0.1% w/w Cream | 657 | 15gm | 8 | 12 |
| 514 | Chlorhexidine Gluconate 0.3% v/v+Cetrimide 0.6% w/v Antiseptic Liquid 100 ML | 658 | 100 ML | 8 | 3 |
| 515 | Chlorhexidine Gluconate 0.3% v/v + Cetrimide 0.6% w/v | 659 | 200 ml | 8 | 3 |

| | | | | | |
|-----|--|-----|------------|----|----|
| 516 | Gama Benzene Hexachloride 1 % w/v + Cetrimide 0.1% w/v lotion 100ml | 661 | 100ml | 8 | 3 |
| 517 | Mouth Ulcer Gel (Choline Salicylate sodium 9% w/v, Benzalkonium Chloride 0.01% w/w) | 664 | 10gm | 8 | 12 |
| 518 | Bcomplex+caps VitB1IP10mgVitB2 IP10mgVitB6IP3mgVitB2 IP5?gVitB3IP50mgVitB5IP12.5mgFAIP1mgVitC150mg | 665 | 10's | 8 | 5 |
| 519 | Pheniramine Maleate I.P. 22.75mgMethyl Paraben(as preservative) I.P. 0.135% w/v Propyl Paraben(as | 666 | 2 ML | 8 | 30 |
| 520 | Multivitamin Drop VitA2500 IU,VitE 2.5 IU,Vit D3 200 IU,VitC40mgVitB1VitB2 VitB3VitB6,Botin,Lysine | 668 | 15ml | 10 | 8 |
| 521 | Cefuroxime Axetil 125 mg/5 mL Oral Suspension | 669 | 30 ML | 8 | 5 |
| 522 | Diacerein 50 mg +Methylsulphonylmethane 250 mg + Glucosamine sulphate 750 mg tab. | 670 | 10's | 8 | 5 |
| 523 | Diacerein 50mg + Glucosamine Sulphate 500mg Tablets 10's | 671 | 10's | 8 | 5 |
| 524 | Mometasone Furoate 0.1%w/w cream 15gm | 672 | 15gm | 8 | 12 |
| 525 | Biotin 10 mg Tablet USP | 673 | 10's | 8 | 5 |
| 526 | FlupentixolTablets IP 0.5mg. 10's | 677 | 10's | 8 | 5 |
| 527 | Nalidixic Acid 500 mg Tablet | 679 | 10's | 8 | 5 |
| 528 | Finaestride Tablets IP 5mg 10's | 680 | 10's | 8 | 5 |
| 529 | Phenazopyridine Hcl 100mg tab | 681 | 10's | 8 | 5 |
| 530 | Rabeprazole 20mg + Domperidone 10mg Capsule | 682 | 10's | 8 | 5 |
| 531 | Rabeprazole Sodium ip 20mg + Itopiride HCL 150mg | 683 | 10's | 8 | 5 |
| 532 | Pantoprazole 40mg + Itopride 150mg S.R. | 685 | 10's | 8 | 5 |
| 533 | Magaldrate 400mg + Simethicone 20mg/5ml Oral Suspension IP 170 ml | 686 | 170 ml | 8 | 3 |
| 534 | Lactulose 10 gm/ 15 ml | 687 | 200 ml | 8 | 3 |
| 535 | Clotrimazole 100mg Vaginal Tablet IP | 689 | 10's | 8 | 5 |
| 536 | Timolol Maeleate 0.5 % Eye Drops IP | 690 | 5 ml Vial | 21 | 15 |
| 537 | Ofloxacin 0.3%w/v Eye Drops 10ml IP | 691 | 10ml | 21 | 15 |
| 538 | Olopatadine 0.1% Eye Drops 10ml Vial | 692 | 10ml Vial | 21 | 15 |
| 539 | Tropicamide Eye Drops | 693 | 5 ml Vial | 21 | 15 |
| 540 | Sulfacetamide eye drop 10 % | 697 | 10 ml | 21 | 15 |
| 541 | Acyclovir 3%W/W Eye Ointment 5gm | 699 | 5gm | 21 | 15 |
| 542 | Pilocar 2 % eye drop | 701 | 10 ml Vial | 21 | 15 |
| 543 | Cephalexin 125mg/5ml dry syrup | 704 | 30ml | 8 | 5 |
| 544 | Levofloxacin 500 mg INFUSION / IV | 705 | 100 ML | 21 | 8 |
| 545 | Cefpodoxime proxetil 50 mg DS dry syrup | 706 | 30ml | 8 | 5 |
| 546 | Piroxicam 10 mg tablets | 707 | 10's | 8 | 5 |
| 547 | Piroxicam 20 mg Dispersible tablets | 708 | 10's | 8 | 5 |
| 548 | Piroxicam 20 mg with bezyl alcohol injection | 709 | 1ml | 21 | 30 |
| 549 | Paracetamol oral suspension IP 250mg per 5 ml | 712 | 60ml | 8 | 3 |
| 550 | Glibenclamide 5mg + MetforminHcl 500 mg Tablet | 713 | 10's | 8 | 5 |

| | | | | | |
|-----|---|-----|-------------------------------|----|-----|
| 551 | Glycerin ip 98% w/w | 715 | 50 GM | 8 | 5 |
| 552 | Etodolac Tablets IP 300mg 10's | 717 | 10's | 8 | 5 |
| 553 | Escitalopram OXELATE 10mg and Clonazepam 0.5mg TABLETS IP | 718 | 10's | 8 | 5 |
| 554 | Ringer Lactate 500ml IV fluid in FFS technology plastic container | 720 | 500ml in FFS bottle | 21 | 8 |
| 555 | Water for Injection amp polypack 5 ml | 722 | 5ml | 21 | 100 |
| 556 | Water for Injection amp polypack 10ml | 723 | 10 ml | 21 | 100 |
| 557 | Dextrose 5 % IV fluid in plastic container using FFS technology | 725 | 500ml | 21 | 8 |
| 558 | Dextrose 10 % IV fluid in plastic container using FFS technology | 726 | 500ml | 21 | 8 |
| 559 | Dextrose 5% w/v+sodium chloride 0.9%w/v Injection IP in plastic container using FFS technology 500m | 728 | 500ml | 21 | 8 |
| 560 | Sodium Chloride Injection IP 0.9% w/v (Normal Saline (NS) 0.9% w/v) 100ml IV fluid plastic contai | 732 | 100ml IV fluid plastic contai | 21 | 8 |
| 561 | Progesterone 200 mg SR Tablets | 733 | 10's | 8 | 5 |
| 562 | Dehydroepiandrosterone 25 mg Capsule | 734 | 10's | 8 | 5 |
| 563 | Megestrol Acetate Tablets IP 40mg | 736 | 10's | 8 | 5 |
| 564 | Cefuroxime Tablets IP 125mg | 739 | 6's | 8 | 8 |
| 565 | Clarithromycin Tablets 250 mg | 740 | 10's | 8 | 5 |
| 566 | Cefpodoxime Proxetil dispersible tablet 50 mg | 741 | 10's | 8 | 5 |
| 567 | Valganciclovir Hydrochloride USP 450 mg tablet | 746 | 10's | 8 | 5 |
| 568 | Glimepiride Tablets IP 3mg | 747 | 10's | 8 | 5 |
| 569 | Glimepiride Tablets IP 4mg | 748 | 10's | 8 | 5 |
| 570 | Clotrimazole 1% 100 gm powder | 752 | 100 gm Powder | 8 | 2 |
| 571 | Clotrimazole 1% w/w,Beclometasone Dipropionate0.025% w/w 15 ml lotion | 753 | 15ml | 8 | 10 |
| 572 | Clotrimazole 1% w/w, Beclometasone Dipropionate 0.025% w/w cream 15gm tube | 754 | 15gm | 8 | 12 |
| 573 | Cefuroxime Injection IP 1500mg | 757 | Vial & wfi | 21 | 30 |
| 574 | Rosuvastatin Tablets IP 10mg | 759 | 15's | 8 | 4 |
| 575 | Nortriptyline Tablet IP 25mg Tablet | 762 | 10's | 8 | 5 |
| 576 | Etizolam 0.5mg Tablets | 764 | 10's | 8 | 5 |
| 577 | L-Methylfolate calcium 7.5mg Tablet | 766 | 10's | 8 | 5 |
| 578 | Metformin 1000mg Prolonged Release + Glimipride 2mg Tablet IP | 767 | 10's | 8 | 5 |
| 579 | Acetazolamide Tablets I.P 250mg | 768 | 10's | 8 | 5 |
| 580 | Acetyl Salicylic Acid (Aspirin)Tablet I.P 325mg | 769 | 14's | 8 | 4 |
| 581 | Adenosine Injection 3mg/ml | 772 | 2ml | 21 | 30 |

| | | | | | |
|-----|---|-----|---------------|----|----|
| 582 | Alpha Lipoic acid 100mg Vit. D3 1000 IU Folic acid 1.5mg Pyridoxine 3mg Methylcobalamin 1500mcg | 779 | 10's | 8 | 5 |
| 583 | Alprazolam-0.25 mg, Fluoxetine 20 mg Tablets | 781 | 10's | 8 | 5 |
| 584 | Amisulpride Tablets I.P 50mg | 784 | 10's | 8 | 5 |
| 585 | Amitriptyline hydrochloride 25mg Tablets I.P | 785 | 15's | 8 | 4 |
| 586 | Amitriptyline hydrochloride 10mg Tablets I.P | 786 | 10's | 8 | 5 |
| 587 | Anastrozole Tablets IP 1mg | 788 | 10's | 8 | 5 |
| 588 | Aspirin enteric coated Tablets I.P. 75mg | 790 | 14's | 8 | 4 |
| 589 | Atenolol 25 mg, Amlodipine 5 mg Tablets | 791 | 14's | 8 | 4 |
| 590 | Atenolol Tablets 25 mg | 793 | 14's | 8 | 4 |
| 591 | Atorvastatin I.P 10mg, Aspirin I.P (EC) 75mg Capsules | 796 | 10's | 8 | 5 |
| 592 | Atracurium Besilate Injection I.P 25mg/2.5ml | 797 | 2.5 ML | 21 | 30 |
| 593 | Bacitracin Zinc 250 Iu Neomycin 5 mg, Sulphacetamide Sodium 60 mg Per 1gm Dusting Powder | 800 | 10gm Powder | 8 | 8 |
| 594 | Betamethasone Inj. I.P 4 mg/ml | 804 | 1 ml | 21 | 30 |
| 595 | Bicalutamide Tab I.P 50mg | 806 | 10's | 8 | 5 |
| 596 | Biphasic Isophane Insulin Injection I.P 100 Iu/ml (30:70) (30% Soluble Insulin & 70% Isophane Ins | 807 | 3 ml Catridge | 21 | 30 |
| 597 | Bortezomib Injection 3.5 mg | 809 | Vial | 21 | 8 |
| 598 | Bromocriptine Mesylate Tablets I.P 2.5mg | 812 | 10's | 8 | 5 |
| 599 | Cabergoline Tablets I.P 0.5mg | 814 | 4's | 8 | 12 |
| 600 | Calcitriol Capsules I.P 0.25mcg | 815 | 10's | 8 | 5 |
| 601 | Calcium Acetate Tablets 667mg | 816 | 10's | 8 | 5 |
| 602 | Calcium Carbonate 1250 Mg Vitamin D3 250 Iu Magnesium Oxide 40 Mg Manganese Sulphate 1.8 Mg Zinc Tablet | 817 | 10's | 8 | 5 |
| 603 | Calcium Gluconate Injection I.P 10 % | 818 | 10 ml | 21 | 30 |
| 604 | Carvedilol Tablets IP 6.25mg | 821 | 10's | 8 | 5 |
| 605 | Chloramphenicol Eye Ointment IP 1% w/w | 829 | 5 gm | 21 | 15 |
| 606 | Chlordiazepoxide 10mg+ Trifluoperazine 1mg Tablets | 830 | 10's | 8 | 5 |
| 607 | Chlorthalidone Tablets 12.5mg | 832 | 10's | 8 | 5 |
| 608 | Cholecalciferol (Vitamin D3) Drops 800 IU/ml | 833 | 15 ml | 8 | 8 |
| 609 | Cholecalciferol (Vitamin D3) Drops 400 IU/ml | 834 | 15 ml | 8 | 8 |
| 610 | Chondroitin 400mg Glucosamine Sulphate 500mg Tablets | 835 | 10's | 8 | 5 |
| 611 | Cilnidipine Tablets 20mg | 837 | 10's | 8 | 5 |
| 612 | Cilostazol Tablets IP 50mg | 838 | 10's | 8 | 5 |
| 613 | Citicoline Tablets 500mg | 840 | 10's | 8 | 5 |
| 614 | Clonazepam Tablets IP 1mg | 844 | 10's | 8 | 5 |
| 615 | Cyclosporin capsules IP 50mg | 850 | 5's | 8 | 10 |
| 616 | Dacarbazine Injection 200mg | 851 | VIAL | 21 | 30 |
| 617 | Daunorubicin HCl Injection 20mg | 853 | vial | 21 | 15 |
| 618 | Dextromethorphan HBr Syrup IP 13.5mg/5ml | 860 | 50ml | 8 | 8 |
| 619 | Dextrose Injection IP 25% w/v | 864 | 100ml | 21 | 5 |
| 620 | Diacerein Capsules IP 50mg | 865 | 10's | 8 | 5 |

| | | | | | |
|-----|---|-----|------------------|----|----|
| 621 | Diazepam Injection IP 5mg/ml | 866 | 2 ML | 21 | 30 |
| 622 | Dicyclomine HCl (Dicycloverine) Injection IP 10mg/ml | 868 | 2ml | 21 | 30 |
| 623 | Donepezil Hydrochloride Tablets IP 10mg | 875 | 10's | 8 | 5 |
| 624 | Drotaverine HCl 80mg, Mefenamic Acid 250mg Tablets | 878 | 10's | 8 | 5 |
| 625 | Drotaverine HCl Tablets IP 40mg | 879 | 10's | 8 | 5 |
| 626 | Ebastine Film Coated Tablets 10mg | 881 | 10's | 8 | 5 |
| 627 | Efavirenz Tablets IP 600mg | 882 | 30's | 8 | 2 |
| 628 | Erythromycin Estolate Suspension 125 Mg/5ml | 884 | 60ml | 8 | 5 |
| 629 | Ethinylestradiol 0.05mg, Levonorgestrel-0.25mg Tablets | 885 | 21's | 8 | 3 |
| 630 | Febuxostat Tablets 40mg | 888 | 10's | 8 | 5 |
| 631 | Febuxostat Tablets 80mg | 889 | 10's | 8 | 5 |
| 632 | Formoterol Fumerate 6mcg, Fluticasone Propionate 250mcg Inhaler | 897 | 120 MDI | 21 | 15 |
| 633 | Furosemide (Furosemide) 20mg, Spironolactone 50mg Tablets | 899 | 10's | 8 | 5 |
| 634 | Gabapentin 100mg Methylcobalamine 500mcg Tablets | 900 | 10's | 8 | 5 |
| 635 | Gabapentin Capsules IP 300mg | 901 | 10's | 8 | 5 |
| 636 | Glimepiride 1mg Metformin SR 500mg Tablets | 904 | 10's | 8 | 5 |
| 637 | Glimepiride 2mg, Metformin Hydrochloride 1g Tablets | 905 | 10's | 8 | 5 |
| 638 | Glyceryl Trinitrate Tablets IP 2.6mg (Nitroglycerin Tablets) | 906 | 30's | 21 | 2 |
| 639 | Human Chorionic Gonadotrophin 5000 IU Powder For Inj. With solvent | 910 | Vial and solvent | 21 | 30 |
| 640 | Human Menopausal Gonadotrophin Injection 75 IU with solvent(Menotropin for Inj IP.75 IU | 911 | Vial and solvent | 21 | 8 |
| 641 | Hydrochlorothiazide Tablets 12.5mg | 912 | 10's | 8 | 5 |
| 642 | Hydrocortisone Sodium Succinate Injection IP 100mg | 913 | Vial | 21 | 30 |
| 643 | Hydroxyzine HCl Tablets IP 10mg | 915 | 10's | 8 | 5 |
| 644 | Imatinib mesylate Tablets IP 400mg | 916 | 10's | 8 | 5 |
| 645 | Imipramine HCl Tablets 25mg | 917 | 10's | 8 | 5 |
| 646 | Insulin Regular (R-DNA Origin) Injection 100 IU | 920 | 3 ml Catridge | 21 | 30 |
| 647 | Isopropyl Alcohol (70%) (Spirit) | 922 | 100 ML bottle | 8 | 3 |
| 648 | Isosorbide mononitrate Tablets IP 20mg | 923 | 10's | 8 | 5 |
| 649 | Isoxsuprine HCl Tablets 10mg | 924 | 50's | 8 | 1 |
| 650 | Ketoconazole Cream 2% w/w 15gm Tube | 926 | 15gm Tube | 8 | 12 |
| 651 | Lamotrigine Tablets IP 100mg | 931 | 10's | 8 | 5 |
| 652 | Latanoprost Eye Drops 0.005% w/v (50mcg/ml) | 932 | 2.5 ML | 21 | 15 |
| 653 | Leflunomide Tablets IP 20mg | 933 | 10's | 8 | 5 |
| 654 | Lenalidomide Capsules 10mg | 934 | 10's | 8 | 5 |
| 655 | Letrozole Tablets 2.5mg | 935 | 10's | 8 | 5 |
| 656 | Leuprolide Acetate Injections 3.75mg | 936 | 1's | 21 | 30 |
| 657 | Levocarnitine Injections 1gm | 938 | 5ml | 21 | 30 |

| | | | | | |
|-----|---|------|---------------|----|----|
| 658 | Levocarnitine Tablets 500mg | 939 | 10's | 8 | 5 |
| 659 | Levosulbutamol HCl (Levalbuterol) Inhalation solution 50 mcg/MDI | 944 | 200 Mdi | 21 | 3 |
| 660 | Levosulpiride Tablets 25mg | 945 | 10's | 8 | 5 |
| 661 | Lignocaine (Lidocaine) Hydrochloride Gel IP 2% w/v | 946 | 20g | 8 | 12 |
| 662 | Lithium Carboinate PR Tablets IP 450mg | 947 | 10's | 8 | 5 |
| 663 | Lorazepam Tablets IP 1mg | 948 | 10's | 8 | 5 |
| 664 | Lorazepam Tablets IP 2mg | 949 | 10's | 8 | 5 |
| 665 | Lycopene 1000 Mcg Vitamin A Palmitate 2500 Iu Vitamin E Acetate 10 Iu Selenium 35 Mcg Vitamin C | 951 | 200 ml | 8 | 3 |
| 666 | Medroxy Progesterone Acetate Tablets IP 10mg | 954 | 10's | 8 | 5 |
| 667 | Mefenamic Acid 50mg, Paracetamol 125mg/5ml Suspension | 955 | 60ml | 8 | 3 |
| 668 | Mefloquine HCl Tablets IP 250mg | 956 | 4's | 8 | 12 |
| 669 | Memantine Hydrochloride 10mg Tablets | 957 | 10's | 8 | 5 |
| 670 | Metformin SR Tablets IP 850mg | 960 | 10's | 8 | 5 |
| 671 | Miconazole 2% w/w Fluocinolone Acetonide-0.01% w/w Ointment 15g | 965 | 15gm Tube | 8 | 12 |
| 672 | Mirtazapine Tablets 15mg | 968 | 10's | 8 | 5 |
| 673 | Mycophenolate Mofetil Tablets 500mg | 972 | 10's | 8 | 5 |
| 674 | Natural Micronised Progesterone Capsules 100mg | 974 | 10's | 8 | 5 |
| 675 | Nebivolol 5 mg, Hydrochlorothiazide 12.5 mg Tab. | 975 | 10's | 8 | 5 |
| 676 | Nebivolol Tablets IP 2.5mg | 976 | 10's | 8 | 5 |
| 677 | Nepafenac 0.1% w/v Eye Drop | 978 | 5ml | 21 | 15 |
| 678 | Nitrazepam Tablets I.P 10mg | 986 | 10's | 8 | 5 |
| 679 | Nitrofurantoin Tablets I.P 100mg | 987 | 10's | 8 | 5 |
| 680 | Olanzapine Tablets I.P 10mg | 990 | 10's | 8 | 5 |
| 681 | Olanzapine Tablets I.P 5mg | 991 | 10's | 8 | 5 |
| 682 | Olmesartan Film coated Tablets 20mg | 992 | 10's | 8 | 5 |
| 683 | Ondansetron Oral Solution I.P 2 mg/5ml | 993 | 30ml | 8 | 5 |
| 684 | Oxaliplatin Injections 50mg | 994 | Vial | 21 | 15 |
| 685 | Oxcarbazepine Tablets I.P 300mg | 996 | 10's | 8 | 5 |
| 686 | Paclitaxel Injection IP 100mg (6mg/ml) | 997 | Vial | 21 | 30 |
| 687 | Paroxetine SR Tablet 37.5mg | 999 | 10's | 8 | 5 |
| 688 | Permethrin Cream 5% w/w | 1003 | 30gm | 8 | 12 |
| 689 | Phenobarbitone Tablets I.P 30mg | 1005 | 30's | 8 | 2 |
| 690 | Phytomenadione (Vitamin K1) Injection 1 mg/0.5ml | 1008 | 0.5ml Ampoule | 21 | 30 |
| 691 | Pioglitazone Tablet I.P 15mg | 1009 | 10's | 8 | 5 |
| 692 | Piracetam Syrup 500mg/5ml | 1011 | 100ml | 8 | 3 |
| 693 | Piracetam Tablets 400mg | 1012 | 10's | 8 | 5 |
| 694 | Prochlorperazine Maleate Tablets I.P 5mg | 1022 | 10's | 8 | 5 |
| 695 | Promethazine Injection I.P 25 mg/ml | 1024 | 2ml | 21 | 30 |
| 696 | Propranolol Tablets IP 10mg | 1026 | 10's | 8 | 5 |

| | | | | | |
|-----|--|------|------------------|----|----|
| 697 | Pyrazinamide Tablets I.P 1000mg | 1029 | 10's | 8 | 5 |
| 698 | Quetiapine Fumarate Tablets I.P 200mg | 1031 | 10's | 8 | 5 |
| 699 | Quetiapine Tablets I.P 100mg | 1032 | 10's | 8 | 5 |
| 700 | Recombinant Human Erythropoietin Inj. 4000 IU | 1037 | Vial | 21 | 30 |
| 701 | Recombinant Human Erythropoietin Injection 2000 IU | 1038 | Vial | 21 | 5 |
| 702 | Risperidone 4mg, Trihexiphenidyl 2mg Tab. | 1041 | 10's | 8 | 5 |
| 703 | Risperidone Tablets 4mg | 1042 | 10's | 8 | 5 |
| 704 | Rosuvastatin Tablet I.P 5mg | 1044 | 10's | 8 | 5 |
| 705 | Sertraline Tablets 50mg | 1049 | 10's | 8 | 5 |
| 706 | Sertraline Tablets I.P 100mg | 1050 | 10's | 8 | 5 |
| 707 | Sertraline Tablets I.P 25mg | 1051 | 10's | 8 | 5 |
| 708 | Sodium Valproate EC Tablets I.P 200mg | 1059 | 10's | 8 | 5 |
| 709 | Sodium Valproate Tablets 300mg | 1060 | 10's | 8 | 5 |
| 710 | Sofosbuvir Tablets 400mg | 1062 | 28's in a bottle | 8 | 1 |
| 711 | Sucralfate 1gm With Oxetacain 10mg/10ml Suspension | 1068 | 100ml | 8 | 5 |
| 712 | Sulphacetamide Sodium Eye Drop I.P 20% w/v | 1069 | 10ml | 21 | 15 |
| 713 | Tamsulosine Prolonged-Release Capsule IP 0.4 mg | 1072 | 10's | 8 | 5 |
| 714 | Telmisartan 40mg, Metoprolol 25mg Tablets | 1073 | 10's | 8 | 5 |
| 715 | Telmisartan 80mg, Hydrochlorthiazide 12.5mg Tablets | 1074 | 10's | 8 | 5 |
| 716 | Teneligliptin Film coated tablets 20mg | 1075 | 10's | 8 | 5 |
| 717 | Tenofovir Tablets 300 mg | 1076 | 10's | 8 | 5 |
| 718 | Tizanidine Tablets I.P 2mg | 1081 | 10's | 8 | 5 |
| 719 | Trihexyphenidyl Hydrochloride Tablets 2mg (benzhexol HCl Tablets IP 2mg) | 1087 | 10's | 8 | 5 |
| 720 | Trimetazidine Tablets 35 mg | 1088 | 10's | 8 | 5 |
| 721 | Vecuronium Bromide Injection I.P 4mg | 1091 | Vial | 21 | 30 |
| 722 | Vitamin A Capsule 25000 IU | 1097 | 30's | 8 | 2 |
| 723 | Voglibose 0.2mg, Metformin 500mg SR Tablets | 1098 | 10's | 8 | 5 |
| 724 | Voglibose 0.3 mg, Metformin 500mg Tablets | 1099 | 10's | 8 | 5 |
| 725 | Zoledronic Acid Injections I.P 4mg/ml | 1104 | 5 ml | 21 | 30 |
| 726 | Zolpidem Tablets I.P 10mg | 1105 | 10's | 8 | 5 |
| 727 | Telmisartan+Metoprolol Succinate ER (50/40 mg) Tablets | 1106 | 10's | 8 | 5 |
| 728 | Pregabalin Capsules 75mg | 1107 | 14's | 8 | 4 |
| 729 | Sildenafil Tablets 100 mg | 1108 | 4's | 8 | 12 |
| 730 | Clobazam Tablet 5mg | 1110 | 10's | 8 | 5 |
| 731 | Gabapentin+Nortriptyline(400/10mg) Tablets | 1111 | 10's | 8 | 5 |
| 732 | Cinnarizine Tablets 25mg | 1112 | 10's | 8 | 5 |
| 733 | Moxifloxacin Hydrochloride Sterile Ophthalmic solution 0.5% w/v | 1114 | 5ml | 21 | 15 |
| 734 | Clomipramine Hydrochloride SR Tablets 75mg | 1123 | 10's | 8 | 5 |
| 735 | Fluvoxamine Maleate Tablets 100mg | 1124 | 10's | 8 | 5 |
| 736 | Aripiprazole Tablets 5mg | 1125 | 10's | 8 | 5 |

| | | | | | |
|-----|---|------|------------------|----|----|
| 737 | Teneligliptin 20mg + Metformin 500mg Tablet Sustained Release | 1129 | 10's | 8 | 5 |
| 738 | Teneligliptin 20mg + Metformin 1000mg Tablet SR | 1130 | 10's | 8 | 5 |
| 739 | Natural Micronised Progesterone Capsules 200mg | 1131 | 10's | 8 | 5 |
| 740 | Diacerein 50mg + Glucosamine Sulphate 750mg Tablets | 1135 | 10's | 8 | 5 |
| 741 | Lisinopril 10mg Tabs | 1149 | 15's | 8 | 4 |
| 742 | Carbamazepine 200mg Tabs CR/SR | 1152 | 10's | 8 | 5 |
| 743 | Diethylcarbamazine citrate 100 mg film coated Tablets | 1154 | 30's | 8 | 2 |
| 744 | METOPROLOL 25 MG + AMLODIPINE 5 MG TABLETS | 1156 | 7's | 8 | 7 |
| 745 | DOXYLAMINE SUCCINATE 20 MG+ PYRIDOXINE HCl 20 MG TABLETS | 1157 | 10's | 8 | 5 |
| 746 | BETAMETHASONE 0.1 % w/w CREAM | 1162 | 20 GM | 8 | 12 |
| 747 | NANDROLONE DECANOATE INJECTION IP 50 mg/ml | 1164 | 2 ml | 21 | 30 |
| 748 | MEFENAMIC ACID 250 MG TABLETS | 1166 | 10's | 8 | 5 |
| 749 | MEFENAMIC ACID 500 MG TABLETS | 1167 | 10's | 8 | 5 |
| 750 | KETOROLAC Inj. 30mg/ml | 1168 | 1 ml | 21 | 30 |
| 751 | ACETYLCYSTEINE Injection 200 mg/ml | 1170 | 2ml Ampoules | 21 | 30 |
| 752 | 5-Flurouracil Inj. 500mg | 1178 | 10 ml | 21 | 30 |
| 753 | Carboplatin Injection 150mg | 1181 | 15 ML VIAL | 21 | 30 |
| 754 | Carboplatin Injection 450mg | 1182 | 45 ML VIAL | 21 | 30 |
| 755 | Cyclophosphamide 500 mg injection | 1183 | VIAL | 21 | 30 |
| 756 | Cyclosporin Capulses IP 25mg | 1186 | 5's | 8 | 10 |
| 757 | Cyclosporin capsules IP 100mg | 1187 | 5's | 8 | 10 |
| 758 | Glycopyrrolate Inj 0.2mg | 1191 | 1 ml | 21 | 30 |
| 759 | Hydroxyurea Capsule 500mg | 1199 | 10's | 8 | 5 |
| 760 | Ifosfamide Inj. 1GM | 1201 | VIAL | 21 | 30 |
| 761 | Protamine Inj 10mg/ml | 1203 | 5ml vial/ampoule | 21 | 30 |
| 762 | Docetaxel 80 mg Injection | 1211 | VIAL | 21 | 30 |
| 763 | Docetaxel 120 mg Injection | 1212 | VIAL | 21 | 30 |
| 764 | Erlotinib 150 mg Tablet | 1213 | 10's Bottle | 8 | 5 |
| 765 | Gefitinib 250 mg Tablets | 1214 | 10's | 8 | 5 |
| 766 | Pemetrexed 100 mg Injection | 1215 | VIAL | 21 | 30 |
| 767 | Pemetrexed 500 mg Injection | 1216 | VIAL | 21 | 30 |
| 768 | Temozolomide 100mg Capsule | 1217 | 5's in Bottle | 8 | 10 |
| 769 | Temozolomide 250 mg Capsule | 1218 | 5's | 8 | 10 |

| | | | | | |
|-----|---|------|------------------------|----|----|
| 770 | Amino Acid Solution for IV 200 ml bottle | 1219 | 200 ml Glass Bottle | 21 | 6 |
| 771 | Oseltamivir 75mg Tablets | 1220 | 10's | 8 | 5 |
| 772 | Thyroxine Sodium 50mcg Tabs | 1221 | 100's in Bottle | 8 | 1 |
| 773 | ARTEMETHER 80 MG + LUMEFANTRINE (BANFLUMETOL) 480 MG TABLETS | 1222 | 6's | 8 | 8 |
| 774 | Iron(carbonil Iron) 50mg+Folic Acid 0.5mg+Zinc 61.8mg Capsules | 1223 | 15's | 8 | 4 |
| 775 | Orlistat 120mg capsule | 1225 | 10's | 8 | 5 |
| 776 | Triamcinolone 40mg/ml inj. | 1226 | 1 ml | 21 | 30 |
| 777 | Gabapentin+Amitriptyline(300/10mg) Tablets | 1228 | 10's | 8 | 5 |
| 778 | Levocarnitine+VitaminE(150+200)mg Tab. | 1231 | 10's | 8 | 5 |
| 779 | Noscapine 1.83mg/5ml Symp | 1232 | 50 ml | 8 | 6 |
| 780 | Albendazole 400mg Tabs IP | 1236 | 1's | 8 | 50 |
| 781 | Methyldopa tabs 500mg | 1237 | 10's | 8 | 5 |
| 782 | Prazosin Tablets 2.5mg "SR" Tab | 1238 | 30's | 8 | 2 |
| 783 | GLICLAZIDE 80 mg + METFORMIN HYDROCHLORIDE Tablets 500mg | 1240 | 10's | 8 | 5 |
| 784 | Cefaclor Tablet I.P 250 mg tabs | 1241 | 10's | 8 | 5 |
| 785 | CALCIUM CARBONATE 500MG +CALCITRIOL0.25+ZINC7.5 MG TABLETS | 1245 | 10's | 8 | 5 |
| 786 | Fluconazole 150 mg Tablets | 1246 | 1's | 8 | 50 |
| 787 | Haematinic syrup of Iron,Folic acid and Vitamin B12(32mg+0.5mg+7.5mcg) 200 ml | 1248 | 200ml bottle | 10 | 3 |
| 788 | VITAMIN B6 TABLETS IP 100MG (Pyridoxine HCl Tablets IP 100mg) | 1251 | 10's | 8 | 5 |
| 789 | Syrup Vitamin D3 200 IU + Vitamin B12 2.5 mcg + Calcium Phosphate eq. to elemental Calcium 82 mg / 5 ml | 1252 | 200 ml | 8 | 3 |
| 790 | Cough Syrup Diphenhydramine 13-15 mg. + Ammonium Chloride 135-150 mg + Sodium Citrate 57-85 mg. + Menthol 0.9-2.6 mg. IP. | 1254 | 100ml Bottle | 8 | 3 |
| 791 | Acebrophylline (SR)+ Montelukast Tablet 200/10mg | 1255 | 10's | 8 | 5 |
| 792 | Allylestrenol Tablet 5 mg | 1257 | 10's | 8 | 5 |
| 793 | Amiloride + Hydrochlorthiazide Tablet 2.5/25 mg | 1261 | 10's | 8 | 5 |
| 794 | Ampicillin 500 mg Capsule | 1263 | 10's | 8 | 5 |
| 795 | Arginine Sachet 3 G | 1265 | 8.5 gm | 8 | 25 |
| 796 | Cetirizine Tablet 10 mg | 1280 | 10's | 8 | 5 |
| 797 | Chlordiazepoxide Tablet 10 mg | 1281 | 10's | 8 | 5 |
| 798 | Chlorthalidone 6.25 mg Tablet | 1283 | 10's | 8 | 5 |
| 799 | Cilnidipine 10mg + Telmisartan Tablet 40 mg | 1284 | 10's | 8 | 5 |
| 800 | Cinitapride Tablet 1 mg | 1285 | 10's | 8 | 5 |
| 801 | Domperidone + Ranitidine Tablet 10/150 mg | 1297 | 15's | 8 | 4 |
| 802 | DONEPEZIL TABLET 5 MG | 1298 | 10's | 8 | 5 |

| | | | | | |
|-----|---|------|------------|----|----|
| 803 | Drotaverine + Aceclofenac Tablet 80/100 mg | 1301 | 10's | 8 | 5 |
| 804 | Duloxetine Tablet 20 mg | 1302 | 10's | 8 | 5 |
| 805 | ESCITALOPRAM + CLONAZEPAM TABLET 5/0.5 MG | 1306 | 10's | 8 | 5 |
| 806 | Ethinyl Estradiol 0.03mg + Desogestrel 0.15mg Tablet | 1307 | 21's | 8 | 3 |
| 807 | Ethinylestradiol + Levonorgestrel Tablet 0.03/0.15 mg | 1308 | 21's | 8 | 3 |
| 808 | Fenofibrate Tablet 145 mg | 1311 | 10's | 8 | 5 |
| 809 | Flavoxate Tablet 200 mg | 1312 | 15's | 8 | 3 |
| 810 | Fluticasone Furoate Nasal Spray 27.5 mcg | 1315 | 120 MDI | 21 | 3 |
| 811 | Gabapentin Tablet 100 mg | 1319 | 10's | 8 | 5 |
| 812 | Isoxsuprine Injection 5 mg | 1328 | 2ml Vial | 21 | 30 |
| 813 | Levo-Thyroxine (Synthetic) Tablet 100 mcg | 1335 | 10's | 8 | 5 |
| 814 | MEBENDAZOLE TABLET 100 MG | 1341 | 6's | 8 | 8 |
| 815 | Mebeverine Tablet 200 mg | 1342 | 10's | 8 | 5 |
| 816 | Meropenem + Sulbactam Injection 1000/500 mg | 1344 | Vial & wfi | 21 | 8 |
| 817 | Meropenem Injection 500 mg | 1345 | Vial & wfi | 21 | 8 |
| 818 | Methyl Prednisolone Tablet 4 mg | 1348 | 10's | 8 | 5 |
| 819 | Mirtazepine Tablet 7.5 mg | 1353 | 10's | 8 | 5 |
| 820 | Modafinil Tablet 200 mg | 1354 | 10's | 8 | 5 |
| 821 | Naproxen Tablet 250 mg | 1359 | 15's | 8 | 4 |
| 822 | Olmesartan + Amlodipine + Hydrochlorothiazide Tablet 20/5/12.5 mg | 1367 | 10's | 8 | 5 |
| 823 | OLMESARTAN + HYDROCHLORTHIAZIDE TABLET 20/12.5 MG | 1368 | 10's | 8 | 5 |
| 824 | PHENOBARBITONE TABLET 60 MG | 1375 | 30's | 8 | 2 |
| 825 | Prasugrel 10 mg Tablet | 1382 | 10's | 8 | 5 |
| 826 | Pregabalin 75mg + Nortriptyline Tablet 10 mg | 1383 | 10's | 8 | 5 |
| 827 | QUETIAPINE TABLET 25 MG | 1384 | 10's | 8 | 5 |
| 828 | Ramipril + Hydrochlorothiazide Tablet 5/12.5 mg | 1386 | 10's | 8 | 5 |
| 829 | Rosuvastatin 10mg + Aspirin Capsule 75mg | 1392 | 10's | 8 | 5 |
| 830 | Rosuvastatin 10mg + Clopidogrel 75mg Capsule | 1393 | 10's | 8 | 5 |
| 831 | Sertaconazole Cream 2% IP | 1396 | 15gm | 8 | 12 |
| 832 | Sodium Valproate Tablet 200 mg | 1401 | 10's | 8 | 5 |
| 833 | TAMSULOSIN + FINASTERIDE TABLET 0.4/5 MG | 1408 | 15's | 8 | 3 |
| 834 | Teicoplanin Injection 400 mg | 1409 | 1 ml Vial | 21 | 30 |
| 835 | TELMISARTAN + AMLODIPINE + HYDROCHLORTHIAZIDE TABLET 40/5/12.5 MG | 1410 | 10's | 8 | 5 |
| 836 | Telmisartan + Chlorthalidone Tablet 40/6.25 mg | 1411 | 10's | 8 | 5 |
| 837 | Terlipressin Injection 100 mcg | 1414 | 10 ml Vial | 21 | 30 |
| 838 | Thiocolchicoside Capsule 4 mg | 1417 | 10's | 8 | 5 |
| 839 | Tigecycline Injection 50 mg | 1418 | 5 ml Vial | 21 | 30 |
| 840 | Torseamide Tablet 10 mg | 1421 | 15's | 8 | 4 |

| | | | | | |
|-----|---|------|----------------------------------|----|----|
| 841 | Trypsin 48mg + Rutoside 100mg + Bromelain 90mg Tablet | 1427 | 10's | 8 | 5 |
| 842 | Valethamate Injection 8 mg | 1431 | 1 ml Vial | 21 | 30 |
| 843 | Tobramycin 0.3%w/v Eye Drops | 1432 | 5 ml Vial | 21 | 15 |
| 844 | Paracetamol I.P. 125mg, Promethazine HCl I.P. 5mg Suspension | 1433 | 60 ml | 8 | 6 |
| 845 | Imatinib mesylate FC Tablets IP 400mg | 1434 | 10's | 8 | 5 |
| 846 | Capecitabine FC Tablets I.P 500mg | 1435 | 10's | 8 | 5 |
| 847 | Cefpodoxime Proxetil 50mg Oral Suspension | 1437 | 30 ml | 8 | 5 |
| 848 | Voglibose+Metformin+Glimepiride Tablet SR 0.2/500/2 mg | 1438 | 10's | 8 | 5 |
| 849 | Protein Powder 250g | 1440 | 1's Tin 250g | 10 | 1 |
| 850 | Nicotine Polacrilex Gum USP 2 mg (Mint Flavour) | 1441 | 1 x 9's (mono carton pack) | 8 | 5 |
| 851 | GLUCOSE POWDER 300g (ORANGE FLAVOUR) | 1442 | 300g Box | 10 | 2 |
| 852 | GLUCOSE POWDER 100g (ORANGE FLAVOUR) | 1443 | 100 gm Tetra pack | 8 | 2 |
| 853 | Jan Pudina Soft Gel Capsules (Pudina ka satva(Mentha Sylvestria)=180mg, Ajwain oil(Trachyspermum Ammi)=20mg, Anethi Oil (Anthum Graveolens)=5mg, Tulsi Oil (Ocimum Sanctum)=5mg, Clove Oil(Syzygium Aromaticum)= 1mg, excipients =q.s | 1445 | 10's | 8 | 5 |
| 854 | Stevia Natural Sweetener | 1446 | 100gm Plastic Jar | 8 | 2 |
| 855 | Janaushadhi Janani 250g | 1447 | 1's Tin 250g | 10 | 2 |
| 856 | Lamotrigine Dispersible Tablets IP 100mg | 1448 | 10's | 8 | 5 |
| 857 | Enzyme syrup mixed fruit flavour | 1449 | 200 ml | 8 | 3 |
| 858 | Pyrantel Pamoate oral Suspension IP 250mg/5ml | 1450 | 10 ml | 8 | 3 |
| 859 | Theophylline Controlled release tablets 400 mg | 1451 | 10's | 8 | 5 |
| 860 | Pyridoxine Hydrochloride Sustained release tablets 100mg | 1452 | 10's | 8 | 5 |
| 861 | Levetiracetam Syrup 100 mg | 1453 | 100 ml | 8 | 3 |
| 862 | Terbutaline Sulphate and Bromhexine Hydrochloride Syrup | 1454 | 100 ml | 8 | 3 |
| 863 | L-Arginine Granules | 1455 | 5gm | 8 | 25 |
| 864 | Itraconazole Capsules 200 mg | 1456 | 4's | 8 | 12 |
| 865 | Luliconazole Cream 1% w/w | 1457 | 10 gms tube | 8 | 12 |
| 866 | Sodium Chloride Injection IP 0.9%w/v | 1458 | 500ml IV fluid plastic container | 21 | 8 |
| 867 | Malt based food 500g | 1459 | 500 gm | 10 | 2 |

| | | | | | |
|-----|---|------|---------------|----|----|
| 868 | Insulin Pen | 1460 | 1 | 21 | 2 |
| 869 | Vildagliptin 50mg Tablet Each uncoated tablet contains Vildagliptin 50mg | 1461 | 15's | 8 | 4 |
| 870 | Vildagliptin 50mg and Metformin HCl IP 500mg Tablet; Each film coated tablet contains: Vildagliptin 50mg Metformin HCl IP 500mg | 1462 | 15's | 8 | 5 |
| 871 | Vildagliptin 50mg and Metformin HCl IP 1000mg Tablet; Each film coated tablet contains: Vildagliptin 50mg Metformin HCl IP 1000mg | 1463 | 15's | 8 | 4 |
| 872 | Absorbent Cotton Wool I.P. 75 gm (Non Sterile) | 5001 | 75 gm | 8 | 2 |
| 873 | Absorbent Cotton Wool I.P. 200gm (Non Sterile) | 5002 | 200 gm | 8 | 2 |
| 874 | Absorbent Cotton Wool I.P. 500gm (Non Sterile) | 5003 | 1's | 8 | 1 |
| 875 | Crepe Bandage B.P. 15 cmX4 meter | 5004 | 15 cmX4 meter | 8 | 5 |
| 876 | Crepe Bandage B.P. 10 cmX4 meter | 5005 | 10 cmX4 meter | 8 | 2 |
| 877 | Cotton Bandages Size 7.5 cmX4M as per Sch F-II | 5006 | 1X12 | 8 | 12 |
| 878 | Cotton Bandages Size 10 cmX4M as per Sch F-II | 5007 | 1X12 | 8 | 12 |
| 879 | Cotton Bandages(Non Sterile) , Size 15 cmX4M as per Schedule F-II | 5008 | 1's | 8 | 6 |
| 880 | Adhesive Bandages Washproof 19 mmx72 mm or 19mm X 70 mm containing Benzalkonium Chloride Solution IP eq. to Benzalkonium Chloride 0.5% W/W | 5009 | 1's | 8 | 1 |
| 881 | Sterile Hypodermic Syringe with Needle attached, 24G , Single use-2ml, IS 12050 [Syringe 2 ml with needle 24G (Sterile, single use, disposable, as per BIS/CE Certified)] | 5010 | 24G | 21 | 50 |
| 882 | Sterile Hypodermic Syringe with Needle attached, 24G , Single use-5ml, IS 12050 [Syringe 5 ml with needle 24G (Sterile, single use, disposable, as per BIS/CE Certified)] | 5011 | 24G | 21 | 50 |
| 883 | Sterile Hypodermic Syringe with Needle attached, 21G , Single use-10ml, [Syringe 10 ml with needle 21G (Sterile, single use, disposable, as per BIS/CE Certified)] | 5012 | 21G | 21 | 50 |
| 884 | Sterile Hypodermic Syringe with Needle attached, 23G , Single use-20ml, [Syringe 20 ml with needle 23G (Sterile, single use, disposable, as per BIS/CE Certified)] | 5013 | 23G | 21 | 50 |
| 885 | Needle 16G (Sterile, single use, disposable, as per BIS/CE Certified) | 5014 | 16G | 21 | 50 |
| 886 | Needle 18G (Sterile, single use, disposable, as per BIS/CE Certified) | 5015 | 18G | 21 | 50 |
| 887 | Needle 23G (Sterile, single use, disposable, as per BIS/CE Certified) | 5016 | 23G | 21 | 50 |
| 888 | Needle 26G X ½" (1.27cm)(Sterile, single use, disposable, as per BIS/CE Certified) | 5017 | 26G | 21 | 50 |
| 889 | Paper adhesive plaster 1 inch x 9.0 mtrs (Non-wooven adhesive tape) with cutter | 5019 | 1 | 8 | 5 |
| 890 | Paper adhesive plaster 2 inch x 9.0 mtrs (Non-wooven adhesive tape) with cutter | 5020 | 1 | 8 | 5 |

| | | | | | |
|-----|---|------|-----|----|----|
| 891 | Paper Adhesive Plaster 3"" X 9.0 mts Non woven adhesive tape | 5021 | 1 | 8 | 5 |
| 892 | Plaster of Paris Bandages BP 15cm X 2.7mts / Roll | 5022 | 1 | 8 | 2 |
| 893 | Plaster of Paris Bandages BP 10cm X 2.7mts / Roll | 5023 | 1 | 8 | 12 |
| 894 | Scalp Vein Set (Disposable) Size 18G Sterile ,Soft, kink resistant, non-toxic, non irritant tube | 5024 | 1 | 21 | 12 |
| 895 | Scalp Vein Set (Disposable) Size 20G, Sterile ,Soft, kink resistant, non-toxic, non irritant tube | 5025 | 1 | 21 | 25 |
| 896 | Scalp Vein Set (Disposable) Size 22G, Sterile ,Soft, kink resistant, non-toxic, non irritant tube | 5026 | 1 | 21 | 25 |
| 897 | Scalp Vein Set (Disposable) Size 24G Sterile ,Soft, kink resistant, non-toxic, non irritant tube | 5027 | 1 | 21 | 25 |
| 898 | Surgical Blade, Sterile, Size No. 11, Single peel pack in metal foil ,be smooth and free from tool marks and any sign of corrosion. Should conform to IS 3319 The tip of the blade ll be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. | 5028 | 1's | 21 | 10 |
| 899 | Surgical Blade, Sterile, Size No. 15, Single peel pack in metal foil ,be smooth and free from tool marks and any sign of corrosion. Should conform to IS 3319 The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. | 5029 | 1's | 21 | 10 |
| 900 | Surgical Blade, Sterile, Size No. 22 Single peel pack in metal foil ,be smooth and free from tool marks and any sign of corrosion. Should conform to IS 3319, The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. | 5030 | 1's | 21 | 10 |
| 901 | Surgical Blade, Sterile ,Size No. 10 Single peel pack in metal foil ,be smooth and free from tool marks and any sign of corrosion. Should conform to IS 3319 The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. | 5031 | 1's | 21 | 10 |
| 902 | Surgical Blade, Sterile ,Size No. 11 Single peel pack in metal foil ,be smooth and free from tool marks and any sign of corrosion. Should conform to IS 3319 The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. | 5032 | 1's | 21 | 10 |
| 903 | Surgical Blade, Sterile ,Size No. 15 Single peel pack in metal foil ,be smooth and free from tool marks and any sign of corrosion. Should conform to IS 3319 The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. | 5033 | 1's | 21 | 10 |

| | | | | | |
|-----|--|------|----------|----|----|
| 904 | Surgical Blade, Sterile ,Size No. 20 Single peel pack in metal foil ,be smooth and free from tool marks and any sign of corrosion. Should conform to IS 3319 The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. | 5034 | 1's | 21 | 10 |
| 905 | Surgical Blade, Sterile ,Size No. 22 Single peel pack in metal foil ,be smooth and free from tool marks and any sign of corrosion. Should conform to IS 3319 The tip of the blade shall be well defined, central and sharp. There shall be no waviness, jags, feathers, nicks, or other defects on the cutting edge. | 5035 | 1's | 21 | 10 |
| 906 | Sterile Disposable (Single Use) Teflon/ PTFE I.V. Cannula Sterile Disposable (Single Use) Teflon/ PTFE I.V. Cannula with X - Ray Opaque Line, wings and injection port. Size 26G, should be pack in Transparent, single blister pack. Should conform to IS 10555 Standard | 5037 | 1's pack | 21 | 25 |
| 907 | Sterile Disposable Spinal Needle 22G x 3 ½ inch | 5039 | 1 | 21 | 15 |
| 908 | Sterile Disposable Spinal Needle 25G x 3 ½ inch | 5040 | 1 | 21 | 15 |
| 909 | Urine Collecting Bag, Disposable, 2000 ml ,Kink resistant flexible tubing not less than 90 cm in length ,Should have non-return valve ,Top drainage outlet ,Graduated Bag | 5041 | 1 Pack | 8 | 1 |
| 910 | ENDOTRACHEAL TUBE PLAIN SIZE 2.5 Single use sterile Standard 15 mm connector at proximal end T | 5046 | 1 | 21 | 3 |
| 911 | ENDOTRACHEAL TUBE PLAIN SIZE 3 Single use sterile Standard 15 mm connector at proximal endTip | 5047 | 1 | 21 | 3 |
| 912 | ENDOTRACHEAL TUBE PLAIN SIZE 3.5 Single use sterile Standard 15 mm connector at proximal end T | 5048 | 1 | 21 | 3 |
| 913 | ENDOTRACHEAL TUBE PLAIN SIZE 4 Single use sterile Standard 15 mm connector at proximal end Tip | 5049 | 1 | 21 | 3 |
| 914 | ENDOTRACHEAL TUBE PLAIN SIZE 4.5Single use sterile Standard 15 mm connector at proximal end Tip | 5050 | 1 | 21 | 3 |
| 915 | ENDOTRACHEAL TUBE PLAIN SIZE 5 to 8 Single use sterile Standard 15 mm connector at proximal e | 5051 | 1 | 21 | 3 |
| 916 | ENDOTRACHEAL TUBE PLAIN SIZE 8.5 Single use sterile Standard 15 mm connector at proximal end | 5052 | 1 | 21 | 3 |
| 917 | ENDOTRACHEAL TUBE CUFFED SIZE 4 Soft cuff towards the distal end Kink resistant inflation tube | 5053 | 1 | 21 | 3 |
| 918 | ENDOTRACHEAL TUBE CUFFED SIZE 4.5 Soft cuff towards the distal end Kink resistant inflation t | 5054 | 1 | 21 | 3 |
| 919 | ENDOTRACHEAL TUBE CUFFED SIZE 5Soft cuff towards the distal end Kink resistant inflation tube | 5055 | 1 | 21 | 3 |
| 920 | ENDOTRACHEAL TUBE CUFFED SIZE 6Soft cuff towards the distal end Kink resistant inflation tube | 5056 | 1 | 21 | 3 |
| 921 | ENDOTRACHEAL TUBE CUFFED SIZE 6.5Soft cuff towards the distal end Kink resistant inflation tub | 5057 | 1 | 21 | 3 |

| | | | | | |
|-----|---|------|---------------------|----|-----|
| 922 | ENDOTRACHEAL TUBE CUFFED SIZE 7Soft cuff towards the distal end Kink resistant inflation tube | 5058 | 1 | 21 | 3 |
| 923 | ENDOTRACHEAL TUBE CUFFED SIZE 7.5 Soft cuff towards the distal end Kink resistant inflation tu | 5059 | 1 | 21 | 3 |
| 924 | ENDOTRACHEAL TUBE CUFFED SIZE 8Soft cuff towards the distal end Kink resistant inflation tube | 5060 | 1 | 21 | 3 |
| 925 | ENDOTRACHEAL TUBE CUFFED SIZE 8.5Soft cuff towards the distal end Kink resistant inflation tube | 5061 | 1 | 21 | 3 |
| 926 | ENDOTRACHEAL TUBE CUFFED SIZE 9 Soft cuff towards the distal end Kink resistant inflation tube | 5062 | 1 | 21 | 3 |
| 927 | TRACHEOSTOMY TUBE {PVC}, PLAIN ,STERILE, Single use all size ,Soft flexible flange at for easy fixat | 5063 | 1 | 21 | 10 |
| 928 | TRACHEOSTOMY TUBE {PVC}, CUFFED, STERILE, SINGLE USE .ALL SIZE. ,Soft flexible flange at for easy fi | 5064 | 1 | 21 | 3 |
| 929 | ABDOMINAL DRAIN KIT STERILE HAVING DRAINAGE CATHETER AND COLLECTION BAG {2000 ml }size 24 Graduate | 5065 | 1 | 21 | 15 |
| 930 | ABDOMINAL DRAIN KIT STERILE HAVING DRAINAGE CATHETER AND COLLECTION BAG {2000 ml }size 28 Graduat | 5066 | 1 | 21 | 15 |
| 931 | Corrugated Drainage Sheet | 5067 | 1's | 8 | 25 |
| 932 | Polypropylene Nonabsorbable Synthetic Surgical 7.6cm x 15cm | 5068 | 1 | 21 | 10 |
| 933 | Polypropylene Nonabsorbable Synthetic Surgical | 5069 | 1 | 21 | 5 |
| 934 | Sterilized Umbilical Cotton Tape 3mm x 75cm | 5070 | 1 | 21 | 5 |
| 935 | Bone Wax, Sterilised | 5071 | 1 | 21 | 15 |
| 936 | Temporary Cardiac Pacing Wire (Electrode) Sterile ½ Cir | 5072 | 1's | 21 | 15 |
| 937 | Crepe Bandage B.P. 6 cmX4 meter | 5073 | 12 | 8 | 1 |
| 938 | Rapid Diagnostic Malaria Test Kit Test card; Sterile lancet, Reagents including buffer solution in a dropping bottle. The test kit should be able to rapidly diagnose both P. falciparum and P. vivax The product should comply with ISO 9001 ISO 13485 (QMS)/CE/USFDA The invalid rate should be less than 5% Should have space for recording particulars of test. | 5077 | 1's mono-carton | 21 | 3 |
| 939 | Dengue Antigen IgG/IgM AB Test Kit Dengue NS1 Ag + Ab Combo Kit (Uses whole blood serum or plasma) Detects all four Dengue serotypes (DEN 1, 2, 3, 4) Result time: 10-15 minutes Sensitivity: IgM - 96.5-99.5, IgG- 95.6-98.6 Ag – 92-95% Specificity: IgM - 97-100%, IgG - 97-100, Ag – 98-100% Shelf life 24 months Storage 2- 30°C. ISO 13485 (QMS)/CE | 5078 | 1's kit mono-carton | 21 | 3 |
| 940 | HCG -Pregnancy Card Test Kit: Test device, Dropper, clean cup/tube Reading time 5-10 min, Hermetically sealed CE marking as per in vitro Diagnostic Directive (IVDD) 98/79/EC for EU (Annex S8), or be US FDA-approved as per 510(k) " | 5079 | 1's | 8 | 1 |
| 941 | Ear buds 100% Cotton ,Ideal Sizefor Cleaning | 5083 | 100 swab | 8 | 100 |

| | | | | | |
|-----|---|------|-----------|----|----|
| 942 | sterile gauze pad size 2"X2" | 5094 | 10's Pack | 21 | 15 |
| 943 | sterile gauze pad size 3"X3" | 5095 | 10's Pack | 21 | 15 |
| 944 | sterile gauze pad size 4"X4" | 5096 | 10's Pack | 21 | 15 |
| 945 | Alcohol Swab (Spirit Swab) | 5097 | 1's | 8 | 1 |
| 946 | Disposable Sterile Surgical Rubber Gloves, Size 6 ½ Inches, Conforms to IS 13422,ISI marked / CE certified / FDA approved | 6001 | PAIR | 8 | 10 |
| 947 | Disposal sterile surgical rubber gloves size 7 inches ,Conforms to IS 13422,ISI marked / CE certified / FDA approved | 6002 | PAIR | 8 | 10 |
| 948 | Disposal sterile surgical rubber gloves size 7 1/2 inches ,Conforms to IS 13422,ISI marked / CE certified / FDA approved | 6003 | PAIR | 8 | 10 |
| 949 | Disposable Sterile Surgical Rubber Gloves Size 8 Inches , Conforms to IS 13422 ,ISI marked / CE certified / FDA approved | 6004 | PAIR | 8 | 15 |
| 950 | Rubber examination gloves made of natural rubber latex. Non-sterile,Size: Small Conforms to IS 15354/CE Certified | 6006 | 1's | 8 | 12 |
| 951 | Rubber examination gloves made of natural rubber latex. Non-sterile,Size: Medium Conforms to IS 15354/CE Certified | 6007 | 1's | 8 | 12 |
| 952 | Surgical Cap, Disposable(for Surgeons/Nurses) | 6009 | 1 | 21 | 15 |
| 953 | Suction Catheter, STERILE SIZE , FG 5, Length 50 cm (min.) | 6010 | 1's | 21 | 15 |
| 954 | Suction Catheter, STERILE SIZE , FG 6, Length 50 cm (min.) | 6011 | 1's | 21 | 15 |
| 955 | Suction Catheter, STERILE SIZE , FG 8, Length 50 cm (min.) | 6012 | 1's | 21 | 15 |
| 956 | Suction Catheter, STERILE SIZE , FG 10, Length 50 cm (min.) | 6013 | 1's | 21 | 15 |
| 957 | SUCTION CATHETER , STERILE SIZE , FG 12, Length 50 cm (min.) | 6014 | 1 | 21 | 10 |
| 958 | SUCTION CATHETER , STERILE SIZE , FG 14,Length 50 cm (min.) | 6015 | 1 | 21 | 10 |
| 959 | SUCTION CATHETER , STERILE SIZE , FG 16, Length 50 cm (min.) | 6016 | 1 | 21 | 10 |
| 960 | SUCTION CATHETER , STERILE SIZE , FG ,18, Length 50 cm (min.) | 6017 | 1 | 21 | 10 |
| 961 | SUCTION CATHETER , STERILE SIZE, FG 20, Length 50 cm (min) | 6018 | 1 | 21 | 15 |
| 962 | SUCTION CATHETER , STERILE SIZE , FG ,22 Length 50 cm (min.) | 6019 | 1 | 21 | 15 |
| 963 | Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 8 FG,confo | 6020 | 1 | 21 | 10 |
| 964 | Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 10 FG,con | 6021 | 1 | 21 | 10 |
| 965 | Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size ,16 FG,,c | 6022 | 1 | 21 | 10 |
| 966 | Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size ,18FG,conf | 6023 | 1 | 21 | 10 |

| | | | | | |
|-----|--|------|-----|----|----|
| 967 | Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size 20FG,confo | 6024 | 1 | 21 | 15 |
| 968 | Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, Size ,22FG ,con | 6025 | 1 | 21 | 15 |
| 969 | Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter), 2 Way, 24FG ,conform t | 6026 | 1 | 21 | 15 |
| 970 | INFENT FEEDING TUBE SIZE, 1OFG LENGTH 50cm min, Sterile ,singly packed in blister | 6027 | 1 | 21 | 25 |
| 971 | INFENT FEEDING TUBE SIZE , 8FG LENGTH 50 cm min, Sterile ,singly packed in blister | 6028 | 1 | 21 | 25 |
| 972 | INFENT FEEDING TUBE SIZE 5FG, LENGTH 50 cm min, Sterile ,singly packed in blister | 6029 | 1 | 21 | 25 |
| 973 | Sterile Disposable Perfusion set with air vent for gravity infusions and pressure infusions;Drop formation; 20 drops = 1ml \pm 0.1 mlSoft, clear PVC tubing, DEHP free plasticizer with superior, well documented safety properties.For adult use; 150cm long smooth kink resistant. | 6030 | 1 | 21 | 25 |
| 974 | Sterile Disposable Perfusion Set (Infusion set) with Built Airway and Needle (Adult Use). Sterile Disposable Perfusion Set (Infusion set) with Built Airway and Needle (Adult Use). Burette type measured volume chamber of 150 ml Drop size of approx. 60 drops per ml; Injection port, latex free, for intermittent medication. Floating auto shut off valve (latex free) in burette. Soft and kink resistant PVC tubing. Roller controller for flow control Tube length 150 cm; 23G needle, Should conform to IS No.12655 (part-4 of 2003) As per Drugs and Cosmetics Act 1940. | 6031 | 1 | 21 | 25 |
| 975 | Sterile Disposable Perfusion Set (Infusion set) with Airway and Needle (Paediatric Use). Burette type measured volume chamber of 100 ml Drop size of approx. 60 drops per ml Injection port, latex free, for intermittent medication. Floating auto shut off valve (latex free) in burette. Soft and kink resistant PVC tubing. Roller controller for flow control Tube length 150 cm 23G needle Should conform to IS No.12655 (part-4 of 2003) As per Drugs and Cosmetics Act 1940 | 6032 | 1 | 21 | 25 |
| 976 | Insulin syringe (40 units/100 Units) with (fixed) 30 G needle conform to IS 12227/CE certified | 6033 | 1's | 21 | 25 |
| 977 | Sterile Disposable (Single Use) Teflon/ PTFE I.V. Cannula with X - Ray Opaque Line, wings and injection port. Size 18G, should be pack in Transparent, single blister pack. Should conform to IS 10555 Standard. | 6035 | 1 | 21 | 25 |
| 978 | Sterile Disposable (Single Use) Teflon/ PTFE I.V. Cannula with X - Ray Opaque Line, wings and injection port. Size 20G, should be pack in Transparent, single blister pack. Should conform to IS 10555 Standard | 6036 | 1 | 21 | 25 |
| 979 | Sterile Disposable (Single Use) Teflon/ PTFE I.V. Cannula with X - Ray Opaque Line, wings and injection port. Size 22G, should be pack in Transparent, single blister pack. Should conform to IS 10555 Standard | 6037 | 1 | 21 | 25 |

| | | | | | |
|-----|--|------|--------|----|----|
| 980 | Sterile Disposable (Single Use) Teflon/ PTFE I.V. Cannula with X - Ray Opaque Line, wings and injection port. Size 24G, should be pack in Transparent, single blister pack. Should conform to IS 10555 Standard | 6038 | 1 | 21 | 25 |
| 981 | NASAL OXYGEN CANNULA { SET } Twin prong { ACCESSORY FOR COMPRESSED AIR BREATHING } ADULTGeneral specification: Suitable for easy application and efficient administration of oxygen.soft, light weight non-toxic material, non-irritating even in long term useanatomically fitTwin prong/ nasal tips are designed to ensure equal volume of oxygen to both the air passages | 6039 | 1 | 21 | 5 |
| 982 | Absorbent gelatin sponge IP 66 , SIZE 80mm x 50 mmx 10 mm. should be sterilized | 6040 | 1 | 21 | 15 |
| 983 | Blood administration set / Blood transfusion set with filter 170 micron.The soft Kink resistance, translucent tubing is prepared from medical grade PVC material, double drip clearly visible chamber facilitates visual access and rapid adjustment of fluid level. Specially design roller controller offer accurate regulation of infusion rate with self-sealing latex bulb to avoid any contamination and Easy flushing. Length 150 cm. | 6042 | 1 | 21 | 25 |
| 984 | RYLE ""S TUBE / NASOGASTRIC TUBE SIZE 10,Soft, kink resistant PVC tubing for atraumatic intubation | 6045 | 1 | 21 | 15 |
| 985 | RYLE ""S TUBE / NASOGASTRIC TUBE SIZE 12 ,Soft, kink resistant PVC tubing for atraumatic intubation | 6046 | 1 | 21 | 15 |
| 986 | RYLE ""S TUBE / NASOGASTRIC TUBE SIZE 14,Soft, kink resistant PVC tubing for atraumatic intubation | 6047 | 1 | 21 | 15 |
| 987 | RYLE ""S TUBE / NASOGASTRIC TUBE SIZE 16,Soft, kink resistant PVC tubing for atraumatic intubation | 6048 | 1 | 21 | 15 |
| 988 | RYLE ""S TUBE / NASOGASTRIC TUBE SIZE 18,Soft, kink resistant PVC tubing for atraumatic intubation | 6049 | 1 | 21 | 15 |
| 989 | Knee Cap Small Tubular anatomically design made of soft, skin friendly, Made of Neoprene Material | 6050 | Pair | 8 | 2 |
| 990 | Knee Cap Medium Tubular anatomically design made of soft, skin friendly, Made of Neoprene Material | 6051 | Pair | 8 | 2 |
| 991 | Knee Cap Large Tubular anatomically design made of soft, skin friendly, Made of Neoprene Material | 6052 | Pair | 8 | 2 |
| 992 | Hot water Bag SIZE 25.5cmx17.8cm(10"x7")BS:1970:2012 | 7001 | 1's | 8 | 1 |
| 993 | Sanitary Napkins Regular with wings as Per IS Specification No.5405:1980) | 7003 | 1 Pack | 8 | 6 |
| 994 | Adult Diapers Medium | 7004 | 1's | 8 | 1 |
| 995 | Adult Diapers Large | 7005 | 1's | 8 | 1 |
| 996 | Adult Diapers Extra Large , Extra Large (1030 mm X 850 mm) | 7006 | 1's | 8 | 1 |
| 997 | Baby Diapers Medium | 7008 | 1 Pack | 8 | 5 |
| 998 | Chromic (3/8 Cir RB Needle 40mm, Length 76 cm) | 8001 | 1 | 21 | 15 |
| 999 | Chromic (1/2 Cir RB Needle 20mm, Length 76 cm) | 8002 | 1 | 21 | 15 |

| | | | | | |
|------|---|------|-----|----|----|
| 1000 | Chromic (1/2 Cir RB Needle 30mm, Length 76 cm) | 8003 | 1 | 21 | 15 |
| 1001 | Chromic (1/2 Cir RB Needle 30mm,Length 76 cm) | 8004 | 1 | 21 | 15 |
| 1002 | Chromic (1/2 Cir RB Needle 40mm, Length 76 cm) | 8005 | 1 | 21 | 15 |
| 1003 | Chromic (3/8 RB Needle 30mm, Length 76 cm) | 8006 | 1 | 21 | 15 |
| 1004 | Chromic (1/2 Cir RB Needle 45 mm, Length 100 cm) | 8007 | 1 | 21 | 15 |
| 1005 | Chromic (3/8 Cir RCutting Needle 26mm, Length 76 cm) | 8008 | 1 | 21 | 15 |
| 1006 | Chromic(3/8 Cir RCutting Needle 19mm Length 76 cm) | 8011 | 1 | 21 | 15 |
| 1007 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } 1/2 Cir RB NIDDLE 20 mm LENGTH 70 cm | 8012 | 1 | 21 | 15 |
| 1008 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } 1/2 Cir RB NIDDLE 30 mm LENGTH 90 cm USP-2/0 | 8013 | 1 | 21 | 15 |
| 1009 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } 1/2 Cir RB NIDDLE 30 mm LENGTH 90 cm USP-1/0 | 8014 | 1 | 21 | 15 |
| 1010 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } 1/2 Cir TAPERCUT NIDDLE { HEAVY } 40 mm LENGTH 90 cm | 8015 | 1 | 21 | 15 |
| 1011 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } 1/2 Cir RB NIDDLE 40 mm LENGTH 90 cm USP-1 | 8016 | 1 | 21 | 15 |
| 1012 | Absorbable Surgical Suture(Synthetic)(1/2 Cir Conventional Needle) | 8017 | 1 | 21 | 15 |
| 1013 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } 1/2 Cir RB NIDDLE 20 mm LENGTH 70 cm USP-4/0 | 8018 | 1 | 21 | 15 |
| 1014 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } { 1/2 Cir RB NIDDLE 40 mm LENGTH 90 cm } | 8019 | 1 | 21 | 15 |
| 1015 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } 1/2 Cir RB NIDDLE 40 mm LENGTH 90 cm USP-1/0 | 8020 | 1 | 21 | 15 |
| 1016 | ABSORBABLE SURGICAL SUTURE { SYNTHETIC } 3/8 Cir CUTTING NIDDLE 22 mm LENGTH 45 cm | 8021 | 1 | 21 | 15 |
| 1017 | Absorbable Surgical Suture(Synthetic)3/8 Circle Cutting | 8022 | 1 | 21 | 15 |
| 1018 | Silk (1/2 cir RB Needle 20mm,Length 76cm) | 8023 | 1 | 21 | 15 |
| 1019 | silk { 3/8 cir Reverse CUTTING NEEDLE 26 MM , LENGTH 76 cm } | 8024 | 1 | 21 | 15 |
| 1020 | Silk { 3/8 cir Reverse CUTTING NEEDLE 45 MM , LENGTH 76cm } | 8025 | 1 | 21 | 15 |
| 1021 | Silk(3/8 cir RB Needle 20mm,Length 76 cm) | 8026 | 1 | 21 | 15 |
| 1022 | Silk (3/8 cir RB Needle16mm,Length 76cm) | 8027 | 1 | 21 | 15 |
| 1023 | Polyamide (3/8 Cir Micropoint Round Body ,6mm Length 38 cm) | 8028 | 1 | 21 | 15 |
| 1024 | Polyamide (3/8 Conventional Cutting Needle 16mm Length 70 cm) | 8029 | 1 | 21 | 15 |
| 1025 | Polyamide (3/8) Conventional Cutting Needle 19mm Length 60cm | 8030 | 1 | 21 | 15 |
| 1026 | Polyamide (3/8) Cir Slim Blade Cutting Needle 15mm Length 70cm | 8031 | 1 | 21 | 15 |
| 1027 | Polyamide (3/8 Cir R Cutting Needle 45mm Length 70 cm) | 8032 | 1 | 21 | 15 |
| 1028 | Polyamide(3/8 Cir R Cutting Needle 45mm Length 70cm) | 8033 | 1 | 21 | 15 |
| 1029 | Polyamide (3/8) Cutting Spatulated Edge Needle | 8034 | 1's | 8 | 15 |

| | | | | | |
|------|--|------|---|----|----|
| 1030 | Polypropylene(1/2 Cir RB 13 mm needle , length 75 cm Double Arm) | 8035 | 1 | 21 | 15 |
| 1031 | Polypropylene(3/8 Cir RB Double 8mm Needle 60cm) | 8036 | 1 | 21 | 15 |
| 1032 | Polypropylene(3/8 Cir RB 16mm Needle length 70cm) | 8038 | 1 | 21 | 15 |
| 1033 | Polypropylene(1/2 Cir RB Needle 30mm length 90cm) | 8039 | 1 | 21 | 15 |
| 1034 | POLYPROPYLENE { 1/2 Cir RB heavy needle 45 mm length 90 cm | 8040 | 1 | 21 | 15 |
| 1035 | Polypropylene(1/2 Cir RB Double needle 17mm length 90cm) | 8041 | 1 | 21 | 15 |
| 1036 | Polypropylene(1/2 Tapercut Double Needle 17 mm length 70cm) | 8042 | 1 | 21 | 15 |
| 1037 | Polypropylene(1/2 Cir RB Needle 25 MM Length 90 CM Double Arm) | 8043 | 1 | 21 | 15 |
| 1038 | Polypropylene(1/2 Cir RB Needle 30mm length 90cm Double Arm) | 8044 | 1 | 21 | 15 |
| 1039 | Polypropylene(1/2 Tapercut Double Needle 17 mm length 75cm) Double Arm | 8045 | 1 | 21 | 15 |
| 1040 | Polypropylene(1/2 Tapercut Double Needle 25 mm length 90cm) Double Arm | 8046 | 1 | 21 | 15 |
| 1041 | Polyamide (3/8 Cir Conventional Cutting PC -3 Needle 15mm Length 60cm) | 8047 | 1 | 21 | 15 |
| 1042 | Polypropylene(3/8 Cir RB 13 mm needle length 90 cm Double Arm) | 8048 | 1 | 21 | 15 |
| 1043 | Polypropylene(1/2 Cir RB Double Needle 16mm length 90cm | 8049 | 1 | 21 | 15 |
| 1044 | Polypropylene (3/8 Cir Cutting Needle Length 25cm Length 45cm) | 8050 | 1 | 21 | 15 |
| 1045 | Polypropylene(1/2 Cir RB Heavy Needle 40mm length 90cm | 8051 | 1 | 21 | 15 |
| 1046 | Polypropylene(1/2 Cir Reverse Cutting Needle 45mm length 100cm | 8052 | 1 | 21 | 15 |
| 1047 | Polypropylene (3/8 Cir RB 8mm Double Needle Suture Length 70cm) | 8053 | 1 | 21 | 15 |
| 1048 | Polypropylene(1/2 Cir Tapercut 13 mm Double Needle 70 cm) | 8054 | 1 | 21 | 15 |
| 1049 | Polypropylene(1/2 Cir CC 13mm Needle,Suture Length 70cm)Double Arm | 8055 | 1 | 21 | 15 |
| 1050 | Polypropylene(1/2 Circle Tapercut 17 mm Needle, Suture Length Of 90cm Double Arm | 8056 | 1 | 21 | 15 |
| 1051 | POLYPROPYLENE { 1/2 Cir RB 25 mm needle SUTURE length 75 cm DOUBLE ARM. | 8057 | 1 | 21 | 15 |
| 1052 | POLYBUTYLATE / SILICON COATED POLYSTER BRAIDED GREEN / BLUE { 1/2 cir Tapercut 17 mm double needle | 8058 | 1 | 21 | 15 |
| 1053 | Polybutylate(1/2 cir Tapercut ,17 mm Double Needle Length 90 cm) | 8059 | 1 | 21 | 15 |
| 1054 | Polybutylate Green/Blue(1/2 cir Tapercut ,17 mm Double Needle Length 90 cm) | 8060 | 1 | 21 | 15 |

| | | | | | |
|------|--|------|------|----|----|
| 1055 | Polybutylate Green/Blue(1/2 cir Tapercut ,17 mm Double Needle Length 90 cm) Double Arm | 8061 | 1 | 21 | 15 |
| 1056 | POLYBUTYLATE / SILICON COATED POLYSTER BRAIDED GREEN / BLUE { 1/2 cir Tapercut 25 mm double needle | 8062 | 1 | 21 | 15 |
| 1057 | Coated Polyester Braided(Green/Blue) Size 3/0 1/2 cir Tapercut ,25 mm double needle length 90 c) | 8063 | 1 | 21 | 15 |
| 1058 | Polyglecaprone/ 1/2 circle oval RB Needle | 8064 | 1 | 21 | 15 |
| 1059 | Polyglecaprone/ Polyglyconate(1/2 circle oval RB Contrast Needle | 8065 | 1 | 21 | 15 |
| 1060 | Polyglecaprone/Polyglyconate(1/2 Circle Cutting 16mm Needle,suture length 70cm) | 8066 | 1 | 21 | 15 |
| 1061 | Polyglecaprone /Polyglyconate (3/8 Circle Cutting 25mm Needle, Suture Length of 70cm) | 8067 | 1 | 21 | 15 |
| 1062 | Absorbable Surgical Suture{synthetic }sterilised needled suture monofilament polydioxanone viole | 8068 | 1 | 21 | 15 |
| 1063 | Absorbable surgical suture {synthetic} sterilised needled suture monofilament polydioxanone violet | 8069 | 1 | 21 | 15 |
| 1064 | Absorbable surgical suture {synthetic} sterilised needled suture monofilament polydioxanone viol | 8070 | 1 | 21 | 15 |
| 1065 | Skin Grafting Knife Blade (Sterile) made of carbon steel or stainless steel material 158 mm long | 8078 | 1 | 21 | 15 |
| 1066 | Face Mask , Disposable ,Should be manufactured from non woven poly prop fabric ,Should be 3 ply construction ,Should have high Bacterial filtration efficiency ,Should be heat sealed to keep 3 layers together ,Standard Size 17.5 x 9 cm ,Colour Green / Blue ,There should be a string each at all four cor ners, length of string should be 40 cm | 8080 | 1 | 21 | 10 |
| 1067 | Urine Collecting Bag | 8081 | 1's | 8 | 15 |
| 1068 | UMBILICAL CATHETER { FOR NEW BORN } ALL SIZE ,With female flexible mount ,Open tip should be soft, r | 8082 | 1 | 21 | 15 |
| 1069 | Sanitary Napkin, Beltless | 8083 | Pack | 8 | 6 |
| 1070 | Sanitary Napkin, Belt-type | 8084 | Pack | 8 | 6 |
| 1071 | Automatic Snap-Out Folding Walking Cane Stick with Adjustable Length - Color: Copper Easy & Quick to Use Walking Cane for Treks, Casual Walks or Outdoor Travel. Release he Stick and 4 Folding Sections Snap Out Automatically to Make a Rigid Cane. Lightweight Anodized Aluminum Pole. Contour Grip Handle with Rubber Bottom. Sections Folds Conveniently In Its Own Wallet. Adjustable Length 33 inch to 37 inch. Package Contains 1Pc Adjustable Metal Walking Cane. | 8087 | 1's | 8 | 2 |
| 1072 | Walking Stick with three supporter-light weight length 33 inch to 37 inch | 8088 | 1's | 8 | 2 |
| 1073 | Abdominal Belt Velcro after surgery or after delivery to support abdominal region Cream color - Large 36-40 inch (25 cm width) | 8089 | 1's | 8 | 2 |

| | | | | | |
|------|--|------|-----|---|---|
| 1074 | Abdominal Belt Velcro after surgery or after delivery to support abdominal region Cream color - Small 28- 32 inch (25 cm width) | 8090 | 1's | 8 | 2 |
| 1075 | Abdominal Belt Velcro after surgery or after delivery to support abdominal region Cream color Medium 32-36 inch (25 cm width) | 8091 | 1's | 8 | 2 |
| 1076 | Abdominal Belt Velcro after surgery or after delivery to support abdominal region Cream color X-Large 36-40 inch (25 cm width) | 8092 | 1's | 8 | 2 |
| 1077 | Abdominal Belt Velcro after surgery or after delivery to support abdominal region Cream color XX-Large 44-48 inch (25 cm width) | 8093 | 1's | 8 | 2 |
| 1078 | Cervical Collar -designed to meet the needs of ambulatory patients over and extended time. Technologically advanced Sorbatex padding adds long term comfort by quickly absorbing moisture away from the skin. Anatomical shape,Well ventilated,High density PU foam,Skin matching shades,Hypo-allergenic covering Small- 3-3.5 inch | 8099 | 1's | 8 | 1 |
| 1079 | Cervical Collar designed to meet the needs of ambulatory patients over and extended time. Technologically advanced Sorbatex padding adds long term comfort by quickly absorbing moisture away from the skin. Anatomical shape,Well ventilated,High density PU foam,Skin matching shades,Hypo-allergenic covering Medium - 3.5- 4 inch | 8100 | 1's | 8 | 1 |
| 1080 | Cervical Collar designed to meet the needs of ambulatory patients over and extended time. Technologically advanced Sorbatex padding adds long term comfort by quickly absorbing moisture away from the skin. Anatomical shape,Well ventilated,High density PU foam,Skin matching shades,Hypo-allergenic covering Large 4-4.5 inch | 8101 | 1's | 8 | 1 |
| 1081 | Cervical Collar designed to meet the needs of ambulatory patients over and extended time. Technologically advanced Sorbatex padding adds long term comfort by quickly absorbing moisture away from the skin. Anatomical shape,Well ventilated,High density PU foam,Skin matching shades,Hypo-allergenic covering X-Large - 4.5-5 inch | 8102 | 1's | 8 | 1 |
| 1082 | Thumb and Wrist brace - Soft Neoprene thumb cover • Pre-shaped and removable metal stays for wrist and thumb • Distal brace edge situated under the palmar crease • Brace is contoured at the ulnar aspect of the hand • Elastic material • High coverage of dorsal aspect of the hand • Reliable thumb support • Convenient application Small Wrist Circle-6, Length-7" | 8103 | 1's | 8 | 1 |
| 1083 | Thumb and Wrist brace - Soft Neoprene thumb cover • Pre-shaped and removable metal stays for wrist and thumb • Distal brace edge situated under the palmar crease • Brace is contoured at the ulnar aspect of the hand • Elastic material • High coverage of dorsal aspect of the hand • Reliable thumb support • Convenient application Medium Wrist Circle-6-7.5 , Length-7" | 8104 | 1's | 8 | 1 |

| | | | | | |
|------|---|------|-----------------|---|---|
| 1084 | Thumb and Wrist brace - Soft Neoprene thumb cover • Pre-shaped and removable metal stays for wrist and thumb • Distal brace edge situated under the palmar crease • Brace is contoured at the ulnar aspect of the hand • Elastic material • High coverage of dorsal aspect of the hand • Reliable thumb support • Convenient application Large Wrist Circle-7.5- 8.5 , Length-8" | 8105 | 1's | 8 | 1 |
| 1085 | Thumb and Wrist brace - Soft Neoprene thumb cover • Pre-shaped and removable metal stays for wrist and thumb • Distal brace edge situated under the palmar crease • Brace is contoured at the ulnar aspect of the hand • Elastic material • High coverage of dorsal aspect of the hand • Reliable thumb support • Convenient application X-Large Wrist Circle-8.5 and above , Length-8" | 8106 | 1's | 8 | 1 |
| 1086 | Adult Diapers Medium | 8107 | 5's | 8 | 1 |
| 1087 | Adult Diapers Large | 8108 | 5's | 8 | 1 |
| 1088 | Adult Diaper Extra Large | 8109 | 5's | 8 | 1 |
| 1089 | Baby Diapers Small, Material Polyethylene, Length/Width 405 mm, product 290 mm Wt. 18-29 gm. | 8110 | 5's | 8 | 1 |
| 1090 | BABY DIAPER(NEW BORN) | 8111 | 5's | 8 | 2 |
| 1091 | Hernia Belt - made from good quality surgical Elastic with elasticated straps, pads can be adjusted. Size Universal (SIZE : Small) | 8113 | 1's mono-carton | 8 | 2 |
| 1092 | Knee Brace Belt - Excellent Support and Targeted Pain Relief • May Relieve the Pain Associated with Mild Osteoarthritis (OA) of the Knee • Unilateral Hinge and Strapping Configuration Apply Corrective Force to Offload the Affected Side of the Joint • Wrap-Around, Patient-Friendly Design - Easy to Apply to Swollen Tender Knees • Neoprene Provides Therapeutic Warmth to Soothe the Aching Joint • Support Straps Allow for Adjustable Compression • Available in Medial and Lateral Designs for Left and Right Knee Applications • Interchangeable Condyle Pads for Day-to-Day Adjustment Size- Medium 16-17 fits | 8114 | 1's mono-carton | 8 | 2 |
| 1093 | Knee Brace Belt - Excellent Support and Targeted Pain Relief • May Relieve the Pain Associated with Mild Osteoarthritis (OA) of the Knee • Unilateral Hinge and Strapping Configuration Apply Corrective Force to Offload the Affected Side of the Joint • Wrap-Around, Patient-Friendly Design - Easy to Apply to Swollen Tender Knees • Neoprene Provides Therapeutic Warmth to Soothe the Aching Joint • Support Straps Allow for Adjustable Compression • Available in Medial and Lateral Designs for Left and Right Knee Applications • Interchangeable Condyle Pads for Day-to-Day Adjustment Size- Large 18-19 fits | 8115 | 1's mono-carton | 8 | 2 |

| | | | | | |
|------|--|------|-----------------|----|----|
| 1094 | IV Cannula Fixer Good aesthetic appeal due to woven fast edges, Moisture responsive High Moisture vapour Transmission rate Film, Low allergy grid pattern adhesive, Porous adhesive to allow skin breathing, Easy and Painless remove, because of thin-non adhesive edges and leaves no residue after remove. Medium 6cm x 5cm | 8116 | 1's pack | 21 | 25 |
| 1095 | Cervical Pillow- Designed to decrease morning pain and stiffness , Height 12.3 Centimetres, Length 26 cm, Width 47 cm, Material Polyester, Shell Soft, Made from high quality polyurethane foam of optimum density, Provides firm, soft and comfortable support to neck and head, B shaped Neck Pillow with 2 height levels for different user requirements, designed to counter the stress and pain associated with cervical | 8117 | 1's mono-carton | 8 | 2 |
| 1096 | Lancets Round Sterile tip Onetime use; 28G, in virgin packing Length: 30mm \pm 2mm Compatibility: Should be compatible with Janaushadhi glucometer. | 8120 | 50 pcs/Box | 21 | 50 |
| 1097 | Glucometer Test Strip (Compatible with Janaushadhi Glucometer Digital) | 8121 | 25 Strips | 21 | 25 |
| 1098 | GLUCOMETER DIGITAL (1 glucometer- 25 strips, 25 lancets, 1 lancing device, 1 battery 3v. Warranty card) Glucometer Specification: Glucose ranges : 30 - 800 mg/dL, Analysis time : 5 Sec Sample Volume : < 1.0 micro-liters, Sample : Whole Blood Sample Mode : Capillary, Fill detection : Automatic Battery : 3v Lithium Battery, (Replaceable) (CR2032), should work for minimum 1000 test, Minimum memory : 50 samples (Erasable) Replacement Warranty Period : 3 Years, Storage Temp. : 0-50°C Operating Temp : 2-50°C, Relative Humidity : 10-95% (NonCondensing) Code : Auto Coding/No Coding Display: 48mm (diagonally) LCD (\pm 5mm) Strip Ejector facility to avoid contamination with blood. ISO-15197:2013 (International Standard) CE Certificate NIB (National Institute of Biological) Tested Note: Control Solution for calibration of device Customer Care Toll Free Number: Customer Care Toll Free Number must be provided by the Awardee bidder for the customer support. | 8122 | 1 Kit | 21 | 1 |
| 1099 | Adhesive Surgical Paper Tape Size 5cmx5m | 8123 | 1's | 8 | 5 |
| 1100 | Adhesive Surgical Paper Tape Size 2.5cmx5m | 8124 | 1's | 8 | 5 |
| 1101 | Adhesive Surgical Paper Tape Size 1.25cmx5m | 8125 | 1's | 8 | 5 |
| 1102 | Pollution Control Mask/Nanofiber Mask: made up of high efficiency nanofiber material with non return valve for easy breathing. It efficiently filters the atmospheric particulate matter 0.3 μ m and defends against haze, invisible killers like bacteria and viruses, automobile exhaust fumes, second-hand smoke, formaldehyde, dust mites, volatile chemicals, air polluted poison gas, block droplets, fluids and secretions, respirable particulate matter due to automobile exhaust fumes and so on. colour: Sky Blue Certification as per CE0120/ EN: 149:2009 | 8126 | 1's Monopack | 8 | 10 |

| | | | | | |
|------|--|------|----------------------------|----|----|
| 1103 | Nebulizer Mask with Tubing. made of clear, non-toxic PVC, medium concentration, adjustable nose clip & non-autoclavable Tube Length: 2 mtr Nebulization rate : 3cc / 10 mins. Packing: Single Piece poly packed | 8127 | 1's pack | 21 | 2 |
| 1104 | Medical Digital Thermometer | 8128 | 1's mono-carton | 8 | 2 |
| 1105 | Manual breast pump | 8130 | 1's mono pack | 8 | 2 |
| 1106 | Plastic Urine Pot collector, Male & Female use | 8131 | 1's | 8 | 10 |
| 1107 | Plastic Bedpan | 8132 | 1's | 8 | 2 |
| 1108 | Digital Blood Pressure Instrument (100% mercury free): LCD Digital Display/Digital monitor, upper arm type Measurement Range- Pressure- 0mmHg – 300mmHg Pulse- 30 to 99 Beats/Minute Measurement Accuracy Pressure- ± 3 mmHg Pulse- $\pm 5\%$ Irregular Heartbeat Detection, WHO Classification Indicator, Low Battery Detection, Automatic Power Off Battery type: AA type | 8133 | one | 21 | 2 |
| 1109 | Ice bag | 8134 | 1's pack | 8 | 2 |
| 1110 | Breathing Exerciser, Total 3 Chambers, Device is composed of base and central part divided into three chambers containing three small spheres of different size and colour, Connecting tube with 12mm OD connector and mouth piece, Flow rates 600ml/sec, 900ml/sec, and 1200ml/sec by using different colors of ball for easy identification of the flow rates. Material Specifications:- ABS for chamber, PE for ball and mouthpiece and EVA for tubing. | 8135 | 1's MonoPck | 8 | 2 |
| 1111 | Electrical Nebulizer Machine | 8136 | one | 21 | 1 |
| 1112 | Oxo- Biodegradable Sanitary Napkins Regular Size with wings Length: 240+_ 10mm Width: 60to 70mm Thickness: 10+_2mm Back Strip- A back strip for sticking the sanitary napkin onto the underwear should be there using good adhesive material. Remaining parameters confirming to IS specification no. 5405 : 1980/CE Certified. | 8140 | Pack of 4 Sanitary Napkins | 8 | 2 |
| 1113 | Oxo-Biodegradable Sanitary Napkins Large Size with wings Length: 280+_ 10mm Width: 60to 70mm Thickness: 10+_2mm Back Strip- A back strip for sticking the sanitary napkin onto the underwear should be there using good adhesive material. Remaining parameters confirming to IS specification no. 5405 : 1980/CE Certified. | 8141 | Pack of 4 Sanitary Napkins | 8 | 2 |
| 1114 | Oxo-Biodegradable Sanitary Napkins Extra Large (XL) Size with wings Length: 320+_ 10mm Width: 60to 70mm Thickness: 10+_2mm Back Strip- A back strip for sticking the sanitary napkin onto the underwear should be there using good adhesive material. Remaining parameters confirming to IS specification no. 5405 : 1980/CE Certified | 8142 | Pack of 4 Sanitary Napkins | 8 | 2 |
| 1115 | Sanitary Napkin (Regular Size) | 8143 | Pack of 6 Sanitary Napkins | 8 | 2 |

| | | | | | |
|------|---|------|----------------------------|----|----|
| 1116 | Sanitary Napkin (Large Size) | 8144 | Pack of 6 Sanitary Napkins | 8 | 2 |
| 1117 | Sanitary Napkin (Regular size with wings) | 8145 | Pack of 5 Sanitary Napkins | 8 | 2 |
| 1118 | Baby Feeding Bottle 250 ml | 8146 | 1's Mono carton | 8 | 30 |
| 1119 | Polybutylate Green/Blue(1/2 cir Tapercut ,25 mm Double Needle Length 90 cm) | 9999 | 6mm x 3mm x 1.5mm | 21 | 15 |

Ref. Clause no. 2 (f), 5. viii

Declaration

IManaging Director/Partner/Proprietor of M/s
..... having its registered
office at

do hereby declared that our company have not been banned/black listed/ debarred
/ deregistered/ either by any state Government or central Government
Organization or its drug procurement agencies or any national or international
agency. We are eligible to participate in tender no.....

M/s

Company Seal

To be attested by Notary

CHECK LIST

| S.N | Particulars | Page No. | Yes | No |
|------------|---|-----------------|------------|-----------|
| 1 | Annexure VI - Checklist | | | |
| 2 | EMD Rs 10000 in the form of DD no_____ dated _____issued by _____shall be uploaded and delivered to BPPI. | | | |
| 3 | Self-attested and notarized scan copy of license for drug/surgical/food products testing laboratory renewed up to date. | | | |
| 4 | Recognition Certificate issued by NABL & FSSAI, and its renewal | | | |
| 5 | Annual Turnover for the last two years certified by the auditors. i.e. 2016-2017 & 2017-2018 certified by the auditors. | | | |
| 6 | <i>GLP compliant under the provisions of Drugs & Cosmetics Act 1940 and Rules 1945 (Schedule L1 certificate.</i> | | | |
| 7 | Non-conviction certificate as per para 3(f) | | | |
| 8 | Annexure – I Performa for performance statement | | | |
| 9 | Annexure – II Details of Laboratory and Certificate of Registration for service tax | | | |
| 10 | Annexure – III (A) Personnel in Laboratory. | | | |
| 11 | Annexure – III (B) List of Sophisticated instruments. | | | |
| 12 | Annexure – III (C) Facilities in Microbiological section 1)List of reference cultures available: 2)List of reference impurities available: 3) List of reference standard/ working references available | | | |
| 13 | Annexure – IV Declaration form duly signed & notarized. | | | |
| 14 | Annexure – VI Declaration as para 2(f) 5. viii | | | |
| 15 | Documentary evidence, for the constitution of the company / laboratory i.e., Memorandum and articles of Association or partnership etc., | | | |
| 16 | The instruments such as power of attorney, resolution of board etc., | | | |
| 17 | The tender document signed by the tenderer in all pages with official seal | | | |
| 18 | Documentary evidence of having analyzed drugs for the test for the last two years | | | |